



UNIVERSITY OF ARIZONA



39001007199055

CATALOGUE
OF THE
SYNTOMIDÆ
IN THE
COLLECTION
OF THE
BRITISH MUSEUM.



BY
SIR GEORGE F. HAMPSON, BART.

LONDON:
PRINTED BY ORDER OF THE TRUSTEES.

SOLD BY

LONGMANS & Co., 39 PATERNOSTER ROW, E.C.;
B. QUARITCH, 15 PICCADILLY; DULAU & CO., 37 SOHO SQUARE, W.;
KEGAN PAUL & Co., PATERNOSTER HOUSE, CHARING CROSS ROAD;

AND AT THE

BRITISH MUSEUM (NATURAL HISTORY), CROMWELL ROAD, S.W.

1898.



SOLD BY ORDER OF PRESIDENT & COUNCIL
ROYAL COLLEGE OF SURGEONS OF ENGLAND

PRINTED BY TAYLOR AND FRANCIS,
RED LION COURT, FLEET STREET.

595.78
3866
plates
1-8

ERRATA.

PLATE VI. fig. 17 *should be* fig. 18.

"	"	"	18	"	"	17.
"	X.	"	1.	"	"	4.
"	"	"	2	"	"	1.
"	"	"	3	"	"	2.
"	"	"	4	"	"	3.

210069

PRINTED BY TAYLOR AND FRANCIS,
RED LION COURT, FLEET STREET.

595.78
B86c
Plates
v. 1-8

210069

PLATE I.

1.	<i>Caillitomis multifasciata</i> , ♂.	Vol. I. p. 33.	Assam.
2.	„ <i>dohertyi</i> , ♂.	„ p. 33.	Java.
3.	„ <i>leucosoma</i> , ♂.	„ p. 34.	Kashmir.
4.	<i>Ceryx flaviplagia</i> , ♂.	„ p. 36.	Celebes.
5.	„ <i>claremonti</i> , ♂.	„ p. 36.	Java.
6.	„ <i>sphenodes</i> , ♂.	„ p. 38.	Queensland.
7.	„ <i>ampla</i> , ♀.	„ p. 38.	Aru.
8.	„ <i>guttulosa</i> , ♂.	„ p. 39.	Aru.
9.	„ <i>puncta</i> , ♂.	„ p. 39.	New Guinea.
10.	„ <i>evar</i> , ♂.	„ p. 40.	Amboina.
11.	„ <i>decorata</i> , ♀.	„ p. 41.	Borneo.
12.	„ <i>flavibasis</i> , ♀.	„ p. 41.	Perak.
13.	„ <i>cherra</i> , ♂.	„ p. 41.	Assam.
14.	„ <i>fata</i> , ♀.	„ p. 42.	Borneo.
15.	„ <i>exapta</i> , ♂.	„ p. 42.	Sambawa.
16.	„ <i>semicincta</i> , ♂.	„ p. 43.	Burma.
17.	„ <i>chea</i> , ♀.	„ p. 45.	Philippines.
18.	„ <i>transitiva</i> , ♂.	„ p. 45.	Borneo.
19.	„ <i>toxotes</i> , ♂.	„ p. 45.	Cape Colony.
20.	„ <i>seminigra</i> , ♂.	„ p. 46.	W. Africa.
21.	„ <i>elasson</i> , ♂.	„ p. 46.	W. Africa.
22.	„ <i>expandens</i> , ♂.	„ p. 47.	Borneo.
23.	„ <i>semitryalina</i> , ♂.	„ p. 47.	E. Africa.
24.	<i>Myopsyche puncticincta</i> , ♂.	„ p. 49.	W. Africa.
25.	„ <i>xanthopleura</i> , ♂.	„ p. 49.	W. Africa.
26.	„ <i>notoplagia</i> , ♀.	„ p. 49.	W. Africa.
27.	„ <i>idda</i> , ♀.	„ p. 51.	W. Africa.
28.	„ <i>elachista</i> , ♀.	„ p. 51.	W. Africa.





PLATE II.

1.	<i>Trichaeta elongimacula</i> , ♂.	Vol. I. p. 54.	Borneo.
2.	„ <i>bivittata</i> , ♂.	„ p. 55.	W. Africa.
3.	„ <i>vigorsi</i> , ♂.	„ p. 56.	Java.
4.	„ <i>detracta</i> , ♂.	„ p. 56.	Borneo.
5.	„ <i>trizonata</i> , ♀.	„ p. 56.	Perak.
6.	„ <i>basifera</i> , ♂.	„ p. 57.	Borneo.
7.	„ <i>quadriplagata</i> , ♀.	„ p. 57.	Sumatra.
8.	„ <i>separabilis</i> , ♀.	„ p. 59.	Borneo.
9.	„ <i>diplaga</i> , ♀.	„ p. 58.	Penang.
10.	„ <i>apicalis</i> , ♂.	„ p. 58.	Sumatra.
11.	„ <i>divisura</i> , ♂.	„ p. 59.	Borneo.
12.	<i>Syntomis derivata</i> , ♀ subsp.	„ p. 60.	Perak.
13.	„ <i>phœnicozona</i> , ♂.	„ p. 63.	Andamans.
14.	„ <i>fenestrata</i> , ♂.	„ p. 60.	Cambodia.
15.	„ <i>humeralis</i> , ♀.	„ p. 63.	Queensland.
16.	„ <i>wuka</i> , ♂.	„ p. 65.	Kei I.
17.	„ <i>ochreipuncta</i> , ♂.	„ p. 64.	India.
18.	„ <i>goodi</i> , ♂.	„ p. 65.	W. Africa.
19.	„ <i>pactolina</i> , ♀.	„ p. 71.	Queensland.
20.	„ <i>insularis</i> , ♀.	„ p. 73.	Queensland.
21.	„ <i>stenoazona</i> , ♂.	„ p. 69.	Queensland.
22.	„ <i>chlorometis</i> , ♂.	„ p. 68.	N. S. Wales.
23.	„ <i>phœnicia</i> , ♂.	„ p. 70.	E. Africa.
24.	„ <i>serrata</i> , ♂.	„ p. 70.	Assam.
25.	„ <i>shoa</i> , ♂.	„ p. 70.	Abyssinia.
26.	„ <i>marella</i> , ♀.	„ p. 70.	Queensland.
27.	„ <i>metaphœa</i> , ♂.	„ p. 68.	New Guinea.
28.	„ <i>graduata</i> , ♂.	„ p. 67.	China.





PLATE III.

1.	<i>Syntomis macroplaca</i> , ♀.	Vol. I. p.	74.	Queensland.
2.	„ <i>atricornis</i> , ♂.	„ p.	75.	S. Africa.
3.	„ <i>dilatralis</i> , ♂.	„ p.	82.	E. Africa.
4.	„ <i>alicia</i> , ♀.	„ p.	83.	Abyssinia.
5.	„ <i>tomasina</i> , ♂.	„ p.	84.	W. Africa.
6.	„ <i>velatipennis</i> , ♀.	„ p.	84.	Abyssinia.
7.	„ <i>rubrozonata</i> , ♂.	„ p.	85.	China.
8.	„ <i>celebesa</i> , ♂.	„ p.	85.	Celebes.
9.	„ <i>egenaria</i> , ♂.	„ p.	86.	Borneo.
10.	„ <i>euryptera</i> , ♂.	„ p.	87.	Borneo.
11.	„ <i>kinensis</i> , ♀.	„ p.	87.	Borneo.
12.	„ <i>tetragonaria</i> , ♂.	„ p.	89.	Borneo.
13.	„ <i>muirheadi</i> , ♂.	„ p.	95.	China.
14.	„ <i>vitrea</i> , ♂.	„ p.	90.	Burma.
15.	„ <i>submarginalis</i> , ♀.	„ p.	91.	Sikhim.
16.	„ <i>brithyris</i> , ♀.	„ p.	90.	Borneo.
17.	„ <i>perixanthia</i> , ♂.	„ p.	97.	Formosa.
18.	„ <i>newara</i> , ♀.	„ p.	94.	Sikhim.
19.	„ <i>euryzona</i> , ♂.	„ p.	94.	China.
20.	„ <i>xanthoma</i> , ♂.	„ p.	94.	China.
21.	„ <i>chrysozona</i> , ♀.	„ p.	90.	E. Africa.
22.	„ <i>chlorocera</i> , ♂.	„ p.	93.	Assam.
23.	„ <i>basigera</i> , ♀.	„ p.	96.	Batchian.
24.	„ <i>signata</i> , ♀.	„ p.	97.	Java.
25.	„ <i>luteifascia</i> , ♂.	„ p.	97.	Assam.
26.	„ <i>formosæ</i> , ♂.	„ p.	98.	China.
27.	„ <i>pentazonata</i> , ♂.	„ p.	99.	Burma.
28.	„ <i>creobota</i> , ♂.	„ p.	101.	W. Africa.





PLATE IV.

1.	<i>Syntomis dichotoma</i> , ♂.	Vol. I. p. 100.	China.
2.	„ <i>quadrifascia</i> , ♂.	„ p. 100.	Burma.
3.	„ <i>flavifrons</i> , ♂.	„ p. 101.	Assam.
4.	„ <i>tetrazonata</i> , ♂.	„ p. 101.	Formosa.
5.	„ <i>persica</i> , ♂.	„ p. 101.	Persia.
6.	„ <i>ribbei</i> , ♂.	„ p. 102.	Celebes.
7.	„ <i>johanna</i> , ♂.	„ p. 102.	Natal.
8.	„ <i>pryeri</i> , ♀.	„ p. 102.	Borneo.
9.	„ <i> khasiana</i> , ♂.	„ p. 103.	Assam.
10.	„ <i> lucina</i> , ♂.	„ p. 104.	Nepal.
11.	„ <i> edwardsi</i> , ♂.	„ p. 104.	Formosa.
12.	„ <i> fortunei</i> , ♂.	„ p. 104.	Japan.
13.	„ <i> megista</i> , ♀.	„ p. 107.	Borneo.
14.	„ <i> hydatina</i> , ♂.	„ p. 106.	India.
15.	„ <i> minor</i> , ♂.	„ p. 107.	India.
16.	„ <i> interniplaga</i> , ♂.	„ p. 114.	W. Africa.
17.	„ <i> cingulata</i> , ♂.	„ p. 107.	China.
18.	„ <i> adjuncta</i> , ♂.	„ p. 111.	Ceram.
19.	„ <i> cærulescens</i> , ♀.	„ p. 113.	E. Africa.
20.	„ <i> unifascia</i> , ♀.	„ p. 112.	Sikhim.
21.	„ <i> discata</i> , ♀.	„ p. 112.	E. Africa.
22.	„ <i> stellaris</i> , ♂.	„ p. 112.	Perak.
23.	„ <i> rendalli</i> , ♂.	„ p. 112.	S. Africa.
24.	„ <i> marina</i> , ♀.	„ p. 114.	W. Africa.
25.	<i>Eressa geographica</i> , ♂.	„ p. 118.	Queensland.
26.	„ <i> eressoides</i> , ♀.	„ p. 118.	Burma.
27.	„ <i> vespa</i> , ♂.	„ p. 118.	Burma.
28.	„ <i> semifusca</i> , ♂.	„ p. 118.	Perak.





PLATE V.


1. <i>Syntomis compta</i> , ♂.	Vol. I. p. 99.	Assam.
2. „ <i>consequa</i> , ♀.	„ p. 96.	China.
3. <i>Eressa quinquecincta</i> , ♀.	„ p. 119.	Perak.
4. <i>Metarctia rubripuncta</i> , ♀.	„ p. 147.	W. Africa.
5. <i>Eressa microchilus</i> , ♂.	„ p. 119.	Burma.
6. <i>Metarctia rufescens</i> , ♂.	„ p. 148.	W. Africa.
7. <i>Eressa lepcha</i> , ♂.	„ p. 121.	Sikhim.
8. „ <i>nigra</i> , ♂.	„ p. 121.	Sikhim.
9. <i>Thyretes monteiroi</i> , ♀.	„ p. 139.	S.E. Africa.
10. <i>Apisa leucogastra</i> , ♀.	„ p. 141.	W. Africa.
11. „ <i>chrysopyga</i> , ♀.	„ p. 141.	W. Africa.
12. „ <i>kerri</i> , ♂.	„ p. 141.	W. Africa.
13. <i>Metarctia cæruleifascia</i> , ♀.	„ p. 145.	W. Africa.
14. <i>Micronaclia tenera</i> , ♂.	„ p. 129.	Madagascar.
15. <i>Apisa monotica</i> , ♂.	„ p. 142.	W. Africa.
16. „ <i>melaleuca</i> , ♂.	„ p. 143.	W. Africa.
17. <i>Metarctia hæmatoessa</i> , ♀.	„ p. 146.	W. Africa.
18. <i>Apisa crenophylax</i> , ♂.	„ p. 143.	W. Africa.
19. <i>Metarctia perpusilla</i> , ♂.	„ p. 144.	W. Africa.
20. „ <i>invaria</i> , ♀ ab. <i>erubescens</i> .	„ p. 146.	W. Africa.
21. „ <i>flaviceps</i> , ♂.	„ p. 147.	W. Africa.
22. <i>Hyalæthea metaphæa</i> , ♀.	„ p. 124.	Solomon Is.
23. <i>Eressa erythrosoma</i> , ♂.	„ p. 119.	Burma.
24. <i>Stictonaclia reducta</i> , ♂.	„ p. 127.	Madagascar.
25. <i>Metarctia hæmatosphages</i> , ♀.	„ p. 146.	W. Africa.
26. „ <i>hæmatica</i> , ♂.	„ p. 147.	W. Africa.
27. „ <i>benitensis</i> , ♂.	„ p. 148.	W. Africa.
28. „ <i>parachoria</i> , ♂.	„ p. 147.	W. Africa.
29. <i>Epitoxis procridia</i> , ♀.	„ p. 125.	E. Africa.





PLATE VI.

1. <i>Isanthrene varia</i> , ♂.	Vol. I. p. 176.	Centr. Amer.
2. <i>Sphecosoma simile</i> , ♂.	„ p. 158.	Venezuela.
3. <i>Isanthrene basifera</i> , ♂.	„ p. 176.	Colombia.
4. <i>Sphecosoma melissa</i> , ♂.	„ p. 160.	Brazil.
5. <i>Isanthrene profusa</i> , ♂.	„ p. 177.	Brazil.
6. <i>Pompiliodes postica</i> , ♂.	„ p. 163.	Centr. Amer.
7. <i>Thyretes montana</i> , ♂.	„ p. 138.	S. Africa.
8. <i>Pseudosphecx laticincta</i> , ♂.	„ p. 155.	Centr. Amer.
9. <i>Paramya picta</i> , ♂.	„ p. 165.	Guiana.
10. „ <i>cenetus</i> , ♀.	„ p. 164.	Brazil.
11. <i>Metarctia inconspicua</i> , ♀.	„ p. 148.	W. Africa.
12. <i>Pseudapiconoma flavimacula</i> , ♂.	„ p. 150.	W. Africa.
13. <i>Metarctia incensa</i> , ♂.	„ p. 149.	Africa.
14. <i>Pseudapiconoma glagoessa</i> , ♂.	„ p. 151.	W. Africa.
15. „ <i>rubricincta</i> , ♂.	„ p. 151.	W. Africa.
16. <i>Isanthrene pyrocera</i> , ♂.	„ p. 173.	Mexico.
17. <i>Homæocera stictosoma</i> , ♀.	„ p. 167.	Colombia.
18. <i>Isanthrene pelor</i> , ♂.	„ p. 175.	Ecuador.
19. „ <i>pentagona</i> , ♂.	„ p. 170.	Peru.
20. „ <i>minor</i> , ♀.	„ p. 178.	Brazil.
21. „ <i>aterrima</i> , ♀.	„ p. 176.	Brazil.
22. <i>Sphecosoma testaceum</i> , ♂.	„ p. 158.	Guiana.
23. <i>Isanthrene notipennis</i> , ♂.	„ p. 177.	Brazil.
24. <i>Sphecosoma ecuadorum</i> , ♂.	„ p. 160.	Ecuador.
25. <i>Isanthrene vespiformis</i> , ♂.	„ p. 177.	Brazil.
26. <i>Pompiliodes tenebrosa</i> , ♂.	„ p. 164.	Brazil.
27. <i>Meganaclia carnea</i> , ♀.	„ p. 136.	W. Africa.
28. <i>Homæocera tolosa</i> , ♀.	„ p. 167.	Ecuador.






PLATE VII.

1. <i>Bombiliodes bijuncta</i> , ♀.	Vol. I. p. 181.	Brazil.
2. „ <i>cuma</i> , ♂.	„ p. 181.	Colombia.
3. <i>Paramya chrysonota</i> , ♂.	„ p. 165.	Amazon.
4. <i>Sphecosoma melanotum</i> , ♂.	„ p. 161.	Bolivia.
5. <i>Mallodeta clavata</i> , ♂.	„ p. 195.	Brazil.
6. <i>Gymnelia cocho</i> , ♂.	„ p. 189.	Peru.
7. <i>Bombiliodes ectomelæna</i> , ♀.	„ p. 182.	Brazil.
8. „ <i>aroa</i> , ♀.	„ p. 182.	Venezuela.
9. <i>Gymnelia lyrcea</i> , ♂.	„ p. 190.	Ecuador.
10. „ <i>taos</i> , ♂.	„ p. 191.	Colombia.
11. <i>Phœnicoprocta vacillans</i> , ♂.	„ p. 197.	Brazil.
12. „ <i>metachrysea</i> , ♂.	„ p. 196.	Cayenne.
13. <i>Sarosa xanthobasis</i> , ♀.	„ p. 186.	Ecuador.
14. <i>Phœnicoprocta hæmorrhoidalis</i> , ♂.	„ p. 197.	Brazil.
15. „ <i>eximia</i> , ♀.	„ p. 199.	St. Croix.
16. <i>Gymnelia torquata</i> , ♂.	„ p. 192.	Brazil.
17. <i>Eunomia rubripunctata</i> , ♂.	„ p. 201.	Jamaica.
18. „ <i>latenigra</i> , ♂.	„ p. 202.	Honduras.
19. <i>Loxophlebia broteas</i> , ♂.	„ p. 207.	Brazil.
20. „ <i>splendens</i> , ♂.	„ p. 208.	Cayenne.
21. <i>Bombiliodes simplex</i> , ♀.	„ p. 183.	Brazil.
22. „ <i>collocata</i> , ♂.	„ p. 184.	Brazil.
23. <i>Pheia sperans</i> , ♀.	„ p. 204.	Brazil.
24. „ <i>hæmapera</i> , ♂.	„ p. 204.	Brazil.
25. „ <i>daphæna</i> , ♂.	„ p. 205.	Dominica.
26. <i>Loxophlebia asmodeus</i> , ♂.	„ p. 211.	Ecuador.
27. <i>Gymnelia latimarginata</i> , ♀.	„ p. 191.	Colombia.
28. <i>Bombiliodes whitelyi</i> , ♀.	„ p. 184.	Peru.





PLATE VIII.

1. <i>Mesothen petosiris</i> , ♂.	Vol. I. p. 212.	Ecuador.
2. <i>Loxophlebia eumonides</i> , ♂.	„ p. 211.	Ecuador.
3. <i>Mesothen desperata</i> , ♀.	„ p. 215.	Brazil.
4. <i>Loxophlebia postflavia</i> , ♂.	„ p. 210.	Cayenne.
5. <i>Leucotmemis margariphera</i> , ♀.	„ p. 220.	Brazil.
6. „ <i>pleuræmata</i> , ♂.	„ p. 221.	Brazil.
7. „ <i>hemileuca</i> , ♂.	„ p. 221.	Peru.
8. <i>Chrostosoma cardinale</i> , ♀.	„ p. 217.	Colombia.
9. <i>Cosmosoma demantria</i> , ♂.	„ p. 226.	Dominica.
10. „ <i>sectinota</i> , ♂.	„ p. 228.	Mexico.
11. „ <i>leuconoton</i> , ♀.	„ p. 231.	Colombia.
12. „ <i>cinctum</i> , ♀.	„ p. 232.	Venezuela.
13. <i>Mallogeta sanguipuncta</i> , ♂.	„ p. 194.	Colombia.
14. <i>Cosmosoma tarapotense</i> , ♂.	„ p. 232.	Peru.
15. „ <i>beatum</i> , ♀.	„ p. 234.	Colombia.
16. „ <i>cardinale</i> , ♂.	„ p. 230.	Brazil.
17. „ <i>nigricornis</i> , ♂.	„ p. 234.	Colombia.
18. „ <i>sephela</i> , ♀.	„ p. 235.	Ecuador.
19. „ <i>zurcheri</i> , ♂.	„ p. 229.	Costa Rica.
20. „ <i>contractum</i> , ♀.	„ p. 237.	Brazil.
21. <i>Mesothen ignea</i> , ♂.	„ p. 213.	Mexico.
22. <i>Leucotmemis climacina</i> , ♂.	„ p. 223.	Brazil.
23. „ <i>emergens</i> , ♀.	„ p. 223.	Brazil.
24. „ <i>ornatula</i> , ♀.	„ p. 224.	Brazil.
25. „ <i>insperata</i> , ♀.	„ p. 224.	Brazil.
26. „ <i>omole</i> , ♀.	„ p. 222.	Ecuador.
27. „ <i>intersecta</i> , ♀.	„ p. 222.	Brazil.
28. „ <i>torrida</i> , ♀.	„ p. 223.	Brazil.






PLATE IX.

1.	<i>Chrostosoma semirubrum</i> , ♂.	Vol. I. p. 217.	Brazil.
2.	<i>Mescthen erythema</i> , ♂.	„ p. 214.	Colombia.
3.	<i>Cosmosoma bolivari</i> , ♂.	„ p. 238.	Ecuador.
4.	„ <i>xanthistis</i> , ♀.	„ p. 231.	Brazil.
5.	„ <i>xanthocera</i> , ♀.	„ p. 236.	Brazil.
6.	„ <i>melanopera</i> , ♀.	„ p. 240.	Bolivia.
7.	„ <i>batesi</i> , ♂.	„ p. 239.	Brazil.
8.	„ <i>plutona</i> , ♂.	„ p. 240.	Brazil.
9.	„ <i>scitum</i> , ♀.	„ p. 250.	Brazil.
10.	„ <i>regia</i> , ♀.	„ p. 254.	Venezuela.
11.	„ <i>stibostictum</i> , ♂.	„ p. 253.	Colombia.
12.	„ <i>elegans</i> , ♂.	„ p. 241.	Brazil.
13.	„ <i>determinatum</i> , ♂.	„ p. 240.	Colombia.
14.	„ <i>pudicum</i> , ♂.	„ p. 251.	Costa Rica.
15.	„ <i>dorsimacula</i> , ♀.	„ p. 252.	Ecuador.
16.	„ <i>biseriatum</i> , ♂.	„ p. 251.	Ecuador.
17.	<i>Pecilosoma nigerrimum</i> , ♀.	„ p. 256.	Brazil.
18.	„ <i>eusebia</i> , ♀.	„ p. 257.	Ecuador.
19.	„ <i>marginatum</i> , ♀.	„ p. 258.	Brazil.
20.	<i>Mystrocneme atavia</i> , ♀.	„ p. 259.	Brazil.
21.	<i>Cosmosoma xanthostictum</i> , ♂.	„ p. 240.	Guatemala.
22.	„ <i>remotum</i> , ♀.	„ p. 248.	Venezuela.
23.	„ <i>durca</i> , ♂.	„ p. 241.	Brazil.
24.	<i>Ichoria multigutta</i> , ♂.	„ p. 260.	Venezuela.
25.	<i>Cosmosoma orathidia</i> , ♂.	„ p. 242.	Nicaragua.
26.	„ <i>consolatum</i> , ♀.	„ p. 248.	Brazil.
27.	„ <i>hypocheilus</i> , ♂.	„ p. 247.	St. Vincent.
28.	„ <i>eumele</i> , ♀.	„ p. 249.	Ecuador.



PLATE X.

1. <i>Ichoria chalcomedusa</i> , ♀.	Vol. I. p. 261.	Brazil.
2. <i>Pseudomya splendens</i> , ♂.	„ p. 262.	Bahamas.
3. <i>Holophæa cærulea</i> , ♀.	„ p. 266.	Ecuador.
4. <i>Pseudomya sanguiceps</i> , ♂.	„ p. 264.	Panama.
5. <i>Saurita erythroguia</i> , ♀.	„ p. 274.	Brazil.
6. <i>Psilopleura sanguipuncta</i> , ♂.	„ p. 268.	Brazil.
7. <i>Pseudomya minima</i> , ♂.	„ p. 262.	Florida.
8. <i>Psilopleura polia</i> , ♂.	„ p. 268.	Brazil.
9. <i>Rhynchopyga xanthospila</i> , ♂.	„ p. 269.	Bolivia.
10. „ <i>rubricincta</i> , ♂.	„ p. 269.	Bolivia.
11. „ <i>meisteri</i> , ♂.	„ p. 270.	Brazil.
12. <i>Saurita salta</i> , ♂.	„ p. 277.	Venezuela.
13. <i>Metaloba argante</i> , ♂.	„ p. 284.	Ecuador.
14. <i>Saurita sanguisecta</i> , ♀.	„ p. 275.	Colombia.
15. „ <i>vindonissa</i> , ♂.	„ p. 278.	Ecuador.
16. <i>Eurota schausi</i> , ♂.	„ p. 286.	Brazil.
17. <i>Saurita phœnicosticta</i> , ♂.	„ p. 277.	Guatemala.
18. „ <i>tenuis</i> , ♀.	„ p. 278.	Brazil.
19. „ <i>concisa</i> , ♂.	„ p. 279.	Panama.
20. „ <i>nigripalpia</i> , ♂.	„ p. 274.	Mexico.
21. „ <i>cryptoleuca</i> , ♀.	„ p. 272.	Brazil.
22. „ <i>triangulifera</i> , ♂.	„ p. 280.	Brazil.
23. <i>Psoloptera basifulva</i> , ♂.	„ p. 284.	Panama.
24. <i>Pseudomya picta</i> , ♂.	„ p. 263.	Venezuela.
25. <i>Saurita vitristriga</i> , ♀.	„ p. 280.	Brit. Guiana.
26. „ <i>intricata</i> , ♀.	„ p. 280.	Brazil.
27. „ <i>bipuncta</i> , ♂.	„ p. 280.	Brazil.
28. <i>Eurota histrio</i> , ♂.	„ p. 289.	Bolivia.



Horace Knight del. et lith.

West, Newman chromo



PLATE XI.

1. <i>Eurota stictibasis</i> , ♂.	Vol. I. p. 290.	Brazil.
2. <i>Euchromia amœna</i> , ♂.	„ p. 295.	Natal.
3. „ <i>rubricollis</i> , ♂.	„ p. 300.	New Hebrides.
4. „ <i>isis</i> , ♂.	„ p. 301.	Duke of York Is.
5. „ <i>cyanitis</i> , ♀.	„ p. 301.	New Guinea.
6. „ <i>amboinica</i> , ♂.	„ p. 302.	Amboina.
7. „ <i>walkeri</i> , ♂.	„ p. 303.	Ternate.
8. <i>Dycladia melæna</i> , ♀.	„ p. 292.	Bolivia.
9. <i>Macrocneme thyridia</i> , ♀.	„ p. 321.	Surinam.
10. <i>Histicœa boliviana</i> , ♂.	„ p. 313.	Bolivia.
11. „ <i>maon</i> , ♀.	„ p. 313.	Bolivia.
12. „ <i>glaucozona</i> , ♂.	„ p. 315.	Brazil.
13. „ <i>imaon</i> , ♂.	„ p. 311.	Peru.
14. <i>Macrocneme cyanea</i> , ♀.	„ p. 317.	Brazil.
15. „ <i>cupreipennis</i> , ♀.	„ p. 318.	(ignotus.)
16. <i>Eurota maritana</i> , ♂.	„ p. 290.	Brazil.
17. <i>Euchromia gemmata</i> , ♀.	„ p. 299.	Solomons.
18. „ <i>œmulina</i> , ♂.	„ p. 300.	New Guinea.
19. „ <i>lurlina</i> , ♂.	„ p. 301.	New Guinea.
20. „ <i>dubia</i> , ♂.	„ p. 302.	Ceram.
21. „ <i>bourica</i> , ♂.	„ p. 302.	Amboina.
22. „ <i>auranticineta</i> , ♀.	„ p. 304.	New Guinea.





PLATE XII.

1. <i>Macrocneme immanis</i> , ♂.	Vol. I. p. 320.	Bolivia.
2. ,, <i>laciades</i> , ♂.	,, p. 323.	Mexico.
3. ,, <i>alca</i> , ♀.	,, p. 325.	Peru.
4. ,, <i>esmeralda</i> , ♀.	,, p. 325.	Panama.
5. <i>Trichura melanosoma</i> , ♂.	,, p. 342.	Brazil.
6. <i>Macrocneme albitarsia</i> , ♀.	,, p. 325.	Brazil.
7. <i>Calonotos tripunctata</i> , ♂.	,, p. 335.	St. Vincent.
8. ,, <i>chalciptera</i> , ♂.	,, p. 334.	Venezuela.
9. <i>Æthria carnicauda</i> , ♂.	,, p. 349.	Trinidad.
10. ,, <i>fulvicauda</i> , ♂.	,, p. 350.	Brazil.
11. <i>Mydropastea sylva</i> , ♂.	,, p. 328.	Brazil.
12. <i>Dinia subapicalis</i> , ♂.	,, p. 339.	Peru.
13. <i>Mydropastea salmoni</i> , ♀.	,, p. 328.	Colombia.
14. <i>Æthria daltha</i> , ♂.	,, p. 352.	Brazil.
15. <i>Urolasia opalocincta</i> , ♀.	,, p. 370.	Cayenne.
16. <i>Chrysocale gigantea</i> , ♀.	,, p. 331.	Colombia.
17. <i>Trichura mathina</i> , ♂.	,, p. 345.	Cayenne.
18. ,, <i>aurifera</i> , ♂.	,, p. 345.	Brazil.
19. <i>Æthria dorsilineata</i> , ♀.	,, p. 351.	Jamaica.
20. ,, <i>rubipectus</i> , ♂.	,, p. 353.	Haiti.
21. <i>Chrysocale ferens</i> , ♀.	,, p. 332.	Peru.
22. <i>Macrocneme chrysotarsia</i> , ♂.	,, p. 324.	Panama.
23. ,, <i>vittata</i> , ♂.	,, p. 325.	Brazil.
24. ,, <i>nigritarsia</i> , ♂.	,, p. 326.	Guatemala.
25. <i>Trichura cyanea</i> , ♂.	,, p. 345.	Brazil.
26. <i>Poliopastea plumbea</i> , ♂.	,, p. 337.	Brazil.
27. ,, <i>viridis</i> , ♂.	,, p. 337.	Ecuador.
28. <i>Calonotos chryseis</i> , ♀.	,, p. 336.	Bolivia.






PLATE XIII.

1.	<i>Eumenogaster hæmacera</i> , ♂.	Vol. I. p. 369.	Cayenne.
2.	<i>Argyroeides strigula</i> , ♂.	„ p. 354.	Brazil.
3.	„ <i>ortona</i> , ♂.	„ p. 355.	Ecuador.
4.	„ <i>ceres</i> , ♂.	„ p. 357.	Brit. Guiana.
5.	„ <i>flavipes</i> , ♂.	„ p. 359.	Brazil.
6.	<i>Desmidocnemis thyria</i> , ♂.	„ p. 363.	Bolivia.
7.	<i>Diptilon chrysocraspis</i> , ♂.	„ p. 365.	Bolivia.
8.	<i>Mesolasia melanobasis</i> , ♀.	„ p. 340.	Brazil.
9.	<i>Gundlachia rubella</i> , ♂.	„ p. 362.	Cuba.
10.	<i>Chrysostola sanguitarsia</i> , ♂.	„ p. 374.	Bolivia.
11.	„ <i>consobrina</i> , ♂.	„ p. 376.	Brazil.
12.	„ <i>sanguiceps</i> , ♂.	„ p. 375.	Cayenne.
13.	„ <i>fulvispex</i> , ♂.	„ p. 377.	Cayenne.
14.	„ <i>æqualis</i> , ♂.	„ p. 377.	Brazil.
15.	<i>Mesolasia paula</i> , ♀.	„ p. 340.	Brazil.
16.	<i>Chrysostola munda</i> , ♀.	„ p. 376.	Brazil.
17.	„ <i>tetrazona</i> , ♂.	„ p. 375.	Bolivia.
18.	„ <i>dycladioides</i> , ♂.	„ p. 373.	Brazil.
19.	„ <i>postica</i> , ♂.	„ p. 375.	Brazil.
20.	„ <i>pelopia</i> , ♂.	„ p. 375.	Panama.
21.	„ <i>singularis</i> , ♀.	„ p. 376.	Brazil.
22.	<i>Eumenogaster pseudosphacia</i> , ♀.	„ p. 369.	Brazil.
23.	<i>Argyroeides sanguinea</i> , ♂.	„ p. 357.	Brazil.
24.	„ <i>placida</i> , ♂.	„ p. 357.	Ecuador.
25.	„ <i>augiades</i> , ♂.	„ p. 359.	Bolivia.
26.	„ <i>magon</i> , ♂.	„ p. 360.	Brazil.
27.	<i>Desmidocnemis hypochryseis</i> , ♂.	„ p. 363.	Brazil.
28.	<i>Herea xanthogaster</i> , ♂.	„ p. 368.	Cayenne.
29.	<i>Argyroeides hadassa</i> , ♀.	„ p. 360.	Ecuador.






PLATE XIV.

1. <i>Cercopimorpha meterytha</i> , ♂.	Vol. I. p. 380.	Bolivia.
2. <i>Teucer subplena</i> , ♂.	„ p. 380.	Brazil.
3. <i>Episcepsis rypoperas</i> , ♂.	„ p. 386.	Honduras.
4. „ <i>hypoleuca</i> , ♂.	„ p. 384.	Costa Rica.
5. <i>Ceramidia cataleuca</i> , ♂.	„ p. 397.	Ecuador.
6. <i>Amycles dolosa</i> , ♀.	„ p. 399.	Brazil.
7. <i>Atyphopsis obscura</i> , ♀.	„ p. 404.	Brazil.
8. <i>Napata quadristrigata</i> , ♂.	„ p. 409.	St. Lucia.
9. „ <i>munda</i> , ♀.	„ p. 412.	Haiti.
10. „ <i>iridis</i> , ♂.	„ p. 408.	Bolivia.
11. „ <i>rabdonota</i> , ♂.	„ p. 410.	Dominica.
12. „ <i>terminalis</i> , ♂.	„ p. 411.	Brazil.
13. <i>Androcharta rubricincta</i> , ♂.	„ p. 391.	Argentina.
14. <i>Napata castra</i> , ♂.	„ p. 409.	Brazil.
15. „ <i>unifascia</i> , ♂.	„ p. 408.	Ecuador.
16. <i>Ceramidia ornata</i> , ♂.	„ p. 397.	Ecuador.
17. <i>Lymire strigivenia</i> , ♂.	„ p. 415.	Cayenne.
18. „ <i>edwardsi</i> , ♂.	„ p. 415.	Florida.
19. „ <i>melanocephala</i> , ♀.	„ p. 415.	Jamaica.
20. „ <i>albipennis</i> , ♀.	„ p. 416.	Cuba.
21. <i>Cercopimorpha tetragonia</i> , ♂.	„ p. 379.	Venezuela.
22. <i>Teucer albapev</i> , ♂.	„ p. 381.	Cayenne.
23. <i>Episcepsis inornata</i> , ♀.	„ p. 388.	Guatemala.
24. „ <i>endodasia</i> , ♂.	„ p. 389.	Brazil.
25. <i>Antichloris scudderi</i> , ♂.	„ p. 400.	Brazil.
26. <i>Ceramidia fumipennis</i> , ♂.	„ p. 398.	Brazil.
27. <i>Atyphopsis roseiceps</i> , ♂.	„ p. 403.	Brazil.
28. <i>Napata lelex</i> , ♀.	„ p. 410.	Guatemala.





PLATE XV.

1. <i>Cyanopepla chloë</i> , ♂.	Vol. I. p. 450.	Ecuador.
2. <i>Cacostatia discalis</i> , ♂.	„ p. 432.	Brazil.
3. <i>Eupyra sages</i> , ♂.	„ p. 435.	Bolivia.
4. <i>Cyanopepla panamensis</i> , ♂.	„ p. 441.	Panama.
5. „ <i>cinctipennis</i> , ♂.	„ p. 442.	Colombia.
6. „ <i>phœnicia</i> , ♀.	„ p. 447.	Bolivia.
7. <i>Euagra cerymica</i> , ♀.	„ p. 462.	Panama.
8. <i>Cyanopepla perilla</i> , ♀.	„ p. 449.	Ecuador.
9. <i>Horama panthalon</i> , ♀.	„ p. 417.	Haiti.
10. <i>Cullopepla emarginata</i> , ♀.	„ p. 438.	Brazil.
11. <i>Cyanopepla glaucopoides</i> , ♀.	„ p. 451.	Brazil.
12. <i>Aclytia punctata</i> , ♂.	„ p. 456.	Honduras.
13. <i>Chlorostola interrupta</i> , ♂.	„ p. 427.	Mexico.
14. <i>Coreura lysimachides</i> , ♂.	„ p. 454.	Peru.
15. <i>Eupyra disticta</i> , ♀.	„ p. 433.	Bolivia.
16. <i>Aclytia signatura</i> , ♀.	„ p. 459.	W. Indies.
17. „ <i>terra</i> , ♂.	„ p. 458.	Brazil.
18. <i>Trichodesma obliqua</i> , ♂.	„ p. 453.	Brazil.
19. „ <i>uniformis</i> , ♀.	„ p. 453.	Brazil.
20. <i>Cyanopepla obscura</i> , ♂.	„ p. 449.	Peru.
21. „ <i>agyrtdia</i> , ♂.	„ p. 450.	Bolivia.
22. <i>Eupyra sarama</i> , ♂.	„ p. 435.	Venezuela.
23. <i>Cyanopepla lystra</i> , ♂.	„ p. 441.	Colombia.
24. „ <i>basimacula</i> , ♀.	„ p. 449.	Brazil.
25. „ <i>julia</i> , ♀.	„ p. 447.	Peru.
26. <i>Euagra angelica</i> , ♀.	„ p. 463.	Colombia.
27. <i>Cyanopepla amata</i> , ♀.	„ p. 448.	Colombia.






PLATE XVI.

1. <i>Euagra chica</i> , ♂.	Vol. I. p. 463.	Bolivia.
2. „ <i>azurea</i> , ♂.	„ p. 464.	Brazil.
3. „ <i>splendida</i> , ♂.	„ p. 464.	Brazil.
4. <i>Phara nyctemeroides</i> , ♂.	„ p. 474.	(ignotus.)
5. <i>Neacerea rubricincta</i> , ♀.	„ p. 479.	Panama.
6. „ <i>testacea</i> , ♀.	„ p. 482.	Guatemala.
7. <i>Euagra fenestra</i> , ♀.	„ p. 465.	Brazil.
8. „ <i>intercisa</i> , ♂.	„ p. 464.	Venezuela.
9. <i>Heliura tetragramma</i> , ♂.	„ p. 482.	Brazil.
10. <i>Eucereon melanoperas</i> , ♀.	„ p. 495.	Brazil.
11. „ <i>högei</i> , ♀.	„ p. 492.	Mexico.
12. <i>Neacerea dizona</i> , ♂.	„ p. 481.	Cayenne.
13. <i>Eucereon balium</i> , ♂.	„ p. 494.	Honduras.
14. „ <i>latifascia</i> , ♂.	„ p. 498.	Peru.
15. „ <i>quadricolor</i> , ♂.	„ p. 495.	Brazil.
16. „ <i>æolum</i> , ♂.	„ p. 498.	Mexico.
17. „ <i>rosa</i> , ♂.	„ p. 491.	Honduras.
18. „ <i>rosinum</i> , ♂.	„ p. 492.	Trinidad.
19. <i>Agyrta chena</i> , ♂.	„ p. 470.	Brazil.
20. „ <i>albisparsa</i> , ♂.	„ p. 472.	Brazil.
21. „ <i>flavitincta</i> , ♂.	„ p. 471.	Bolivia.
22. <i>Neacerea albiventus</i> , ♂.	„ p. 480.	Brazil.
23. „ <i>pusilla</i> , ♀.	„ p. 480.	Amazon.
24. „ <i>atava</i> , ♀.	„ p. 481.	Panama.
25. <i>Agyrta monopлага</i> , ♂.	„ p. 471.	Ecuador.
26. „ <i>pandemia</i> , ♂.	„ p. 472.	Brazil.





PLATE XVII.

1. <i>Eucereon casca</i> , ♂.	Vol. I. p. 501.	Ecuador.
2. „ <i>leucophæum</i> , ♂.	„ p. 502.	Brazil.
3. <i>Correbidia notata</i> , ♂.	„ p. 518.	Brazil.
4. <i>Otenucha semistria</i> , ♀.	„ p. 527.	Brazil.
5. „ <i>cyaniris</i> , ♂.	„ p. 525.	Ecuador.
6. <i>Scepsis wrighti</i> , ♂.	„ p. 521.	California.
7. <i>Eucereon tarona</i> , ♀.	„ p. 493.	Panama.
8. <i>Euchromia paula</i> , ♂.	„ p. 303.	Celebes.
9. <i>Correbia obtusa</i> , ♂.	„ p. 516.	Guatemala.
10. <i>Otenucha editha</i> , ♂.	„ p. 527.	Haiti.
11. <i>Lycomorpha fulgens</i> , ♂.	„ p. 522.	N. Mexico.
12. <i>Eucereon abdominale</i> , ♀.	„ p. 509.	Venezuela.
13. „ <i>xanthoperas</i> , ♂.	„ p. 510.	Costa Rica.
14. „ <i>velutinum</i> , ♂.	„ p. 504.	Brazil.
15. „ <i>aroa</i> , ♂.	„ p. 511.	Mexico.
16. „ <i>phæoproctum</i> , ♂.	„ p. 512.	Guatemala.
17. <i>Cosmosoma ignidorsia</i> , ♂.	„ p. 227.	Brazil.
18. <i>Trichura dianthia</i> , ♂.	„ p. 345.	Brazil.
19. <i>Correbia agnonides</i> , ♂.	„ p. 516.	Nicaragua.
20. <i>Eucereon plumbicollum</i> , ♀.	„ p. 512.	Brazil.
21. „ <i>pica</i> , ♂.	„ p. 506.	Brazil.
22. <i>Correbidia calopteridia</i> , ♂.	„ p. 518.	Brazil.
23. <i>Phyloros laura</i> , ♂.	„ p. 533.	Bolivia.
24. <i>Epectaptera discosticta</i> , ♂.	„ p. 532.	Venezuela.
25. <i>Otenucha divisa</i> , ♂.	„ p. 527.	Brazil.
26. <i>Eucereon reniferum</i> , ♀.	„ p. 505.	Brazil.
27. <i>Otenucha clavia</i> , ♂.	„ p. 531.	Ecuador.





CATALOGUE
OF THE
ARCTIADÆ
(NOLINÆ, LITHOSIANÆ)
IN THE
COLLECTION
OF THE
BRITISH MUSEUM.

BY
SIR GEORGE F. HAMPSON, BART.



LONDON:

PRINTED BY ORDER OF THE TRUSTEES.

SOLD BY

LONGMANS & Co., 39 PATERNOSTER ROW, E.C.;

B. QUARITCH, 15 PICCADILLY, W.; DULAU & Co., 37 SOHO SQUARE, W.;

KEGAN PAUL, TRENCH, TRÜBNER, & Co., CHARING CROSS ROAD, W.C.;

AND AT THE

BRITISH MUSEUM (NATURAL HISTORY), CROMWELL ROAD, S.W.

1900.

PRINTED BY TAYLOR AND FRANCIS,
RED LION COURT, FLEET STREET.

PLATE XVIII.

1.	<i>Celama tessellata</i> , ♂.	Vol. II. p. 8.	India.
2.	„ <i>rufa</i> , ♀.	„ p. 8.	Ceylon.
3.	„ <i>encausta</i> , ♂.	„ p. 8.	India.
4.	„ <i>bifascialis</i> , ♀.	„ p. 11.	Borneo.
5.	„ <i>disticta</i> , ♂.	„ p. 11.	India.
6.	„ <i>aphyla</i> , ♂.	„ p. 11.	California.
7.	„ <i>astigma</i> , ♂.	„ p. 12.	India.
8.	„ <i>duplicilinea</i> , ♂.	„ p. 12.	India.
9.	„ <i>argentea</i> , ♀.	„ p. 12.	Queensland.
10.	„ <i>streptographia</i> , ♂.	„ p. 13.	Ceylon.
11.	„ <i>euryzonata</i> , ♀.	„ p. 16.	Sumatra.
12.	„ <i>cilicoides</i> , ♀.	„ p. 18.	U.S.A.
13.	„ <i>suffusa</i> , ♂.	„ p. 18.	India.
14.	„ <i>mesomelana</i> , ♂.	„ p. 19.	India.
15.	„ <i>leucoma</i> , ♀.	„ p. 19.	N. S. Wales.
16.	„ <i>appelia</i> , ♀.	„ p. 20.	Brazil.
17.	„ <i>ovilla</i> , ♂.	„ p. 25.	U.S.A.
18.	„ <i>triquetrana</i> , ♂.	„ p. 20.	U.S.A.
19.	„ <i>minna</i> , ♀.	„ p. 21.	U.S.A.
20.	„ <i>clethræ</i> , ♀.	„ p. 26.	U.S.A.
21.	„ <i>melalopha</i> , ♀.	„ p. 27.	W. Africa.
22.	„ <i>polia</i> , ♂.	„ p. 28.	India.
23.	„ <i>meridionalis</i> , ♂.	„ p. 28.	Transvaal.
24.	„ <i>phæochroa</i> , ♀.	„ p. 29.	India.
25.	„ <i>innocua</i> subsp., ♀.	„ p. 21.	Japan.
26.	„ <i>flexuosa</i> , ♂.	„ p. 27.	India.
27.	„ <i>tineoides</i> , ♂.	„ p. 29.	Natal.
28.	„ <i>irenica</i> , ♂.	„ p. 29.	N. S. Wales.
29.	„ <i>hesycha</i> , ♀.	„ p. 30.	W. Australia.
30.	„ <i>paromæa</i> , ♂.	„ p. 30.	Queensland.
31.	„ <i>biguttalis</i> , ♂.	„ p. 31.	Victoria.
32.	„ <i>microlopha</i> , ♂.	„ p. 31.	W. Africa.
33.	<i>Nola loxoscia</i> , ♀.	„ p. 33.	India.
34.	„ <i>latifascialis</i> , ♂.	„ p. 33.	Borneo.





PLATE XIX.

1. <i>Nola pulvereæ</i> , ♂.	Vol. II. p. 33.	Bolivia.
2. „ <i>phæa</i> , ♀.	„ p. 35.	China.
3. „ <i>melanota</i> , ♂.	„ p. 35.	India.
4. „ <i>tristicta</i> , ♂.	„ p. 37.	India.
5. „ <i>solvita</i> , ♀.	„ p. 37.	Brazil.
6. „ <i>apera</i> , ♂.	„ p. 38.	Panama.
7. „ <i>fuscibasalis</i> , ♂.	„ p. 39.	Ceylon.
8. „ <i>achromata</i> , ♂.	„ p. 40.	Solomons.
9. „ <i>tornotis</i> , ♂.	„ p. 40.	Queensland.
10. „ <i>semograptæ</i> , ♀.	„ p. 42.	Australia.
11. „ <i>epicentra</i> , ♂.	„ p. 43.	Australia.
12. „ <i>melanogramma</i> , ♂.	„ p. 43.	Australia.
13. „ <i>scabralis</i> , ♂.	„ p. 44.	Australia.
14. „ <i>anisigona</i> , ♂.	„ p. 47.	Australia.
15. „ <i>ænictis</i> , ♂.	„ p. 45.	W. Australia.
16. „ <i>melanchysis</i> , ♂.	„ p. 44.	Tonga.
17. „ <i>bistriga</i> , ♀.	„ p. 44.	Porto Rico.
18. „ <i>monozona</i> , ♀.	„ p. 45.	Australia.
19. „ <i>niphostena</i> , ♀.	„ p. 42.	Australia.
20. „ <i>cycota</i> , ♂.	„ p. 45.	N. S. Wales.
21. „ <i>aulacota</i> , ♂.	„ p. 45.	Tasmania.
22. „ <i>implens</i> , ♀.	„ p. 45.	Borneo.
23. „ <i>paroxynta</i> , ♂.	„ p. 47.	Victoria.
24. <i>Ræselia fola</i> , ♂.	„ p. 52.	Ceylon.
25. „ <i>strigivena</i> , ♂.	„ p. 57.	India.
26. „ <i>argyria</i> , ♀.	„ p. 57.	India.
27. „ <i>nitida</i> , ♀.	„ p. 58.	India.
28. „ <i>micans</i> , ♂.	„ p. 59.	Bolivia.
29. „ <i>aperta</i> , ♀.	„ p. 59.	Java.
30. „ <i>metallopa</i> , ♀.	„ p. 59.	N. S. Wales.
31. „ <i>trocha</i> , ♀.	„ p. 60.	Ecuador.
32. „ <i>leucostola</i> , ♀.	„ p. 61.	Costa Rica.
33. „ <i>semirufa</i> , ♀.	„ p. 61.	India.
34. „ <i>rufescens</i> , ♂.	„ p. 61.	Ecuador.





PLATE XX.

1. <i>Roeselia causta</i> , ♂.	Vol. II. p. 62.	Bolivia.
2. „ <i>hermana</i> , ♂.	„ p. 62.	Brazil.
3. „ <i>flavibasis</i> , ♂.	„ p. 63.	Ceylon.
4. „ <i>denticulata</i> , ♂.	„ p. 63.	India.
5. „ <i>mediozona</i> , ♂.	„ p. 63.	Ecuador.
6. „ <i>perangulata</i> , ♀.	„ p. 64.	Brazil.
7. „ <i>leucospila</i> , ♂.	„ p. 64.	Queensland.
8. „ <i>pygmaea</i> , ♂.	„ p. 65.	Brazil.
9. „ <i>dentata</i> , ♂.	„ p. 66.	U.S.A.
10. „ <i>indistincta</i> , ♂.	„ p. 66.	India.
11. „ <i>antennata</i> , ♂.	„ p. 66.	Brazil.
12. „ <i>bryophiloides</i> , ♀.	„ p. 66.	Madagascar.
13. „ <i>divisa</i> , ♂.	„ p. 67.	Brazil.
14. „ <i>arana</i> , ♀.	„ p. 67.	Brazil.
15. „ <i>rodea</i> , ♀.	„ p. 68.	Brazil.
16. „ <i>minuscula</i> , ♂.	„ p. 69.	U.S.A.
17. „ <i>incana</i> , ♀.	„ p. 70.	Madagascar.
18. <i>Lambula pallida</i> , ♀.	„ p. 100.	Borneo.
19. „ <i>punctifer</i> , ♂.	„ p. 100.	N. Guinea.
20. <i>Roeselia anfracta</i> , ♂.	„ p. 73.	U.S.A.
21. <i>Poliosia pulverea</i> , ♂.	„ p. 107.	Borneo.
22. „ <i>punctivena</i> , ♂.	„ p. 108.	India.
23. „ <i>cubitifera</i> , ♀.	„ p. 108.	India.
24. „ <i>nigrifrons</i> , ♂.	„ p. 109.	W. Africa.
25. <i>Scoliacma nephelozona</i> , ♀.	„ p. 102.	N. Guinea.
26. „ <i>brunnea</i> , ♀.	„ p. 104.	N. Guinea.
27. <i>Roeselia maculata</i> , ♂.	„ p. 64.	Amur.
28. „ <i>metaleuca</i> , ♂.	„ p. 71.	Bolivia.
29. „ <i>gigantula</i> , ♀.	„ p. 71.	Japan.
30. „ <i>ascripta</i> , ♂.	„ p. 71.	India.
31. „ <i>medioscripta</i> , ♀.	„ p. 73.	Mexico.
32. „ <i>longiventris</i> , ♂.	„ p. 74.	India.
33. „ <i>discisignata</i> , ♂.	„ p. 75.	Ceylon.
34. <i>Zia lunisigna</i> , ♂.	„ p. 77.	India.





PLATE XXI.

1. <i>Poliosia fragilis</i> , ♂.	Vol. II. p. 109.	Queensland.
2. <i>Chrysoscota auranticeps</i> , ♂.	„ p. 110.	N. Guinea.
3. <i>Nishada niveola</i> , ♀.	„ p. 111.	N. Guinea.
4. „ <i>impervia</i> , ♂.	„ p. 111.	N. Guinea.
5. „ <i>tula</i> , ♀.	„ p. 112.	Sula.
6. „ <i>rotundipennis</i> , ♀.	„ p. 113.	Borneo.
7. <i>Lexis phaeola</i> , ♀.	„ p. 119.	Ceylon.
8. „ <i>immaculata</i> , ♀.	„ p. 118.	Formosa.
9. „ <i>nitens</i> , ♂.	„ p. 118.	Australia.
10. „ <i>fulveola</i> , ♂.	„ p. 119.	India.
11. <i>Phryganopsis cinerella</i> , ♂.	„ p. 120.	S. Africa.
12. <i>Parablavia pallida</i> , ♀.	„ p. 126.	Porto Rico.
13. <i>Lexis euchana</i> , ♀.	„ p. 116.	Burma.
14. <i>Phryganopsis costimacula</i> , ♀.	„ p. 120.	W. Africa.
15. <i>Ilema punctistriata</i> , ♀.	„ p. 151.	Madagascar.
16. „ <i>uniplaga</i> , ♀.	„ p. 135.	Burma.
17. „ <i>fimbriata</i> , ♂.	„ p. 136.	China.
18. „ <i>sordida</i> , ♂.	„ p. 152.	Madagascar.
19. „ <i>plumbeomicans</i> , ♂.	„ p. 140.	India.
20. „ <i>obliquistria</i> , ♂.	„ p. 134.	Burma.
21. „ <i>fuscistria</i> , ♂.	„ p. 141.	India.
22. „ <i>cana</i> , ♂.	„ p. 141.	India.
23. <i>Crambidia lithosioides</i> , ♀.	„ p. 126.	U.S.A.
24. „ <i>uniformis</i> , ♀.	„ p. 127.	U.S.A.
25. „ <i>scoteola</i> , ♂.	„ p. 127.	Bolivia.
26. <i>Ilema perdentata</i> , ♀.	„ p. 151.	Perak.
27. „ <i>setiniformis</i> , ♂.	„ p. 151.	Java.
28. „ <i>repleta</i> , ♂.	„ p. 143.	Queensland.
29. „ <i>costalis</i> , ♂.	„ p. 140.	India.
30. „ <i>ardens</i> , ♂.	„ p. 153.	Madagascar.





PLATE XXII.

1. <i>Ilema semibrunnea</i> , ♀.	Vol. II. p. 135.	Java.
2. „ <i>carnea</i> , ♀.	„ p. 153.	Madagascar.
3. „ <i>reticulata</i> , ♀.	„ p. 154.	India.
4. „ <i>goniophora</i> , ♂.	„ p. 154.	S. Africa.
5. „ <i>pallida</i> , ♂.	„ p. 156.	India.
6. „ <i>insignis</i> , ♂.	„ p. 157.	Madagascar.
7. „ <i>elegans</i> , ♂.	„ p. 158.	Abyssinia.
8. „ <i>xanthopa</i> , ♂.	„ p. 159.	W. Africa.
9. „ <i>apicalis</i> , ♂.	„ p. 159.	Borneo.
10. „ <i>dorsalis</i> , ♂.	„ p. 159.	Queensland.
11. „ <i>cucullata</i> , ♂.	„ p. 160.	Andamans.
12. „ <i>simulans</i> , ♂.	„ p. 160.	W. Africa.
13. „ <i>kingdoni</i> , ♀.	„ p. 154.	Madagascar.
14. „ <i>erythropleura</i> , ♀.	„ p. 155.	Madagascar.
15. „ <i>marginata</i> , ♂.	„ p. 155.	Madagascar.
16. „ <i>argentea</i> , ♀.	„ p. 156.	Madagascar.
17. „ <i>eningæ</i> , ♂.	„ p. 156.	W. Africa.
18. „ <i>mabillei</i> , ♂.	„ p. 155.	Madagascar.
19. „ <i>costipuncta</i> , ♂.	„ p. 157.	China.
20. „ <i>gracilipennis</i> , ♂.	„ p. 166.	Natal.
21. „ <i>nebulifera</i> , ♀.	„ p. 161.	Singapore.
22. „ <i>flavibasis</i> , ♂.	„ p. 162.	E. Africa.
23. „ <i>sarceola</i> , ♂.	„ p. 162.	S. Africa.
24. „ <i>fumidisca</i> , ♀.	„ p. 164.	China.
25. „ <i>badrana</i> , ♀.	„ p. 161.	Java.
26. „ <i>sokotrensis</i> , ♀.	„ p. 166.	Sokotra.
27. „ <i>harpophora</i> , ♀.	„ p. 167.	Queensland.
28. „ <i>stevensi</i> , ♂.	„ p. 167.	E. Africa.
29. „ <i>pulvereola</i> , ♂.	„ p. 170.	Borneo.
30. „ <i>xanthocraspis</i> , ♀.	„ p. 169.	India.



R



PLATE XXIII.

1. <i>Lambula orbonella</i> , ♂.	Vol. II. p. 101.	N. Guinea.
2. <i>Ilema monochroma</i> , ♀.	„ p. 171.	W. Africa.
3. „ <i>mauritica</i> , ♀.	„ p. 171.	Mauritius.
4. „ <i>discifera</i> , ♂.	„ p. 171.	Natal.
5. „ <i>fraterna</i> , ♂.	„ p. 172.	Solomons.
6. „ <i>nigripes</i> , ♂.	„ p. 175.	India.
7. „ <i>decreta</i> , ♂.	„ p. 176.	Borneo.
8. „ <i>calamaria</i> , ♂.	„ p. 176.	India.
9. <i>Agylla dentifera</i> , ♂.	„ p. 208.	Ecuador.
10. „ <i>flavitincta</i> , ♂.	„ p. 207.	Ecuador.
11. <i>Chrysorabdia bivitta</i> , ♂.	„ p. 183.	India.
12. <i>Ilema suffusa</i> , ♂.	„ p. 176.	China.
13. <i>Agylla postfusca</i> , ♂.	„ p. 213.	India.
14. „ <i>collitoides</i> , ♀.	„ p. 212.	Japan.
15. <i>Ilema nigripoda</i> , ♂.	„ p. 177.	China.
16. <i>Chrysorabdia aurantiaca</i> , ♂.	„ p. 184.	India.
17. „ <i>alpina</i> , ♂.	„ p. 184.	Tibet.
18. <i>Agylla vittata</i> , ♂.	„ p. 194.	China.
19. <i>Ilema albidula</i> , ♂.	„ p. 176.	W. Africa.
20. „ <i>degenerella</i> , ♂.	„ p. 178.	China.
21. „ <i>moorei</i> , ♂.	„ p. 177.	China.
22. „ <i>virgineola</i> , ♀.	„ p. 178.	S. Africa.
23. <i>Agylla marcata</i> , ♂.	„ p. 195.	Brazil.
24. „ <i>argentifera</i> , ♂.	„ p. 195.	Mexico.
25. „ <i>barbipalpia</i> , ♂.	„ p. 204.	Brazil.
26. „ <i>venosa</i> , ♂.	„ p. 212.	Brazil.





PLATE XXIV.

1. <i>Agylla pallens</i> , ♂.	Vol. II. p. 210.	India.
2. „ <i>beema</i> , ♂.	„ p. 197.	India.
3. „ <i>strigula</i> , ♂.	„ p. 207.	Bolivia.
4. <i>Apistosia chionora</i> , ♀.	„ p. 226.	Queensland.
5. <i>Agylla sinensis</i> , ♂.	„ p. 212.	China.
6. <i>Ardonea tenebrosa</i> , ♀.	„ p. 224.	ignotus.
7. <i>Paragylla endophaea</i> , ♂.	„ p. 214.	Ecuador.
8. <i>Agylla marginata</i> , ♂.	„ p. 204.	Mexico.
9. „ <i>corcovada</i> , ♂.	„ p. 209.	Brazil.
10. <i>Paraona cocciniceps</i> , ♂.	„ p. 228.	Madagascar.
11. <i>Agylla metaxantha</i> , ♀.	„ p. 197.	India.
12. <i>Josiodes toxaridia</i> , ♂.	„ p. 235.	Ecuador.
13. „ <i>indecisa</i> , ♀.	„ p. 234.	Brazil.
14. <i>Agylla semirufa</i> , ♂.	„ p. 198.	India.
15. <i>Lithosia subcosteola</i> , ♂.	„ p. 220.	China.
16. <i>Josiodes immutata</i> , ♂.	„ p. 235.	Brazil.
17. „ <i>fallax</i> , ♂.	„ p. 236.	Brazil.
18. <i>Agylla ramelana</i> , ♂.	„ p. 211.	India.
19. „ <i>gigas</i> , ♀.	„ p. 198.	Java.
20. „ <i>obliquisigna</i> , ♂.	„ p. 209.	Colombia.
21. <i>Areva subfulgens</i> , ♂.	„ p. 215.	Brazil.
22. <i>Apistosia subnigra</i> , ♂.	„ p. 227.	China.
23. „ <i>humeralis</i> , ♂.	„ p. 227.	Cuba.
24. <i>Agylla dognini</i> , ♂.	„ p. 205.	Bolivia.





PLATE XXV.

1. <i>Josiodes semicirculata</i> , ♂.	Vol. II. p. 236.	Bolivia.
2. „ <i>mutans</i> , ♂.	„ p. 236.	Brazil.
3. „ <i>clavata</i> , ♂.	„ p. 237.	Brazil.
4. <i>Macaduma micans</i> , ♀.	„ p. 267.	Mysol.
5. <i>Stictane obliquilinea</i> , ♀.	„ p. 258.	Ceylon.
6. <i>Nyctosia coccinea</i> , ♀.	„ p. 254.	Mexico.
7. <i>Josiodes mutata</i> , ♂.	„ p. 238.	Brazil.
8. „ <i>generans</i> , ♂.	„ p. 238.	Brazil.
9. <i>Ptychoglene sanguineola</i> , ♂.	„ p. 240.	U.S.A.
10. „ <i>æqualis</i> , ♀.	„ p. 241.	Guatemala.
11. <i>Cisthene lunaris</i> , ♂.	„ p. 244.	Colombia.
12. „ <i>trisigna</i> , ♂.	„ p. 247.	Venezuela.
13. <i>Euryptidia basivitta</i> , ♂.	„ p. 231.	Brazil.
14. <i>Caripodia metaleuca</i> , ♂.	„ p. 248.	W. Africa.
15. <i>Symmetrodes sciocosma</i> , ♀.	„ p. 258.	Australia.
16. <i>Padenia duplicana</i> , ♂.	„ p. 264.	Borneo.
17. <i>Garudinia biplagiata</i> , ♂.	„ p. 261.	India.
18. <i>Carcinopodia argentata</i> , ♀.	„ p. 250.	S. Africa.
19. <i>Darantasia goldei</i> , ♂.	„ p. 274.	N. Guinea.
20. „ <i>xenodora</i> , ♂.	„ p. 274.	N. Guinea.
21. „ <i>triplagiata</i> , ♂.	„ p. 274.	Bouru.
22. „ <i>cærulescens</i> , ♂.	„ p. 274.	N. Guinea.
23. <i>Cisthene quadrifasciata</i> , ♂.	„ p. 245.	Mexico.
24. „ <i>unicincta</i> , ♂.	„ p. 246.	Colombia.
25. <i>Josiodes variana</i> , ♀.	„ p. 237.	Brazil.
26. <i>Macaduma toxophora</i> , ♀.	„ p. 268.	Queensland.
27. <i>Stenarcha stenopa</i> , ♂.	„ p. 265.	W. Australia.
28. <i>Teratopora haplodes</i> , ♂.	„ p. 271.	N. Guinea.
29. <i>Josiodes erythromelas</i> , ♂.	„ p. 238.	Brazil.
30. „ <i>cærulescens</i> , ♂.	„ p. 239.	Colombia.





PLATE XXVI.

1. <i>Heliosia rufa</i> , ♂.	Vol. II. p. 275.	China.
2. <i>Chionæma catorhoda</i> , ♂.	„ p. 297.	India.
3. „ <i>pratti</i> , ♀.	„ p. 303.	China.
4. <i>Caprimima procrena</i> , ♂.	„ p. 288.	Victoria.
5. <i>Pronola diffusa</i> , ♀.	„ p. 295.	Peru.
6. <i>Chionæma sumatrensis</i> , ♂.	„ p. 308.	Sumatra.
7. „ <i>möller</i> i, ♂.	„ p. 305.	India.
8. <i>Halone ophiodes</i> , ♂.	„ p. 277.	Australia.
9. <i>Heliosia monosticta</i> , ♂.	„ p. 276.	Borneo.
10. „ <i>crocopera</i> , ♂.	„ p. 276.	N. Guinea.
11. <i>Halone servilis</i> , ♀.	„ p. 279.	N. S. Wales.
12. „ <i>diffusifascia</i> , ♂.	„ p. 279.	India.
13. <i>Chionæma signa</i> , ♂.	„ p. 304.	India.
14. <i>Scaptosyle ixi</i> as, ♂.	„ p. 284.	Nias.
15. „ <i>mirabilis</i> , ♂.	„ p. 284.	Borneo.
16. <i>Caprimima mixta</i> , ♀.	„ p. 287.	Mysol.
17. <i>Chionæma miles</i> , ♂.	„ p. 315.	Solomons.
18. „ <i>grandis</i> , ♂.	„ p. 305.	Madagascar.
19. <i>Scaptosyle aurigena</i> , ♂.	„ p. 285.	Borneo.
20. <i>Caprimima bipars</i> , ♂.	„ p. 289.	Solomons.
21. <i>Scaptosyle dictyota</i> , ♂.	„ p. 286.	Queensland.
22. „ <i>monogrammaria</i> , ♂.	„ p. 286.	N. S. Wales.
23. <i>Halone sobria</i> , ♂.	„ p. 278.	Queensland.
24. <i>Chionæma obliquilineata</i> , ♂.	„ p. 299.	India.
25. „ <i>guttifera</i> , ♂.	„ p. 305.	India.
26. <i>Caprimima rotunda</i> , ♂.	„ p. 289.	Louisiades.
27. <i>Oxacme marginata</i> , ♂.	„ p. 292.	India.
28. <i>Chionæma conclusa</i> , ♂.	„ p. 309.	Borneo.
29. „ <i>kh</i> asiana, ♂.	„ p. 306.	India.
30. <i>Scaptosyle æquidistans</i> , ♀.	„ p. 285.	Queensland.





PLATE XXVII.

1.	<i>Chionæma lutipes</i> , ♂.	Voi. II. p. 311.	Philippines.
2.	„ <i>nigrilineata</i> , ♀.	„ p. 311.	Sumatra.
3.	„ <i>sikkimensis</i> , ♂.	„ p. 313.	India.
4.	„ <i>interrogationis</i> , ♂.	„ p. 320.	China.
5.	„ <i>dudgeoni</i> , ♂.	„ p. 321.	India.
6.	„ <i>pitana</i> , ♀.	„ p. 322.	Java.
7.	„ <i>determinata</i> , ♀.	„ p. 323.	Borneo.
8.	„ <i>bianca</i> , ♂.	„ p. 323.	India.
9.	„ <i>harterti</i> , ♂.	„ p. 325.	China.
10.	„ <i>infantula</i> , ♂.	„ p. 326.	Borneo.
11.	„ <i>africana</i> , ♀.	„ p. 325.	W. Africa.
12.	„ <i>trigutta</i> , ♂.	„ p. 326.	W. Africa.
13.	„ <i>plateni</i> , ♂.	„ p. 310.	Celebes.
14.	„ <i>tricolor</i> , ♂.	„ p. 316.	N. Guinea.
15.	„ <i>gelida</i> , ♂.	„ p. 329.	India.
16.	„ <i>hæmacta</i> , ♀.	„ p. 317.	Sumatra.
17.	„ <i>flaviplaga</i> , ♂.	„ p. 317.	Bali.
18.	„ <i>saalmuelleri</i> , ♀.	„ p. 324.	Madagascar.
19.	<i>Eurosia lineata</i> , ♀.	„ p. 331.	S. Africa.
20.	<i>Chionæma torrida</i> , ♀.	„ p. 328.	W. Africa.
21.	„ <i>alba</i> , ♂.	„ p. 328.	Chusan.
22.	„ <i>rejecta</i> , ♂.	„ p. 326.	Natal.
23.	„ <i>impunctata</i> , ♂.	„ p. 308.	Amboina.
24.	„ <i>pretorice</i> , ♂.	„ p. 324.	Natal.
25.	„ <i>hamata</i> , ♂.	„ p. 327.	Japan.
26.	„ <i>marshalli</i> , ♂.	„ p. 325.	Natal.
27.	„ <i>rubristriga</i> , ♂.	„ p. 324.	W. Africa.
28.	„ <i>delicata</i> , ♂.	„ p. 325.	W. Africa.
29.	„ <i>inconclusa</i> , ♂.	„ p. 327.	Borneo.
30.	„ <i>ariadne</i> , ♂.	„ p. 312.	China.





PLATE XXVIII.

1. <i>Eurosia metaphæola</i> , ♀.	Vol. II. p. 332.	Sangir.
2. <i>Licnoptera anguliscripta</i> , ♀.	„ p. 333.	Queensland.
3. <i>Comacla juvenis</i> , ♀.	„ p. 339.	W. Africa.
4. <i>Xanthodule ombrophanes</i> , ♂.	„ p. 340.	Victoria.
5. <i>Thyone tincta</i> , ♀.	„ p. 348.	Bolivia.
6. <i>Prepiella strigivenia</i> , ♂.	„ p. 357.	Brazil.
7. „ <i>sesapina</i> , ♂.	„ p. 359.	Brazil.
8. <i>Illice striata</i> , ♂.	„ p. 369.	U.S.A.
9. <i>Eurosia punctitermia</i> , ♀.	„ p. 331.	Bali.
10. „ <i>melanopera</i> , ♀.	„ p. 331.	Borneo.
11. „ <i>annulata</i> , ♀.	„ p. 334.	India.
12. <i>Chionosia zonata</i> , ♀.	„ p. 360.	Surinam.
13. <i>Lithoprocris jason</i> , ♀.	„ p. 342.	Ecuador.
14. <i>Odozana margina</i> , ♂.	„ p. 353.	Brazil.
15. <i>Metalobosia varda</i> , ♂.	„ p. 374.	Brazil.
16. <i>Lamprostola molybdipera</i> , ♀.	„ p. 362.	Mexico.
17. <i>Talara grisea</i> , ♂.	„ p. 383.	Brazil.
18. „ <i>coccinea</i> , ♀.	„ p. 382.	Brazil.
19. <i>Illice opulentana</i> , ♂.	„ p. 372.	Brazil.
20. <i>Lamprostola nitens</i> , ♂.	„ p. 362.	Bolivia.
21. <i>Talara barema</i> , ♂.	„ p. 381.	Brazil.
22. „ <i>leucocera</i> , ♂.	„ p. 381.	Brazil.
23. „ <i>phæella</i> , ♂.	„ p. 384.	Panama.
24. „ <i>cinerea</i> , ♀.	„ p. 382.	Colombia.
25. <i>Thyone parima</i> , ♀.	„ p. 347.	Brazil.
26. „ <i>plucida</i> , ♂.	„ p. 347.	Brazil.
27. <i>Talara bombycia</i> , ♂.	„ p. 383.	Brazil.
28. „ <i>niveata</i> , ♂.	„ p. 381.	Brazil.
29. <i>Thyone melanocera</i> , ♂.	„ p. 348.	Trinidad.
30. <i>Talara rufa</i> , ♀.	„ p. 383.	Brazil.
31. <i>Lycomorphodes sordida</i> , ♂.	„ p. 380.	Brazil.
32. „ <i>strigosa</i> , ♂.	„ p. 379.	Mexico.





PLATE XXIX.

1. <i>Illice dives</i> , ♂.	Vol. II. p. 364.	Brazil.
2. „ <i>batialis</i> , ♂.	„ p. 371.	Brazil.
3. <i>Siccia v-nigra</i> , ♂.	„ p. 393.	China.
4. <i>Illice plumbea</i> , ♂.	„ p. 370.	U.S.A.
5. „ <i>ruficollis</i> , ♂.	„ p. 373.	Brazil.
6. <i>Mulona nigripuncta</i> , ♀.	„ p. 387.	Colombia.
7. <i>Siccia tau</i> , ♀.	„ p. 394.	India.
8. <i>Illice ditrigona</i> , ♂.	„ p. 370.	Brazil.
9. <i>Siccia stigmatias</i> , ♀.	„ p. 395.	Sangir.
10. „ <i>seriata</i> , ♀.	„ p. 395.	India.
11. „ <i>albisparsa</i> , ♂.	„ p. 396.	India.
12. „ <i>tenebrosa</i> , ♂.	„ p. 397.	India.
13. „ <i>fulvocincta</i> , ♀.	„ p. 397.	India.
14. <i>Clemensia erminea</i> , ♂.	„ p. 402.	Brazil.
15. <i>Melancema ni</i> , ♀.	„ p. 414.	Java.
16. <i>Illice phæiceps</i> , ♂.	„ p. 366.	Mexico.
17. „ <i>minuta</i> , ♀.	„ p. 369.	Colombia.
18. <i>Clemensia centralis</i> , ♂.	„ p. 402.	Costa Rica.
19. „ <i>parapatella</i> , ♂.	„ p. 403.	Ecuador.
20. <i>Asuridia metaphœa</i> , ♀.	„ p. 413.	India.
21. <i>Clemensia russata</i> , ♂.	„ p. 403.	Costa Rica.
22. <i>Hyposiccia mesozonata</i> , ♂.	„ p. 407.	India.
23. „ <i>punctigera</i> , ♂.	„ p. 406.	China.
24. <i>Parasiccia maculata</i> , ♂.	„ p. 408.	China.
25. <i>Illice schwarzi</i> , ♂.	„ p. 365.	U.S.A.
26. „ <i>lactea</i> , ♂.	„ p. 373.	U.S.A.
27. <i>Siccia interspersa</i> , ♀.	„ p. 393.	Queensland.
28. <i>Illice calochroma</i> , ♂.	„ p. 369.	Argentina.
29. <i>Siccia minuta</i> , ♂.	„ p. 397.	Japan.
30. <i>Mulona grisea</i> , ♀.	„ p. 388.	Jamaica.
31. <i>Siccia minima</i> , ♂.	„ p. 394.	Ceylon.
32. <i>Illice orbonella</i> , ♂.	„ p. 372.	Brazil.





PLATE XXX.

1. <i>Asura bipars</i> , ♂.	Vol. II. p. 427.	Australia.
2. „ <i>synestramena</i> , ♂.	„ p. 429.	Borneo.
3. „ <i>phæobasis</i> , ♂.	„ p. 429.	Louisiades.
4. „ <i>phæoplusia</i> , ♂.	„ p. 433.	Java.
5. „ <i>hemixantha</i> , ♂.	„ p. 426.	Tenimber.
6. „ <i>perihæmia</i> , ♂.	„ p. 438.	Java.
7. „ <i>flavia</i> , ♂.	„ p. 429.	N. Guinea.
8. „ <i>melanoleuca</i> , ♂.	„ p. 430.	India.
9. „ <i>erythrias</i> , ♂.	„ p. 428.	W. Africa.
10. <i>Xanthetis ichorina</i> , ♀.	„ p. 415.	Natal.
11. <i>Asura sexualis</i> , ♂.	„ p. 443.	Louisiades.
12. „ <i>pyraula</i> , ♂.	„ p. 443.	N. Guinea.
13. „ <i>avernalis</i> , ♀.	„ p. 441.	Solomons.
14. „ <i>umbrifera</i> , ♂.	„ p. 431.	Tibet.
15. „ <i>umbrosa</i> , ♂.	„ p. 452.	India.
16. „ <i>quadri-lineata</i> , ♀.	„ p. 444.	Queensland.
17. „ <i>sagenaria</i> , ♂.	„ p. 445.	Natal.
18. „ <i>phryctopa</i> , ♂.	„ p. 442.	N. Guinea.
19. „ <i>nigriciliata</i> , ♀.	„ p. 445.	Sangir.
20. „ <i>structa</i> , ♂.	„ p. 446.	N. S. Wales.
21. „ <i>distributa</i> , ♂.	„ p. 447.	Borneo.
22. „ <i>numida</i> , ♂.	„ p. 447.	W. Africa.
23. „ <i>cervicalis</i> , ♂.	„ p. 427.	Tasmania.
24. „ <i>ecmelæna</i> , ♀.	„ p. 438.	Sangir.
25. „ <i>fulvia</i> , ♂.	„ p. 439.	Natal.
26. „ <i>vivida</i> , ♂.	„ p. 439.	Batchian.
27. „ <i>cuneigera</i> , ♂.	„ p. 440.	Borneo.
28. „ <i>suavis</i> , ♂.	„ p. 441.	N. Guinea.
29. „ <i>craigii</i> , ♂.	„ p. 445.	W. Africa.
30. „ <i>agraphia</i> , ♀.	„ p. 443.	Java.





PLATE XXXI.

1. <i>Ilema flexistriata</i> , ♂.	Vol. II. p. 152.	Madagascar.
2. <i>Asura obliterata</i> , ♀.	„ p. 447.	W. Africa.
3. „ <i>perpusilla</i> , ♂.	„ p. 448.	Borneo.
4. „ <i>flavida</i> , ♀.	„ p. 449.	Solomons.
5. „ <i>crocota</i> , ♂.	„ p. 450.	Louisiades.
6. „ <i>fulguritis</i> , ♀.	„ p. 450.	Bali.
7. „ <i>uniformeola</i> , ♂.	„ p. 464.	Talaut.
8. „ <i>esmia</i> , ♀.	„ p. 463.	Burma.
9. „ <i>ectophaea</i> , ♂.	„ p. 451.	Queensland.
10. „ <i>hyporhoda</i> , ♂.	„ p. 453.	W. Africa.
11. „ <i>nebulosa</i> , ♀.	„ p. 452.	India.
12. „ <i>nigrivena</i> , ♂.	„ p. 458.	China.
13. „ <i>floccosa</i> , ♂.	„ p. 454.	Ceylon.
14. „ <i>parallelina</i> , ♂.	„ p. 455.	Burma.
15. „ <i>unipuncta</i> , ♀.	„ p. 459.	China.
16. „ <i>carnea</i> , ♂.	„ p. 459.	China.
17. „ <i>nubilalis</i> , ♂.	„ p. 457.	India.
18. „ <i>humilis</i> , ♂.	„ p. 458.	India.
19. „ <i>eos</i> , ♀.	„ p. 459.	Java.
20. „ <i>disticha</i> , ♀.	„ p. 459.	Burma.
21. „ <i>megala</i> , ♀.	„ p. 462.	China.
22. „ <i>griseata</i> , ♂.	„ p. 462.	China.
23. „ <i>atritermia</i> , ♂.	„ p. 456.	Sangir.
24. „ <i>andamana</i> , ♀.	„ p. 456.	Andamans.
25. „ <i>frigida</i> , ♂.	„ p. 464.	India.
26. „ <i>atrifusa</i> , ♂.	„ p. 464.	Queensland.
27. „ <i>biseriata</i> , ♂.	„ p. 458.	Borneo.
28. „ <i>cylletona</i> , ♂.	„ p. 460.	Burma.
29. „ <i>modesta</i> , ♀.	„ p. 562.	China.
30. „ <i>birivula</i> , ♀.	„ p. 450.	Borneo.
31. „ <i>asaphes</i> , ♂.	„ p. 451.	Borneo.
32. „ <i>rubrimargo</i> , ♂.	„ p. 463.	India.



1



9



10



2



3



11



12



21



4



13



14



22



15



16



17



23



5



18



19



24



6



20



25



26



7



27




28



31



8



29



32



33



PLATE XXXII.

1.	<i>Mitochrista dentifascia</i> , ♂.	Vol. II. p. 470.	India.
2.	„ <i>sanguinea</i> , ♂.	„ p. 480.	China.
3.	„ <i>decussata</i> , ♀.	„ p. 478.	China.
4.	„ <i>rivulosa</i> , ♀.	„ p. 479.	S. Africa.
5.	„ <i>bivittata</i> , ♂.	„ p. 472.	Japan.
6.	„ <i>multistriata</i> , ♂.	„ p. 486.	India.
7.	„ <i>exclusa</i> , ♀.	„ p. 483.	Andamans.
8.	„ <i>cardinalis</i> , ♀.	„ p. 480.	India.
9.	„ <i>punicea</i> , ♀.	„ p. 481.	India.
10.	„ <i>postnigra</i> , ♂.	„ p. 480.	India.
11.	„ <i>plumbilineata</i> , ♀.	„ p. 481.	Celebes.
12.	„ <i>rutila</i> , ♀.	„ p. 482.	N. Guinea.
13.	„ <i>duopunctata</i> , ♀.	„ p. 487.	Philippines.
14.	„ <i>maculifasciata</i> , ♀.	„ p. 490.	Burma.
15.	„ <i>nigralba</i> , ♂.	„ p. 490.	Burma.
16.	„ <i>sanguitincta</i> , ♂.	„ p. 481.	Batchian.
17.	„ <i>euprepia</i> , ♂.	„ p. 484.	Borneo.
18.	„ <i>fasciata</i> , ♂.	„ p. 491.	China.
19.	„ <i>delicata</i> , ♀.	„ p. 492.	India.
20.	„ <i>curtisi</i> , ♀.	„ p. 489.	Sumatra.
21.	„ <i>linga</i> , ♂.	„ p. 493.	India.
22.	„ <i>perpallida</i> , ♂.	„ p. 495.	India.
23.	„ <i>phæoxanthia</i> , ♂.	„ p. 493.	India.
24.	„ <i>multidentata</i> , ♂.	„ p. 493.	Bouru.
25.	„ <i>flexuosa</i> , ♂.	„ p. 470.	China.
26.	„ <i>inscripta</i> , ♂.	„ p. 478.	China.
27.	„ <i>complicata</i> , ♀.	„ p. 479.	Borneo.
28.	„ <i>proleuca</i> , ♂.	„ p. 494.	India.
29.	„ <i>effasciata</i> , ♀.	„ p. 495.	Amboina.
30.	„ <i>eccentropis</i> , ♂.	„ p. 490.	Burma.
31.	„ <i>mesortha</i> , ♂.	„ p. 485.	India.
32.	„ <i>strigivenata</i> , ♂.	„ p. 473.	India.





PLATE XXXIII.

1. <i>Hectobrocha multilinea</i> , ♂.	Vol. II. p. 498.	Queensland.
2. <i>Neobrocha phæocyma</i> , ♂.	„ p. 498.	Thursday I.
3. <i>Thallarcha chrysochaeres</i> , ♂.	„ p. 499.	N. S. Wales.
4. <i>Philenora nudaridia</i> , ♀.	„ p. 511.	Queensland.
5. „ <i>bijuga</i> , ♀.	„ p. 509.	Madagascar.
6. <i>Thallarcha isophragma</i> , ♀.	„ p. 502.	Tasmania.
7. <i>Palpidia pallidior</i> , ♂.	„ p. 513.	U.S.A.
8. <i>Hypoprepia miniata</i> , ♂.	„ p. 515.	U.S.A.
9. <i>Eutane alba</i> , ♀.	„ p. 496.	Borneo.
10. <i>Thallarcha macillenta</i> , ♂.	„ p. 500.	N. S. Wales.
11. „ <i>leptographa</i> , ♂.	„ p. 501.	N. S. Wales.
12. <i>Philenora chionastis</i> , ♂.	„ p. 510.	N. S. Wales.
13. <i>Miltochrista hololeuca</i> , ♂.	„ p. 495.	India.
14. <i>Thallarcha staurocola</i> , ♂.	„ p. 504.	Queensland.
15. „ <i>phalarota</i> , ♀.	„ p. 501.	N. S. Wales.
16. <i>Philenora parvula</i> , ♂.	„ p. 508.	Madagascar.
17. <i>Diduga rufidisca</i> , ♀.	„ p. 542.	India.
18. <i>Thallarcha mochlina</i> , ♀.	„ p. 505.	Queensland.
19. <i>Philenora elegans</i> , ♂.	„ p. 510.	N. S. Wales.
20. <i>Miltochrista magna</i> , ♀.	„ p. 494.	India.
21. <i>Philenora bipuncta</i> , ♂.	„ p. 508.	S. Africa.
22. „ <i>punctata</i> , ♀.	„ p. 508.	Madagascar.
23. „ <i>modica</i> , ♂.	„ p. 506.	Queensland.
24. „ <i>placida</i> , ♂.	„ p. 507.	Madagascar.
25. „ <i>undulosa</i> , ♀.	„ p. 510.	Tasmania.
26. <i>Thallarcha fusa</i> , ♂.	„ p. 500.	Tasmania.
27. <i>Philenora placochrysa</i> , ♂.	„ p. 511.	Queensland.
28. <i>Hæmatomis uniformis</i> , ♂.	„ p. 515.	Mexico.
29. <i>Philenora m-nigrum</i> , ♀.	„ p. 508.	Madagascar.
30. <i>Thallarcha lochaga</i> , ♂.	„ p. 504.	N. S. Wales.
31. <i>Neoplynes eudora</i> , ♂.	„ p. 520.	U.S.A.
32. <i>Hypoprepia inculta</i> , ♂.	„ p. 517.	U.S.A.





PLATE XXXIV.

1. <i>Castulo doubledayi</i> , ♀.	Vol. II. p. 522.	Tasmania.
2. <i>Eugoa africana</i> , ♂.	„ p. 545.	S. Africa.
3. „ <i>æqualis</i> , ♂.	„ p. 546.	Borneo.
4. <i>Castulo gratiosa</i> , ♂.	„ p. 526.	N. S. Wales.
5. <i>Stigmatophora acerba</i> , ♂.	„ p. 551.	China.
6. <i>Eugoa bipuncta</i> , ♀.	„ p. 547.	Java.
7. „ <i>tineoides</i> , ♀.	„ p. 546.	Borneo.
8. <i>Castulo congrua</i> , ♀.	„ p. 524.	N. S. Wales.
9. <i>Schistophleps albida</i> , ♀.	„ p. 528.	Queensland.
10. „ <i>obducta</i> , ♀.	„ p. 528.	Queensland.
11. „ <i>fulvia</i> , ♀.	„ p. 528.	Java.
12. <i>Nudaria suffusa</i> , ♂.	„ p. 535.	India.
13. <i>Castulo catocalina</i> , ♂.	„ p. 526.	N. S. Wales.
14. <i>Chionæma ridleyi</i> , ♂.	„ p. 300.	Singapore.
15. <i>Trischalis subaurana</i> , ♀.	„ p. 549.	Labuan.
16. <i>Eugoa obscura</i> , ♀.	„ p. 548.	Borneo.
17. <i>Stigmatophora roseivena</i> , ♀.	„ p. 551.	Burma.
18. „ <i>torrens</i> , ♂.	„ p. 551.	Japan.
19. <i>Meteugoa obliquiata</i> , ♂.	„ p. 336.	Singapore.
20. <i>Thermeola rhabdophora</i> , ♂.	„ p. 558.	Queensland.
21. <i>Hemonia micrommata</i> , ♀.	„ p. 556.	N. Australia.
22. <i>Scoliacma pactolias</i> , ♀.	„ p. 104.	Queensland.
23. <i>Nudaria fasciata</i> , ♂.	„ p. 534.	India.
24. „ <i>mollis</i> , ♂.	„ p. 536.	Queensland.
25. „ <i>discipuncta</i> , ♂.	„ p. 536.	India.
26. „ <i>fumidisca</i> , ♂.	„ p. 536.	India.
27. <i>Castulo conographa</i> , ♂.	„ p. 523.	Queensland.
28. <i>Eugoa crassa</i> , ♂.	„ p. 547.	Borneo.
29. „ <i>dissozona</i> , ♂.	„ p. 546.	N. Guinea.
30. <i>Castulo zonophanes</i> , ♂.	„ p. 526.	Victoria.
31. <i>Stigmatophora strigivenata</i> , ♂.	„ p. 550.	Burma.
32. <i>Eugoa vagigutta</i> , ♂.	„ p. 548.	Borneo.
33. „ <i>turbida</i> , ♂.	„ p. 547.	Borneo.
34. <i>Castulo læta</i> , ♂.	„ p. 525.	N. S. Wales.





PLATE XXXV.

1. <i>Lambula obliquilinea</i> , ♂.	Vol. II. p. 558.	Queensland.
2. <i>Asura conflua</i> , ♂.	„ p. 563.	N. Guinea.
3. <i>Utriculifera aplaga</i> , ♂.	„ p. 561.	N. Guinea.
4. <i>Josiodes tenuifascia</i> , ♂.	„ p. 558.	Brazil.
5. <i>Asura xantherythra</i> , ♂.	„ p. 563.	N. Guinea.
6. <i>Darantasia obliqua</i> , ♀.	„ p. 561.	N. Guinea.
7. <i>Macaduma nigripuncta</i> , ♂.	„ p. 560.	N. Guinea.
8. <i>Illice xanthospila</i> , ♂.	„ p. 562.	Brazil.
9. <i>Zygænosia fuscimarginalis</i> , ♂.	„ p. 424.	Dorey.
10. <i>Inopsis imitata</i> , ♂.	„ p. 559.	Mexico.
11. <i>Trichocerosia atrifulva</i> , ♂.	„ p. 563.	N. Guinea.
12. <i>Chioncema lunulata</i> , ♂ ♀.	„ p. 561.	Philippines.
13. <i>Darantoides rubroflava</i> , ♂.	„ p. 566.	N. Guinea.
14. <i>Inopsis modulata</i> , ♂.	„ p. 560.	Mexico.
15. <i>Chamaita metamelæna</i> , ♂.	„ p. 565.	N. Guinea.
16. <i>Nudaria punctata</i> , ♂.	„ p. 565.	Philippines.
17. <i>Lambula agraphia</i> , ♂.	„ p. 558.	N. Guinea.
18. <i>Asura dentifera</i> , ♂.	„ p. 564.	N. Guinea.
19. <i>Holocraspedum paralellum</i> , ♂.	„ p. 562.	N. Guinea.
20. <i>Mitochrista obscura</i> , ♂.	„ p. 564.	Philippines.
21. <i>Asura chypsilon</i> , ♂.	„ p. 564.	Philippines.
22. <i>Darantasia punctata</i> , ♂.	„ p. 561.	N. Guinea.
23. <i>Macaduma albata</i> , ♂.	„ p. 560.	N. Guinea.





CATALOGUE
OF THE
ARCTIADÆ
(ARCTIANÆ)
AND
AGARISTIDÆ
IN THE
COLLECTION
OF THE
BRITISH MUSEUM.

BY
SIR GEORGE F. HAMPSON, BART.

LONDON:
PRINTED BY ORDER OF THE TRUSTEES.

SOLD BY
LONGMANS & Co., 39 PATERNOSTER ROW, E.C. ;
B. QUARITCH, 15 PICCADILLY, W. ; DULAU & Co., 37 SOHO SQUARE, W. ;
KEGAN PAUL, TRENCH, TRÜBNER & Co., CHARING CROSS ROAD, W.C. ;
AND AT THE
BRITISH MUSEUM (NATURAL HISTORY), CROMWELL ROAD, S.W.
1901.

PRINTED BY TAYLOR AND FRANCIS,
RED LION COURT, FLEET STREET.

PLATE XXXVI.

1. <i>Robinsonia polyplagia</i> , ♂.	Vol. III. p.	11.	Venezuela.
2. <i>Cissura plumbea</i> , ♀.	„ p.	72.	Honduras.
3. <i>Automolis semirosea</i> , ♂.	„ p.	54.	Brazil.
4. „ <i>lineosa</i> , ♂.	„ p.	60.	Panama.
5. „ <i>separata</i> , ♀.	„ p.	53.	Brazil.
6. „ <i>collateralis</i> , ♂.	„ p.	64.	Colombia.
7. <i>Amazia apyga</i> , ♂.	„ p.	33.	Costa Rica.
8. <i>Robinsonia lefaivreii</i> , ♂.	„ p.	12.	Brazil.
9. <i>Automolis flammans</i> , ♂.	„ p.	50.	Colombia.
10. <i>Prumala aryllis</i> , ♀.	„ p.	21.	Venezuela.
11. „ <i>maculicincta</i> , ♀.	„ p.	22.	Brazil.
12. <i>Automolis garleppi</i> , ♂.	„ p.	63.	Bolivia.
13. „ <i>rectiradia</i> , ♂.	„ p.	65.	Amazons.
14. <i>Robinsonia flavomarginata</i> , ♂.	„ p.	12.	Colombia.
15. <i>Automolis perflua</i> , ♂.	„ p.	52.	Brazil.
16. <i>Amazia erythrophleps</i> , ♂.	„ p.	34.	Amazons.
17. <i>Automolis idalia</i> , ♂.	„ p.	48.	Brazil.
18. „ <i>albimaculifera</i> , ♂.	„ p.	54.	Brazil.
19. „ <i>packardii</i> , ♂.	„ p.	56.	Brazil.
20. „ <i>unifascia</i> , ♂.	„ p.	66.	Br. Guiana.





PLATE XXXVII.

1. <i>Melese russata</i> , ♀.	Vol. III. p. 73.	Mexico.
2. „ <i>ocellata</i> , ♀.	„ p. 76.	Brazil.
3. <i>Bertholdia braziliensis</i> , ♂.	„ p. 79.	Brazil.
4. „ <i>trigona</i> , ♂.	„ p. 80.	U.S.A.
5. <i>Ammalo eglensis</i> , ♂.	„ p. 86.	U.S.A.
6. <i>Melese incerta</i> , ♂.	„ p. 73.	Brazil.
7. <i>Pelochyta cervina</i> , ♂.	„ p. 103.	Mexico.
8. <i>Baritius marmorea</i> , ♂.	„ p. 100.	Venezuela.
9. <i>Tessellarctia cinerascens</i> , ♀.	„ p. 92.	Brazil.
10. <i>Elysium francki</i> , ♂.	„ p. 108.	Brazil.
11. <i>Baritius pyrrhopyga</i> , ♂.	„ p. 100.	Brazil.
12. <i>Carathis palpalis</i> , ♂.	„ p. 95.	Jamaica.
13. <i>Elysium cingulata</i> , ♂.	„ p. 109.	Peru.
14. <i>Ammalo insulata</i> , ♂.	„ p. 84.	Mexico.
15. <i>Melese endopyra</i> , ♀.	„ p. 74.	Bolivia.
16. <i>Hyperthema hæmacta</i> , ♂.	„ p. 89.	Costa Rica.
17. <i>Elysium sebrus</i> , ♂.	„ p. 111.	Peru.
18. <i>Melese flavimaculata</i> , ♂.	„ p. 75.	Ecuador.
19. <i>Bertholdia myosticta</i> , ♀.	„ p. 79.	Panama.
20. „ <i>schausiana</i> , ♀.	„ p. 80.	Mexico.
21. „ <i>flavidorsata</i> , ♀.	„ p. 82.	Bolivia.
22. <i>Ammalo bipunctata</i> , ♂.	„ p. 84.	Brazil.
23. <i>Melese babosa</i> , ♀.	„ p. 76.	Brazil.
24. <i>Pelochyta cinerea</i> , ♂.	„ p. 104.	Brazil.
25. <i>Baritius discalis</i> , ♀.	„ p. 101.	Brazil.





PLATE XXXVIII.

1. <i>Elysius chimæra</i> , ♂.	Vol. III. p. 112.	Paraguay.
2. „ <i>atriceps</i> , ♂.	„ p. 113.	Colombia.
3. „ <i>ochrota</i> , ♂.	„ p. 109.	Bolivia.
4. <i>Ischnocampa lugubris</i> , ♂.	„ p. 116.	Brazil.
5. <i>Hemihyalea xanthosticta</i> , ♂.	„ p. 132.	Brazil.
6. <i>Opharus trama</i> , ♀.	„ p. 122.	Ecuador.
7. „ <i>consimilis</i> , ♂.	„ p. 120.	Mexico.
8. <i>Ischnocampa nigradorsata</i> , ♂.	„ p. 114.	Peru.
9. <i>Opharus aurogutta</i> , ♂.	„ p. 123.	Colombia.
10. <i>Elysius soteria</i> , ♂.	„ p. 109.	Argentina.
11. <i>Ischnocampa nigrivena</i> , ♀.	„ p. 114.	Bolivia.
12. <i>Opharus chorima</i> , ♀.	„ p. 126.	Brazil.
13. „ <i>schæfferi</i> , ♀.	„ p. 125.	Brazil.
14. <i>Calidota strigosa</i> , ♂.	„ p. 433.	Jamaica.
15. <i>Elysius disciplaga</i> , ♂.	„ p. 112.	Panama.
16. „ <i>melanoplaga</i> , ♂.	„ p. 113.	Ecuador.
17. <i>Ischnocampa celer</i> , ♂.	„ p. 115.	Brazil.
18. <i>Opharus basalıs</i> , ♂.	„ p. 119.	Brazil.
19. <i>Hemihyalea diminuta</i> , ♂.	„ p. 133.	Brazil.
20. <i>Opharus laudia</i> , ♂.	„ p. 121.	Venezuela.
21. „ <i>almopia</i> , ♀.	„ p. 121.	Colombia.





PLATE XXXIX.

1. <i>Hemihyalea labecula</i> , ♀.	Vol. III. p. 131.	Colorado.
2. <i>Amastus ambrosia</i> , ♀.	„ p. 137.	Colombia.
3. „ <i>coccinator</i> , ♂.	„ p. 139.	Colombia.
4. „ <i>maculicincta</i> , ♂.	„ p. 136.	Bolivia.
5. „ <i>ochraceator</i> , ♀.	„ p. 141.	Guatemala.
6. „ <i>cymothoë</i> , ♂.	„ p. 139.	Colombia.
7. <i>Opharus flavimaculata</i> , ♂.	„ p. 122.	Peru.
8. <i>Amastus albipuncta</i> , ♂.	„ p. 136.	Venezuela.
9. „ <i>alsa</i> , ♂.	„ p. 142.	Dominica.
10. „ <i>phæosoma</i> , ♀.	„ p. 136.	Ecuador.
11. „ <i>mesorhoda</i> , ♀.	„ p. 137.	Colombia.
12. „ <i>rufator</i> , ♀.	„ p. 138.	Colombia.
13. „ <i>rhodator</i> , ♀.	„ p. 140.	Bolivia.
14. „ <i>persimilis</i> , ♀.	„ p. 141.	Ecuador.





PLATE XL.

1.	<i>Opharus polystrigata</i> , ♀.	Vol. III. p. 129.	Bolivia.
2.	<i>Halisidota cyclozonata</i> , ♂.	„ p. 162.	Brazil.
3.	„ <i>sablona</i> , ♂.	„ p. 154.	Brazil.
4.	„ <i>bicolor</i> , ♀.	„ p. 151.	Mexico.
5.	„ <i>margona</i> , ♂.	„ p. 153.	Mexico.
6.	„ <i>sthenia</i> , ♂.	„ p. 155.	Bolivia.
7.	„ <i>perdentata</i> , ♂.	„ p. 154.	Mexico.
8.	„ <i>rosetta</i> , ♂.	„ p. 153.	Brazil.
9.	<i>Pelochyta umbrata</i> , ♂.	„ p. 105.	Bolivia.
10.	<i>Halisidota andensis</i> , ♂.	„ p. 147.	Colombia.
11.	„ <i>dukinfieldia</i> , ♂.	„ p. 147.	Brazil.
12.	„ <i>ingens</i> , ♂.	„ p. 149.	Colorado.
13.	<i>Amastus tumbilla</i> , ♂.	„ p. 142.	Ecuador.
14.	<i>Halisidota umbrosa</i> , ♂.	„ p. 163.	Brazil.
15.	„ <i>cinctipes</i> , ♂.	„ p. 160.	Mexico.
16.	„ <i>lineata</i> , ♂.	„ p. 163.	Brazil.
17.	„ <i>quanta</i> , ♀.	„ p. 163.	Brazil.
18.	„ <i>oruba</i> , ♂.	„ p. 163.	Brazil.
19.	„ <i>lurida</i> , ♀.	„ p. 154.	Mexico.
20.	„ <i>huaco</i> , ♂.	„ p. 155.	Peru.
21.	„ <i>pulverea</i> , ♂.	„ p. 164.	Brazil.




Horace Knight del. et lith

West, Newman chromo



PLATE XLI.

1.	<i>Halisidota coniota</i> , ♀.	Vol. III. p. 164.	Brazil.
2.	„ <i>polyodonta</i> , ♂.	„ p. 166.	Brazil.
3.	„ <i>leucanina</i> , ♂.	„ p. 166.	Brazil.
4.	<i>Bituryx intacta</i> , ♀.	„ p. 175.	Venezuela.
5.	<i>Halisidota ordinaria</i> , ♂.	„ p. 171.	Brazil.
6.	„ <i>annulosa</i> , ♂.	„ p. 167.	Mexico.
7.	„ <i>brunneitincta</i> , ♂.	„ p. 169.	Brazil.
8.	<i>Bituryx lanceolata</i> , ♂.	„ p. 177.	Haiti.
9.	<i>Halisidota iridescens</i> , ♂.	„ p. 171.	Venezuela.
10.	„ <i>rusca</i> , ♂.	„ p. 169.	Brazil.
11.	„ <i>leda</i> , ♀.	„ p. 170.	Dominica.
12.	„ <i>rhoda</i> , ♂.	„ p. 170.	Bolivia.
13.	„ <i>arenacea</i> , ♂.	„ p. 171.	Ecuador.
14.	<i>Neritos pandera</i> , ♀.	„ p. 179.	Venezuela.
15.	<i>Halisidota longa</i> , ♂.	„ p. 165.	Florida.
16.	„ <i>atrimaculata</i> , ♂.	„ p. 166.	Brazil.
17.	„ <i>leria</i> , ♀.	„ p. 170.	Ecuador.
18.	<i>Bituryx grisea</i> , ♀.	„ p. 177.	Colombia.
19.	<i>Halisidota pallida</i> , ♂.	„ p. 171.	Ecuador.
20.	„ <i>interstriata</i> , ♂.	„ p. 170.	Brazil.
21.	„ <i>acuta</i> , ♂.	„ p. 167.	Brazil.



Horace Knight del. et lith.

West, Newman chromo



PLATE XLII.

1. <i>Æmilia rubriplaga</i> , ♂.	Vol. III. p. 184.	Venezuela.
2. „ <i>crassa</i> , ♂.	„ p. 184.	Colombia.
3. <i>Virbia luteilinea</i> , ♂.	„ p. 199.	Mexico.
4. „ <i>ampla</i> , ♀.	„ p. 199.	Mexico.
5. <i>Heliactinidia cœrulescens</i> .	„ p. 206.	Colombia.
6. <i>Virbia subapicalis</i> , ♂.	„ p. 201.	Brazil.
7. <i>Æmilia asignata</i> , ♀.	„ p. 185.	Brazil.
8. <i>Hypocrisias jonesi</i> , ♀.	„ p. 217.	Brazil.
9. <i>Neritos neretina</i> , ♂.	„ p. 181.	Peru.
10. <i>Holomelina cocciniceps</i> , ♂.	„ p. 189.	Colorado.
11. „ <i>intermedia</i> , ♂.	„ p. 192.	Texas.
12. „ <i>trigonifera</i> , ♂.	„ p. 195.	Mexico.
13. „ <i>tenuicincta</i> , ♀.	„ p. 196.	Peru.
14. <i>Cyanarctia ruscia</i> , ♂.	„ p. 207.	Bolivia.
15. <i>Holomelina costata</i> , ♂.	„ p. 192.	Texas.
16. <i>Virbia dotata</i> , ♂.	„ p. 198.	Brazil.
17. <i>Holomelina ostenta</i> , ♂.	„ p. 190.	New Mexico.
18. „ <i>metazonata</i> , ♀.	„ p. 191.	Panama.
19. <i>Ocnogyna pardalina</i> , ♂.	„ p. 227.	C. Asia.
20. <i>Æmilia roseata</i> , ♀.	„ p. 183.	Br. Columbia.
21. „ <i>testudo</i> , ♂.	„ p. 185.	Peru.
22. <i>Virbia sanguicollis</i> , ♂.	„ p. 199.	Costa Rica.
23. <i>Heliactinidia nigrilinea</i> , ♀.	„ p. 206.	Brazil.
24. <i>Virbia divisa</i> , ♂.	„ p. 200.	Brazil.
25. „ <i>hypophæa</i> , ♂.	„ p. 201.	Costa Rica.
26. <i>Hypocrisias minima</i> , ♂.	„ p. 217.	Mexico.
27. „ <i>fuscipennis</i> , ♀.	„ p. 217.	Argentina.



Horace Knight del. et lith.

West, Newman chromo



PLATE XLIII.

1. <i>Automolis melea</i> , ♂.	Vol. III. p. 58.	Venezuela.
2. <i>Mænas malayensis</i> , ♀.	„ p. 249.	Bali.
3. „ <i>juruana</i> , ♂.	„ p. 252.	Brazil.
4. <i>Phragmatobia trigona</i> , ♂.	„ p. 238.	China.
5. <i>Mænas simplex</i> , ♂.	„ p. 250.	India.
6. „ <i>extensa</i> , ♀.	„ p. 250.	Celebes.
7. <i>Phragmatobia beani</i> , ♂.	„ p. 242.	U.S.A.
8. <i>Belemnia ochriplaga</i> , ♂.	„ p. 209.	Brazil.
9. „ <i>mygdon</i> , ♂.	„ p. 210.	Colombia.
10. <i>Diospage splendens</i> , ♀.	„ p. 211.	Bolivia.
11. <i>Belemnia lydia</i> , ♀.	„ p. 210.	Colombia.
12. „ <i>aplaga</i> , ♂.	„ p. 210.	Ecuador.
13. <i>Diospage chrysobasis</i> , ♂.	„ p. 212.	Colombia.
14. <i>Belemniastis attidalis</i> , ♂.	„ p. 213.	Colombia.
15. „ <i>whiteleyi</i> , ♂.	„ p. 214.	Brazil.
16. <i>Automolis pratti</i> , ♂.	„ p. 58.	Colombia.
17. <i>Mænas surgens</i> , ♀.	„ p. 251.	Colombia.
18. „ <i>azollæ</i> , ♂.	„ p. 253.	Argentina.
19. <i>Pseudalus leos</i> , ♀.	„ p. 254.	Ecuador.
20. <i>Mænas albescens</i> , ♂.	„ p. 250.	Venezuela.
21. „ <i>bilinea</i> , ♂.	„ p. 252.	Brazil.
22. <i>Phragmatobia assimilans</i> , ♂.	„ p. 244.	U.S.A.





PLATE XLIV.

1. <i>Ammalo signata</i> , ♂.	Vol. III. p. 83.	Brazil.
2. <i>Agorea rectilinea</i> , ♂.	„ p. 173.	Brazil.
3. <i>Diacrisia melanosoma</i> , ♂.	„ p. 266.	India.
4. „ <i>curvilinea</i> , ♂.	„ p. 275.	W. Africa.
5. „ <i>rava</i> , ♀.	„ p. 276.	W. Africa.
6. „ <i>costimacula</i> , ♂.	„ p. 264.	China.
7. „ <i>unifascia</i> , ♂.	„ p. 273.	India.
8. „ <i>erythrastis</i> , ♂.	„ p. 269.	Australia.
9. <i>Holomelina heros</i> , ♀.	„ p. 194.	Cuba.
10. <i>Diacrisia pura</i> , ♂.	„ p. 267.	China.
11. „ <i>chionea</i> , ♀.	„ p. 274.	Natal.
12. <i>Amastus adela</i> , ♂.	„ p. 135.	Brazil.
13. <i>Diacrisia scortilla</i> , ♂.	„ p. 274.	Natal.
14. „ <i>robusta</i> , ♂.	„ p. 269.	Tibet.
15. <i>Holomelina disparilis</i> , ♂.	„ p. 194.	Cuba.
16. <i>Opharus ferruginea</i> , ♂.	„ p. 117.	Colombia.
17. <i>Diacrisia phasma</i> , ♂.	„ p. 263.	China.
18. „ <i>jussieuæ</i> , ♂.	„ p. 267.	Cuba.
19. „ <i>aurantiaca</i> , ♂.	„ p. 275.	W. Africa.
20. „ <i>bifurca</i> , ♂.	„ p. 275.	W. Africa.
21. „ <i>erythrozona</i> , ♂.	„ p. 269.	India.
22. „ <i>multivittata</i> , ♂.	„ p. 265.	India.
23. „ <i>lewisii</i> , ♂.	„ p. 274.	Japan.





PLATE XLV.


1.	<i>Diacrisia fuscitincta</i> , ♂.	Vol. III. p. 280.	Java.
2.	„ <i>testacea</i> , ♂.	„ p. 281.	Natal.
3.	„ <i>flavalis</i> , ♂.	„ p. 283.	India.
4.	„ <i>canescens</i> , ♂.	„ p. 287.	Australia.
5.	„ <i>casigneta</i> , ♂.	„ p. 291.	India.
6.	„ <i>flaveola</i> , ♀.	„ p. 291.	China.
7.	„ <i>lutescens</i> , ♂.	„ p. 295.	Natal.
8.	„ <i>biseriata</i> , ♀.	„ p. 301.	Andamans.
9.	„ <i>inæqualis</i> , ♂.	„ p. 288.	Japan.
10.	„ <i>flammeola</i> , ♂.	„ p. 301.	Japan.
11.	„ <i>latiradiata</i> , ♀.	„ p. 296.	Br. C. Africa.
12.	„ <i>bifasciata</i> , ♂.	„ p. 284.	Japan.
13.	„ <i>erythrophleps</i> , ♂.	„ p. 284.	India.
14.	„ <i>metaxantha</i> , ♀.	„ p. 293.	Burma.
15.	„ <i>scita</i> , ♂.	„ p. 296.	Natal.
16.	„ <i>lucida</i> , ♂.	„ p. 294.	E. Africa.
17.	„ <i>flava</i> , ♂.	„ p. 294.	Natal.
18.	„ <i>brunnea</i> , ♂.	„ p. 304.	Sumatra.
19.	„ <i>sparsipuncta</i> , ♂.	„ p. 282.	Madagascar.
20.	„ <i>rubitincta</i> , ♂.	„ p. 284.	India.
21.	„ <i>dentilinea</i> , ♂.	„ p. 289.	India.
22.	„ <i>diplosticta</i> , ♂.	„ p. 292.	Natal.
23.	„ <i>quadrilunata</i> , ♀.	„ p. 293.	W. Africa.
24.	„ <i>rhodesiana</i> , ♂.	„ p. 296.	Mashonaland.
25.	„ <i>flavens</i> , ♀.	„ p. 282.	India.





PLATE XLVI.

1. <i>Diacrisia longiramia</i> , ♂.	Vol. III. p. 302.	Sumatra.
2. „ <i>sordidescens</i> , ♂.	„ p. 304.	India.
3. „ <i>lineata</i> , ♂.	„ p. 314.	N'Gamiland.
4. <i>Amsacta grammiphlebia</i> , ♂.	„ p. 323.	Mashonaland.
5. <i>Cretonotus leucanioides</i> , ♀.	„ p. 334.	W. Africa.
6. <i>Acantharctia vittata</i> , ♂.	„ p. 321.	Natal.
7. <i>Diacrisia rubra</i> , ♀.	„ p. 307.	U.S.A.
8. „ <i>rubilinea</i> , ♂.	„ p. 303.	India.
9. „ <i>intricata</i> , ♂.	„ p. 320.	Brazil.
10. <i>Cretonotus marginalis</i> , ♂.	„ p. 332.	W. Africa.
11. <i>Diacrisia melæna</i> , ♂.	„ p. 308.	Java.
12. „ <i>impleta</i> , ♂.	„ p. 313.	India.
13. <i>Amsacta negrita</i> , ♂.	„ p. 329.	India.
14. „ <i>flavimargo</i> , ♀.	„ p. 327.	Burma.
15. <i>Hyphantria aspersa</i> , ♂.	„ p. 337.	U.S.A.
16. <i>Diacrisia albicornis</i> , ♂.	„ p. 303.	Ceylon.
17. „ <i>phæa</i> , ♂.	„ p. 309.	Ball.
18. <i>Acantharctia metaleuca</i> , ♂.	„ p. 321.	Br. E. Africa.
19. <i>Amsacta albistriga</i> , ♂.	„ p. 331.	India.
20. <i>Cretonotus punctivitta</i> , ♀.	„ p. 334.	Natal.
21. <i>Acantharctia flavicosta</i> , ♂.	„ p. 322.	Mashonaland.
22. <i>Diacrisia landaca</i> , ♂.	„ p. 307.	Java.
23. „ <i>fuscipennis</i> , ♀.	„ p. 310.	India.



Horace Knight del. scilith.

West, Newman chromo



PLATE XLVII.

1. <i>Estigmene dissimilis</i> , ♂.	Vol. III. p. 340.	Transvaal.
2. „ <i>linea</i> , ♂.	„ p. 342.	Natal.
3. „ <i>pura</i> , ♀.	„ p. 343.	Br. E. Africa.
4. <i>Pericallia melanimon</i> , ♂.	„ p. 359.	Madagascar.
5. „ <i>transversa</i> , ♂.	„ p. 351.	India.
6. <i>Ecpantheria albiscripta</i> , ♂.	„ p. 385.	Brazil.
7. <i>Estigmene trivitta</i> , ♂.	„ p. 343.	Natal.
8. „ <i>scita</i> , ♀.	„ p. 341.	W. Africa.
9. „ <i>ceylonensis</i> , ♂.	„ p. 347.	Ceylon.
10. <i>Pericallia sipahi</i> , ♂.	„ p. 354.	India.
11. „ <i>conjuncta</i> , ♂.	„ p. 358.	Lombok.
12. „ <i>obliquifascia</i> , ♂.	„ p. 358.	Burma.
13. <i>Ecpantheria nigriplaga</i> , ♂.	„ p. 368.	Jamaica.
14. <i>Pericallia dohertyi</i> , ♂.	„ p. 364.	Sangir.
15. <i>Arachnis zuni</i> , ♂.	„ p. 393.	Mexico.
16. <i>Estigmene perrotteti</i> , ♂.	„ p. 348.	India.
17. „ <i>nigricans</i> , ♂.	„ p. 349.	India.
18. „ <i>interfixa</i> , ♂.	„ p. 339.	Tasmania.
19. <i>Apantesia rectilinea</i> , ♂.	„ p. 398.	U.S.A.
20. <i>Estigmene lemniscata</i> , ♂.	„ p. 341.	Transvaal.
21. „ <i>prima</i> , ♀.	„ p. 346.	U.S.A.
22. „ <i>antigone</i> , ♂.	„ p. 346.	U.S.A.
23. <i>Pericallia integra</i> , ♂.	„ p. 359.	Philippines.
24. „ <i>sjostedti</i> , ♀.	„ p. 352.	Cameroons.
25. <i>Arachnis albescens</i> , ♂.	„ p. 394.	Guatemala.
26. <i>Estigmene quadriramosa</i> , ♂.	„ p. 342.	India.
27. „ <i>simulans</i> , ♂.	„ p. 342.	W. Africa.



Horace Knight del et lith.

West, Newman chromo.



PLATE XLVIII.

1. <i>Opharus flavicosta</i> , ♂.	Vol. III. p. 509.	Colombia.
2. <i>Idalus venata</i> , ♂.	„ p. 509.	Colombia.
3. <i>Pygarcia vivida</i> , ♂.	„ p. 416.	U.S.A.
4. <i>Apantesis favorita</i> , ♂.	„ p. 406.	U.S.A.
5. <i>Euchaetes pudens</i> , ♂.	„ p. 421.	U.S.A.
6. „ <i>bolteri</i> , ♀.	„ p. 420.	U.S.A.
7. „ <i>antica</i> , ♀.	„ p. 418.	Mexico.
8. <i>Amastus polystrigata</i> , ♀.	„ p. 510.	Venezuela.
9. <i>Apantesis obliterated</i> , ♂.	„ p. 401.	U.S.A.
10. „ <i>villiamsi</i> , ♂.	„ p. 408.	U.S.A.
11. <i>Amastus episcotosia</i> , ♂.	„ p. 510.	Panama.
12. <i>Pygarcia abdominalis</i> , ♀.	„ p. 416.	U.S.A.
13. „ <i>spraguei</i> , ♂.	„ p. 416.	U.S.A.
14. <i>Amastus genoveva</i> , ♂.	„ p. 509.	Venezuela.
15. <i>Hyphoraia subnebulosa</i> , ♂.	„ p. 510.	Alaska.
16. <i>Estigmene tenuistrigata</i> , ♂.	„ p. 341.	Mashonaland.
17. <i>Euchaetes murina</i> , ♂.	„ p. 420.	U.S.A.
18. <i>Apantesis michabo</i> , ♂.	„ p. 398.	U.S.A.
19. <i>Euchaetes perlevis</i> , ♂.	„ p. 419.	U.S.A.
20. „ <i>expressa</i> , ♂.	„ p. 419.	Mexico.
21. „ <i>risoma</i> , ♂.	„ p. 418.	Brazil.





PLATE XLIX.

1. <i>Turuptiana obscura</i> , ♂.	Vol. III. p. 429.	Peru.
2. „ <i>dissimilis</i> , ♀.	„ p. 429.	Colombia.
3. <i>Tessellota trifasciata</i> , ♀.	„ p. 430.	Argentina.
4. <i>Antarctia persimilis</i> , ♂.	„ p. 447.	Brazil.
5. <i>Paranerita patara</i> , ♂.	„ p. 439.	Br. Guiana.
6. <i>Antarctia angustipennis</i> , ♀.	„ p. 447.	S. Africa.
7. <i>Calidota muricolor</i> , ♂.	„ p. 436.	U.S.A.
8. „ <i>albiceps</i> , ♀.	„ p. 437.	Venezuela.
9. <i>Antarctia dukinfieldia</i> , ♀.	„ p. 449.	Brazil.
10. <i>Mallocephala latior</i> , ♂.	„ p. 443.	Chili.
11. <i>Antarctia costata</i> , ♂.	„ p. 446.	Brazil.
12. <i>Calidota similis</i> , ♂.	„ p. 437.	Bolivia.
13. <i>Antarctia variegata</i> , ♂.	„ p. 445.	Brazil.
14. „ <i>sericea</i> , ♂.	„ p. 448.	Brazil.
15. „ <i>fusca</i> , ♀.	„ p. 445.	Brazil.
16. <i>Mazæras melanopyga</i> , ♂.	„ p. 441.	Brazil.
17. <i>Calidota gemma</i> , ♂.	„ p. 436.	Venezuela.
18. „ <i>rema</i> , ♂.	„ p. 436.	Brazil.
19. <i>Tessellota sertata</i> , ♂.	„ p. 430.	Brazil.
20. <i>Antarctia fervida</i> , ♀.	„ p. 447.	Brazil.
21. „ <i>paula</i> , ♂.	„ p. 447.	Brazil.
22. „ <i>honora</i> , ♀.	„ p. 446.	Brazil.
23. <i>Calidota morosa</i> , ♂.	„ p. 438.	Peru.





PLATE L.

1. <i>Antarctia rudis</i> , ♂.	Vol. III. p. 448.	Chili.
2. <i>Baroa punctivaga</i> , ♂.	„ p. 479.	Java.
3. <i>Rhodogastria lupia</i> , ♀.	„ p. 499.	Natal.
4. „ <i>leucoptera</i> , ♀.	„ p. 506.	Sierra Leone.
5. „ <i>brunnea</i> , ♂.	„ p. 501.	Nigeria.
6. <i>Utetheisa lactea</i> , ♂.	„ p. 482.	Mascarenes.
7. <i>Secusio pulverata</i> , ♂.	„ p. 490.	Natal.
8. <i>Ectypia thona</i> , ♂.	„ p. 475.	U.S.A.
9. <i>Rhodogastria roseibarba</i> , ♂.	„ p. 501.	Sulu.
10. <i>Calidota strigosa</i> , ♂.	„ p. 433.	Jamaica.
11. <i>Secusio pustularia</i> , ♂.	„ p. 489.	Cape Colony.
12. <i>Utetheisa galapagensis</i> , ♂.	„ p. 488.	Galapagos Is.
13. <i>Teracotona euprepia</i> , ♂.	„ p. 470.	Mashonaland.
14. <i>Rhodogastria croceri</i> , ♂.	„ p. 504.	New Britain.
15. <i>Secusio mania</i> , ♂.	„ p. 491.	Delagoa Bay.
16. <i>Teracotona subterminata</i> , ♂.	„ p. 471.	E. Africa.
17. <i>Antarctia venosa</i> , ♀.	„ p. 449.	Brazil.
18. <i>Rhodogastria luteibarba</i> , ♂.	„ p. 502.	Nigeria.
19. „ <i>albivitreata</i> , ♂.	„ p. 506.	Lifu.
20. „ <i>fennia</i> , ♂.	„ p. 502.	Nigeria.
21. „ <i>rufifemur</i> , ♀.	„ p. 499.	Congo.
22. <i>Secusio extensa</i> , ♂.	„ p. 489.	Madagascar.






PLATE LI.

1. <i>Eusemia sumbana</i> , ♂.	Vol. III. p. 527.	Sumba.
2. <i>Immetalia cyanea</i> , ♀.	„ p. 537.	New Guinea.
3. <i>Burgena amœna</i> , ♀.	„ p. 539.	New Britain.
4. <i>Eusemia connexa</i> , ♂.	„ p. 521.	Java.
5. <i>Scrobigeria vulcania</i> , ♂.	„ p. 542.	Burma.
6. „ <i>niveifasciata</i> , ♀.	„ p. 542.	Borneo.
7. <i>Mœnas flavata</i> , ♂.	„ p. 512.	Peru.
8. „ <i>tenuis</i> , ♂.	„ p. 512.	Argentina.
9. <i>Euschirropterus discifera</i> , ♀.	„ p. 621.	Brazil.
10. <i>Ecpantheria peruvensis</i> , ♂.	„ p. 374.	Peru.
11. <i>Mimeusemia centralis</i> , ♀.	„ p. 615.	Queensland.
12. <i>Laora ubiana</i> , ♂.	„ p. 511.	Panama.
13. <i>Eusemia bisma</i> , ♂.	„ p. 523.	Java.
14. <i>Burgena splendida</i> , ♂.	„ p. 539.	Solomons.
15. „ <i>chalybeata</i> , ♂.	„ p. 539.	New Britain.
16. <i>Immetalia mecci</i> , ♂.	„ p. 526.	Fergusson I.
17. <i>Scrobigeria vacillans</i> , ♂.	„ p. 542.	Celebes.
18. <i>Eusemia neग्रita</i> , ♂.	„ p. 528.	Burma.





PLATE LII.

1. <i>Cruria platyæantha</i> , ♂.	Vol. III. p. 548.	Queensland.
2. <i>Mimeusemia davidsoni</i> , ♀.	„ p. 614.	India.
3. <i>Xanthospilopteryx perdix</i> , ♀.	„ p. 563.	Br. C. Africa.
4. „ <i>zenceri</i> , ♂.	„ p. 568.	Cameroons.
5. „ <i>africana</i> , ♂.	„ p. 564.	Natal.
6. <i>Phalænoides megisto</i> , ♀.	„ p. 557.	New Guinea.
7. <i>Cruria neptioides</i> , ♂.	„ p. 547.	Queensland.
8. <i>Phalænoides neurogramma</i> , ♂.	„ p. 556.	New Guinea.
9. <i>Argyrolepidia novæ-hiberniæ</i> , ♂.	„ p. 550.	New Hanover.
10. <i>Ægocera brevivitta</i> , ♂.	„ p. 600.	Br. E. Africa.
11. <i>Argyrolepidia fracta</i> , ♂.	„ p. 552.	New Guinea.
12. „ <i>cæruleitincta</i> , ♀.	„ p. 553.	Queensland.
13. <i>Phalænoides ardescens</i> , ♀.	„ p. 559.	Queensland.
14. <i>Cruria darviniensis</i> , ♂.	„ p. 547.	Queensland.
15. <i>Rothia lasti</i> , ♂.	„ p. 583.	Madagascar.
16. <i>Xanthospilopteryx indecisa</i> , ♂.	„ p. 564.	Br. E. Africa.
17. „ <i>cirbyi</i> , ♂.	„ p. 569.	Br. E. Africa.
18. „ <i>pardalina</i> , ♀.	„ p. 567.	Congo.
19. <i>Argyrolepidia solomonis</i> , ♀.	„ p. 553.	Solomons.





PLATE LIII.

1. <i>Rothia pentelia</i> , ♂.	Vol. III. p. 577.	Delagoa Bay.
2. <i>Ægocera obrysos</i> , ♀.	„ p. 605.	Madagascar.
3. <i>Hespagarista inclusa</i> , ♀.	„ p. 631.	Angola.
4. <i>Seirocastnia præfecta</i> , ♂.	„ p. 658.	Bolivia.
5. <i>Rothia vestwoodi</i> , ♂.	„ p. 580.	Madagascar.
6. „ <i>vatersi</i> , ♂.	„ p. 578.	Madagascar.
7. „ <i>virguncula</i> , ♂.	„ p. 580.	Madagascar.
8. „ <i>hypopyrrha</i> , ♀.	„ p. 578.	Madagascar.
9. „ <i>thruppi</i> , ♀.	„ p. 575.	Somaliland
10. <i>Xanthospilopteryx mons-lunensis</i> , ♂.	„ p. 570.	Br. E. Africa.
11. „ <i>melanosoma</i> , ♂.	„ p. 571.	E. Africa.
12. <i>Rothia distigma</i> , ♂.	„ p. 579.	Madagascar.
13. „ <i>butleri</i> , ♂.	„ p. 576.	Natal.
14. <i>Ægocera corydoni</i> , ♀.	„ p. 605.	E. Africa.
15. <i>Tuerta transiens</i> , ♀.	„ p. 624.	W. Africa.
16. <i>Seirocastnia panamensis</i> , ♀.	„ p. 657.	Panama.
17. <i>Rothia micropates</i> , ♂.	„ p. 582.	Madagascar.
18. <i>Seirocastnia volupia</i> , ♂.	„ p. 657.	St. Lucia.
19. <i>Rothia tranquilla</i> , ♂.	„ p. 582.	Madagascar.





PLATE LIV.

1. <i>Mimeusemia proerosia</i> , ♂.	Vol. III. p. 615.	Ké I.
2. <i>Ophthalmis privata</i> , ♂.	„ p. 650.	Ceram.
3. <i>Mimeusemia puciolia</i> , ♂.	„ p. 608.	Celebes.
4. <i>Seirocastnia columbina</i> , ♂.	„ p. 659.	Colombia.
5. <i>Ophthalmis proxanthia</i> , ♀.	„ p. 647.	Bouru.
6. <i>Massaga monteirona</i> , ♀.	„ p. 644.	Angola.
7. <i>Mimeusemia vittata</i> , ♀.	„ p. 609.	Java.
8. <i>Schausia gladiatoria</i> , ♂.	„ p. 616.	Cameroons.
9. <i>Tuerta chrysochlora</i> , ♂.	„ p. 623.	Congo.
10. <i>Phasis mardava</i> , ♀.	„ p. 661.	Brazil.
11. <i>Ophthalmis darna</i> , ♂.	„ p. 646.	New Guinea.
12. <i>Rothia simyra</i> , ♂.	„ p. 579.	Madagascar.
13. <i>Ægocera obliquisigna</i> , ♂.	„ p. 603.	E. Africa.
14. „ <i>abyssinica</i> , ♂.	„ p. 604.	Abyssinia.
15. <i>Rothia alluaudi</i> , ♀.	„ p. 584.	Madagascar.
16. „ <i>rhæo</i> , ♂.	„ p. 584.	Madagascar.
17. <i>Seirocastnia meridiana</i> .	„ p. 659.	Brazil.
18. <i>Omphaloceph daria</i> , ♀.	„ p. 628.	E. Africa.
19. <i>Ophthalmis floresiana</i> , ♂.	„ p. 650.	Flores.
20. <i>Mimeusemia albicilia</i> , ♂.	„ p. 610.	Burma.
21. <i>Ophthalmis hæmorrhoidalis</i> , ♀.	„ p. 647.	New Britain.
22. <i>Ophthalmis cincta</i> , ♂.	„ p. 647.	Ternate.
23. <i>Mimeusemia accurata</i> , ♀.	„ p. 614.	Burma.



Horace Knight del. et lith.

West, Newman chromo.



CATALOGUE
OF THE
N O C T U I D Æ
IN THE
COLLECTION
OF THE
BRITISH MUSEUM.

BY
SIR GEORGE F. HAMPSON, BART.

IV

L O N D O N :
PRINTED BY ORDER OF THE TRUSTEES.

SOLD BY
LONGMANS & Co., 39 PATERNOSTER ROW, E.C.
B. QUARITCH, 15 PICCADILLY; DULAU & CO., 37 SOHO SQUARE, W.;
KEGAN PAUL & Co., PATERNOSTER HOUSE, CHARING CROSS ROAD;
AND AT THE
BRITISH MUSEUM (NATURAL HISTORY), CROMWELL ROAD, S.W.
1903.

PRINTED BY TAYLOR AND FRANCIS,
RED LION COURT, FLEET STREET.

PLATE LV.

1.	<i>Heliothis pulchripennis</i> , ♂.	Vol. IV. p. 19.	Colorado.
2.	„ <i>villosa</i> , ♀.	„ p. 20.	California.
3.	„ <i>honesta</i> , ♀.	„ p. 22.	Oregon.
4.	„ <i>sueta</i> , ♂.	„ p. 21.	California.
5.	„ <i>scissa</i> , ♂.	„ p. 17.	Florida.
6.	<i>Dysocnemis borealis</i> , ♀.	„ p. 24.	Hudson's Bay.
7.	„ <i>oregonica</i> , ♂.	„ p. 25.	Nevada.
8.	<i>Pyrocleptria californica</i> , ♂.	„ p. 25.	California.
9.	<i>Pseudotamila copiosa</i> , ♂.	„ p. 27.	W. China.
10.	<i>Raghuva multiradiata</i> , ♂.	„ p. 30.	E. Africa.
11.	„ <i>perdentata</i> , ♂.	„ p. 30.	E. Africa.
12.	„ <i>discalis</i> , ♂.	„ p. 31.	E. Africa.
13.	„ <i>cana</i> , ♂.	„ p. 31.	E. Africa.
14.	„ <i>perstriata</i> , ♂.	„ p. 32.	Punjab.
15.	<i>Chloridea albidentina</i> , ♀.	„ p. 35.	Florida.
16.	„ <i>lupata</i> , ♀.	„ p. 35.	Texas.
17.	„ <i>hyalostica</i> , ♂.	„ p. 38.	Scind.
18.	„ <i>metachrisea</i> , ♀.	„ p. 42.	Madagascar.
19.	„ <i>jervens</i> , ♀.	„ p. 36.	Japan.
20.	„ <i>scutuligera</i> , ♂.	„ p. 44.	Basutoland.
21.	„ <i>phloxiphaga</i> , ♂.	„ p. 41.	Illinois.
22.	„ <i>assulta</i> , ♀.	„ p. 47.	China.
23.	„ <i>xanthiata</i> , ♀.	„ p. 47.	Natal.
24.	„ <i>chilensis</i> , ♂.	„ p. 48.	Chili.
25.	<i>Dasypoudea meadi</i> , ♂.	„ p. 52.	Oregon.
26.	<i>Rhodophora florula</i> , ♂.	„ p. 56.	New York.
27.	<i>Thyreion rosea</i> , ♂.	„ p. 58.	Colorado.
28.	„ <i>ligia</i> , ♂.	„ p. 58.	California.
29.	<i>Rhododipsa miniana</i> , ♀.	„ p. 59.	New Mexico.
30.	„ <i>masoni</i> , ♀.	„ p. 60.	Colorado.
31.	<i>Lygranthæcia bimatrix</i> , ♂.	„ p. 62.	Texas.
32.	„ <i>mortua</i> , ♂.	„ p. 63.	Colorado.





PLATE LVI.

1.	<i>Lygranthoecia thoreau</i> ,	♂.	Vol. IV.	p. 69.	New York.
2.	„	<i>marginata</i> ,	♂.	„ p. 69.	New York.
3.	„	<i>bifascia</i> ,	♀.	„ p. 72.	Georgia.
4.	„	<i>imperspicua</i> ,	♂.	„ p. 71.	Iowa.
5.	„	<i>tuberculum</i> ,	♂.	„ p. 66.	Georgia.
6.	„	<i>brevis</i> ,	♂.	„ p. 67.	Colorado.
7.	„	<i>septentrionalis</i> ,	♀.	„ p. 67.	Illinois.
8.	„	<i>inclara</i> ,	♀.	„ p. 68.	Texas.
9.	„	<i>mesceana</i> ,	♂.	„ p. 65.	Texas.
10.	„	<i>ultima</i> ,	♂.	„ p. 62.	Texas.
11.	<i>Schinia luxa</i> ,	♀.	„	p. 75.	Colorado.
12.	„	<i>chrysella</i> ,	♂.	„ p. 77.	Texas.
13.	„	<i>lanul</i> ,	♀.	„ p. 88.	California.
14.	„	<i>aleucis</i> ,	♂.	„ p. 78.	Texas.
15.	„	<i>sexplagiata</i> ,	♂.	„ p. 80.	Colorado.
16.	„	<i>trifascia</i> ,	♂.	„ p. 79.	Alabama.
17.	„	<i>oleagina</i> ,	♂.	„ p. 79.	Colorado.
18.	„	<i>gracilenta</i> ,	♂.	„ p. 80.	Texas.
19.	„	<i>unimacula</i> ,	♀.	„ p. 87.	Colorado.
20.	„	<i>nundina</i> ,	♂.	„ p. 83.	Arizona.
21.	„	<i>acutilinea</i> ,	♂.	„ p. 82.	Colorado.
22.	„	<i>separata</i> ,	♀.	„ p. 81.	Nevada.
23.	„	<i>balba</i> ,	♂.	„ p. 84.	Arizona.
24.	„	<i>coercita</i> ,	♀.	„ p. 83.	Arizona.
25.	„	<i>valsinghami</i> ,	♂.	„ p. 88.	Oregon.
26.	„	<i>brucei</i> ,	♂.	„ p. 87.	Colorado.
27.	„	<i>lynx</i> ,	♂.	„ p. 91.	Texas.
28.	„	<i>roscitincta</i> ,	♂.	„ p. 90.	Texas.
29.	„	<i>saturata</i> ,	♂.	„ p. 90.	Florida.
30.	„	<i>tertia</i> ,	♂.	„ p. 86.	Texas.
31.	„	<i>albafascia</i> ,	♂.	„ p. 86.	Colorado.
32.	„	<i>regia</i> ,	♀.	„ p. 89.	Texas.






PLATE LVII.

1. <i>Schinia sanguinea</i> , ♀.	Vol. IV. p. 90.	Texas.
2. " <i>cupes</i> , ♂.	" p. 85.	California.
3. " <i>jugarina</i> , ♂.	" p. 91.	Texas.
4. " <i>arcigera</i> , ♂.	" p. 92.	N. York.
5. " <i>limbalis</i> , ♀.	" p. 93.	Kansas.
6. " <i>reniformis</i> , ♂.	" p. 75.	Colorado.
7. " <i>hulstia</i> , ♀.	" p. 76.	Texas.
8. " <i>lucilinea</i> , ♀.	" p. 78.	Haiti.
9. <i>Eupanychis mexicana</i> , ♂.	" p. 95.	Mexico.
10. <i>Grotella dis</i> , ♂.	" p. 96.	Kansas.
11. <i>Melicleptria cistella</i> , ♀.	" p. 98.	W. Australia.
12. " <i>odora</i> , ♂.	" p. 98.	Queensland.
13. " <i>cladota</i> , ♂.	" p. 98.	W. Australia.
14. " <i>mesoleuca</i> , ♀.	" p. 99.	N. S. Wales.
15. " <i>neurias</i> , ♂.	" p. 99.	W. Australia.
16. " <i>cramboides</i> , ♂.	" p. 99.	Victoria.
17. " <i>osmida</i> , ♂.	" p. 99.	W. Australia.
18. " <i>ionola</i> , ♂.	" p. 100.	W. Australia.
19. " <i>canusina</i> , ♂.	" p. 100.	W. Australia.
20. " <i>moribunda</i> , ♂.	" p. 101.	N. S. Wales.
21. " <i>aleurota</i> , ♂.	" p. 101.	W. Australia.
22. " <i>aberrans</i> , ♂.	" p. 101.	Queensland.
23. <i>Timora decorata</i> , ♂.	" p. 106.	Punjab.
24. " <i>leucosticta</i> , ♂.	" p. 107.	N'Gamiland.
25. " <i>sinuata</i> , ♂.	" p. 107.	Bombay.
26. " <i>aureola</i> , ♂.	" p. 107.	Bombay.
27. " <i>nubila</i> , ♀.	" p. 108.	W. Africa.
28. " <i>sanguinolenta</i> , ♀.	" p. 108.	Bombay.
29. " <i>uncta</i> , ♂.	" p. 109.	Bombay.
30. " <i>irrorata</i> , ♀.	" p. 109.	Sikhim.
31. " <i>bimaculata</i> , ♂.	" p. 109.	Nilgiris.
32. " <i>nigrifasciata</i> , ♂.	" p. 110.	E. Africa.



PLATE LVIII.

1.	<i>Timora trifasciata</i> , ♀.	Vol. IV. p. 110.	E. Africa.
2.	„ <i>nigristriata</i> , ♂.	„ p. 110.	Madras.
3.	„ <i>fissifascia</i> , ♂.	„ p. 110.	E. Africa.
4.	„ <i>flavirosea</i> , ♂.	„ p. 110.	E. Africa.
5.	„ <i>distincta</i> , ♂.	„ p. 111.	Basutoland.
6.	„ <i>alaroides</i> , ♂.	„ p. 111.	Queensland.
7.	„ <i>cruentata</i> , ♂.	„ p. 112.	Punjab.
8.	„ <i>rubristria</i> , ♂.	„ p. 112.	W. Africa.
9.	„ <i>flavia</i> , ♂.	„ p. 113.	Madras.
10.	„ <i>bivittata</i> , ♂.	„ p. 113.	Burma.
11.	„ <i>terracotta</i> , ♂.	„ p. 113.	Travancore.
12.	„ <i>transvalica</i> , ♂.	„ p. 114.	Transvaal.
13.	„ <i>beatrice</i> , ♂.	„ p. 114.	Punjab.
14.	„ <i>radiata</i> , ♂.	„ p. 114.	Punjab.
15.	„ <i>flavistrigata</i> , ♂.	„ p. 114.	E. Africa.
16.	„ <i>metaphæa</i> , ♀.	„ p. 115.	Punjab.
17.	„ <i>tosta</i> , ♂.	„ p. 115.	Punjab.
18.	„ <i>albicilia</i> , ♂.	„ p. 115.	Sikhim.
19.	„ <i>flavocarnea</i> , ♀.	„ p. 115.	Abyssinia.
20.	„ <i>modesta</i> , ♂.	„ p. 116.	Punjab.
21.	„ <i>artaxoides</i> , ♂.	„ p. 116.	Punjab.
22.	„ <i>flaviceps</i> , ♂.	„ p. 116.	W. Africa.
23.	„ <i>hololeuca</i> , ♂.	„ p. 117.	Madras.
24.	<i>Copablepharon grandis</i> , ♂.	„ p. 118.	Colorado.
25.	„ <i>alba</i> , ♂.	„ p. 119.	Oregon.
26.	<i>Adisura dulcis</i> , ♀.	„ p. 119.	Assam.
27.	„ <i>marginalis</i> , ♂.	„ p. 121.	Punjab.
28.	„ <i>straminea</i> , ♂.	„ p. 121.	N'Gamiland.
29.	„ <i>cærogo</i> , ♂.	„ p. 121.	Basutoland.
30.	<i>Timora albiseriata</i> , ♂.	„ p. 107.	W. Africa.
31.	„ <i>metarhoda</i> , ♀.	„ p. 106.	W. Africa.
32.	<i>Lygranthæcia intrabilis</i> , ♀.	„ p. 70.	California.



Horace Knight del.

André & Sleigh photo.



PLATE LIX.

1.	<i>Heliophana amaryllis</i> , ♂.	Vol. IV.	p. 14.	California.
2.	<i>Pseudotamila perminuta</i> , ♂.	„	p. 28.	California.
3.	<i>Heliothis celeris</i> , ♂.	„	p. 16.	California.
4.	„ <i>græfiana</i> , ♂.	„	p. 17.	California.
5.	<i>Dysocnemis belladonna</i> , ♀.	„	p. 24.	Utah.
6.	<i>Lygranthœcia constricta</i> , ♂.	„	p. 68.	N. Carolina.
7.	„ <i>errans</i> , ♂.	„	p. 64.	Arizona.
8.	<i>Schinia obliqua</i> , ♂.	„	p. 82.	Arizona.
9.	„ <i>oculata</i> , ♀.	„	p. 75.	Arizona.
10.	„ <i>ciliata</i> , ♂.	„	p. 77.	New Mexico.
11.	„ <i>diffusa</i> , ♂.	„	p. 79.	Colorado.
12.	„ <i>sordida</i> , ♂.	„	p. 93.	Texas.
13.	<i>Isochlora chloroptera</i> , ♂.	„	p. 128.	Kashmir.
14.	<i>Agrotiphila microrœas</i> , ♀.	„	p. 132.	Hawaii.
15.	„ <i>alascæ</i> , ♂.	„	p. 133.	Alaska.
16.	„ <i>staudingeri</i> , ♂.	„	p. 133.	Colorado.
17.	<i>Orosagrotis amphora</i> , ♂.	„	p. 135.	Kashmir.
18.	„ <i>incognita</i> , ♀.	„	p. 135.	Colorado.
19.	„ <i>cashmirensis</i> , ♂.	„	p. 136.	Kashmir.
20.	<i>Porosagrotis dadalus</i> , ♀.	„	p. 140.	Colorado.
21.	„ <i>pluralis</i> , ♀.	„	p. 141.	Nevada.
22.	„ <i>dolli</i> , ♀.	„	p. 141.	Arizona.
23.	„ <i>siccata</i> , ♂.	„	p. 142.	Colorado.
24.	„ <i>gypsetina</i> , ♂.	„	p. 143.	Argentina.
25.	„ <i>brachystria</i> , ♀.	„	p. 143.	Argentina.
26.	„ <i>longidens</i> , ♀.	„	p. 145.	Colorado.
27.	„ <i>catenula</i> , ♂.	„	p. 146.	Colorado.
28.	„ <i>satiens</i> , ♂.	„	p. 147.	Colorado.
29.	„ <i>scorteæ</i> , ♂.	„	p. 147.	Mexico.
30.	„ <i>mimallonis</i> , ♂.	„	p. 148.	New York.
31.	<i>Micragrotis lacteata</i> , ♂.	„	p. 150.	Br. E. Africa.
32.	„ <i>puncticostata</i> , ♂.	„	p. 151.	Natal.



PLATE LX.

1.	<i>Micragrotis exusta</i> , ♂.	Vol. IV. p. 149.	Mashonaland.
2.	„ <i>rufescens</i> , ♂.	„ p. 152.	C. Colony.
3.	„ <i>interstriata</i> , ♂.	„ p. 149.	Natal.
4.	„ <i>strigibasis</i> , ♂.	„ p. 149.	C. Colony.
5.	<i>Euxoa arenivolans</i> , ♂.	„ p. 162.	Hawaii.
6.	„ <i>repanda</i> , ♂.	„ p. 163.	Tasmania.
7.	„ <i>radians</i> , ♂.	„ p. 164.	N. S. Wales.
8.	„ <i>infusa</i> , ♂.	„ p. 164.	N. S. Wales.
9.	„ <i>porphyricollis</i> , ♂.	„ p. 165.	N. S. Wales.
10.	„ <i>longidentifera</i> , ♂.	„ p. 166.	Natal.
11.	„ <i>interjectionis</i> , ♂.	„ p. 166.	Java.
12.	„ <i>robusta</i> , ♂.	„ p. 169.	Mongolia.
13.	„ <i>trifurca</i> , ♂.	„ p. 171.	Amurland.
14.	„ <i>cinchonina</i> , ♀.	„ p. 173.	Abyssinia.
15.	„ <i>edictalis</i> , ♂.	„ p. 173.	Colorado.
16.	„ <i>crassilinea</i> , ♀.	„ p. 175.	Basutoland.
17.	„ <i>christophi</i> , ♂.	„ p. 179.	Russia.
18.	„ <i>edmondsi</i> , ♂.	„ p. 180.	Chili.
19.	„ <i>proleuca</i> , ♂.	„ p. 180.	Russia.
20.	„ <i>lutescens</i> , ♂.	„ p. 181.	Chili.
21.	„ <i>araucaria</i> , ♂.	„ p. 182.	Chili.
22.	„ <i>poliotis</i> , ♂.	„ p. 184.	Queensland.
23.	„ <i>armena</i> , ♂.	„ p. 184.	Russia.
24.	„ <i>brachypecten</i> , ♂.	„ p. 185.	Sokotra.
25.	„ <i>coquimbensis</i> , ♂.	„ p. 185.	Chili.
26.	„ <i>americana</i> , ♂.	„ p. 186.	Chili.
27.	„ <i>mollis</i> , ♂.	„ p. 186.	Turkestan
28.	„ <i>panoplius</i> , ♂.	„ p. 187.	Hawaii.
29.	„ <i>epicremna</i> , ♂.	„ p. 187.	Hawaii.
30.	„ <i>mesotoxa</i> , ♀.	„ p. 188.	Hawaii.
31.	„ <i>baliopa</i> , ♂.	„ p. 188.	Hawaii.
32.	„ <i>tibetana</i> , ♂.	„ p. 188.	Kashmir.





PLATE LXI.

1.	<i>Chloridea cystophora</i> , ♂.	Vol. IV. p. 37.	Panama.
2.	<i>Porosagrotis texana</i> , ♂.	„ p. 146.	Texas.
3.	<i>Euxoa rugifrons</i> , ♂.	„ p. 157.	Tunis.
4.	„ <i>pierreti</i> , ♂.	„ p. 158.	Egypt.
5.	„ <i>lansarotensis</i> , ♂.	„ p. 158.	Canaries.
6.	„ <i>canariensis</i> , ♂.	„ p. 188.	Canaries.
7.	„ <i>ceropachoides</i> , ♂.	„ p. 174.	N. Zealand.
8.	„ <i>fissa</i> , ♂.	„ p. 660.	E. Turkestan.
9.	„ <i>pallidifrons</i> , ♂.	„ p. 190.	C. Asia.
10.	„ <i>cremata</i> , ♂.	„ p. 191.	Hawaii.
11.	„ <i>spoderopa</i> , ♂.	„ p. 192.	Hawaii.
12.	„ <i>tephrus</i> , ♂.	„ p. 192.	Hawaii.
13.	„ <i>lucicolens</i> , ♂.	„ p. 192.	Hawaii.
14.	„ <i>photophila</i> , ♂.	„ p. 193.	Hawaii.
15.	„ <i>perigramma</i> , ♂.	„ p. 193.	Hawaii.
16.	„ <i>vilsoni</i> , ♂.	„ p. 204.	California.
17.	„ <i>lacunosa</i> , ♂.	„ p. 204.	California.
18.	„ <i>cicatricosa</i> , ♀.	„ p. 204.	California.
19.	„ <i>subspinifera</i> , ♂.	„ p. 205.	Punjab.
20.	„ <i>neomexicana</i> , ♂.	„ p. 206.	New Mexico.
21.	„ <i>recula</i> , ♀.	„ p. 207.	Oregon.
22.	„ <i>segregata</i> , ♂.	„ p. 207.	Arizona.
23.	„ <i>brevipennis</i> , ♂.	„ p. 208.	Colorado.
24.	„ <i>latificans</i> , ♂.	„ p. 208.	Colorado.
25.	„ <i>pugionis</i> , ♂.	„ p. 209.	Br. Columbia.
26.	„ <i>quadridentata</i> , ♂.	„ p. 209.	California.
27.	„ <i>niveilinea</i> , ♂.	„ p. 210.	Kansas.
28.	„ <i>oblongistigma</i> , ♂.	„ p. 210.	Colorado.
29.	„ <i>olivalis</i> , ♀.	„ p. 211.	Colorado.
30.	„ <i>plagiifera</i> , ♀.	„ p. 211.	Nebraska.
31.	„ <i>ridingsiana</i> , ♂.	„ p. 212.	Colorado.
32.	„ <i>flavulens</i> , ♂.	„ p. 212.	Colorado.





PLATE LXII.

1.	<i>Euxoa biclavis</i> , ♂.	Vol. IV. p. 213.	Arizona.
2.	„ <i>hollemani</i> , ♂.	„ p. 213.	California.
3.	„ <i>collocata</i> , ♀.	„ p. 214.	Colorado.
4.	„ <i>nevada</i> , ♂.	„ p. 214.	California.
5.	„ <i>submolesta</i> , ♂.	„ p. 215.	Tibet.
6.	„ <i>flaviscapula</i> , ♂.	„ p. 216.	New Mexico.
7.	„ <i>candida</i> , ♂.	„ p. 216.	Montana.
8.	„ <i>sponsa</i> , ♀.	„ p. 217.	Washington.
9.	„ <i>loya</i> , ♀.	„ p. 217.	California.
10.	„ <i>bicollaris</i> , ♂.	„ p. 218.	California.
11.	„ <i>excogita</i> , ♀.	„ p. 218.	Colorado.
12.	„ <i>punctigera</i> , ♂.	„ p. 219.	Vancouver.
13.	„ <i>perpolita</i> , ♀.	„ p. 219.	Massachusetts.
14.	„ <i>finis</i> , ♀.	„ p. 219.	Montana.
15.	„ <i>perfusca</i> , ♂.	„ p. 220.	Washington.
16.	„ <i>fumalis</i> , ♂.	„ p. 220.	New York.
17.	„ <i>velleripennis</i> , ♂.	„ p. 220.	New York.
18.	„ <i>atomaris</i> , ♂.	„ p. 221.	Colorado.
19.	„ <i>atrofusca</i> , ♂.	„ p. 222.	Washington.
20.	„ <i>stigmatilis</i> , ♀.	„ p. 222.	Arizona.
21.	„ <i>gagates</i> , ♂.	„ p. 223.	Massachusetts.
22.	„ <i>falclandica</i> , ♂.	„ p. 224.	Falkland Is.
23.	„ <i>misturata</i> , ♀.	„ p. 224.	Colorado.
24.	„ <i>mærens</i> , ♂.	„ p. 224.	Colorado.
25.	„ <i>robiginosa</i> , ♀.	„ p. 225.	Syria.
26.	„ <i>exculta</i> , ♂.	„ p. 225.	Br. Columbia.
27.	„ <i>cursorioides</i> , ♂.	„ p. 226.	Syria.
28.	„ <i>eremioides</i> , ♂.	„ p. 227.	Hawaii.
29.	„ <i>citricolor</i> , ♂.	„ p. 227.	Colorado.
30.	„ <i>viguræa</i> , ♂.	„ p. 661.	Mongolia.
31.	„ <i>remota</i> , ♀.	„ p. 228.	California.
32.	„ <i>detersa</i> , ♂.	„ p. 229.	Canada.



PLATE LXIII.

1.	<i>Euxoa luteola</i> , ♀.	Vol. IV. p. 229.	Arizona.
2.	„ <i>fulda</i> , ♀.	„ p. 230.	California.
3.	„ <i>nævula</i> , ♂.	„ p. 230.	California.
4.	„ <i>ternessa</i> , ♂.	„ p. 231.	Wyoming.
5.	„ <i>detesta</i> , ♀.	„ p. 231.	Washington.
6.	„ <i>homicida</i> , ♂.	„ p. 232.	Asia Minor.
7.	„ <i>contagionis</i> , ♂.	„ p. 232.	Washington.
8.	„ <i>tronella</i> , ♂.	„ p. 232.	Utah.
9.	„ <i>subdecora</i> , ♂.	„ p. 233.	W. Turkestan.
10.	„ <i>acornis</i> , ♂.	„ p. 233.	Br. Columbia.
11.	„ <i>cænis</i> , ♀.	„ p. 234.	Colorado.
12.	„ <i>relaxa</i> , ♂.	„ p. 235.	California.
13.	„ <i>vulpina</i> , ♂.	„ p. 235.	Br. Columbia.
14.	„ <i>bostoniensis</i> , ♂.	„ p. 235.	Massachusetts.
15.	„ <i>sessile</i> , ♂.	„ p. 236.	Colorado.
16.	„ <i>testula</i> , ♂.	„ p. 236.	Br. Columbia.
17.	„ <i>tocoyæ</i> , ♂.	„ p. 237.	California.
18.	„ <i>audentis</i> , ♂.	„ p. 237.	Colorado.
19.	„ <i>medialis</i> , ♂.	„ p. 238.	Colorado.
20.	„ <i>feniseca</i> , ♂.	„ p. 238.	California.
21.	„ <i>difformis</i> , ♂.	„ p. 239.	Oregon.
22.	„ <i>vallus</i> , ♀.	„ p. 242.	Br. Columbia.
23.	„ <i>luteosita</i> , ♂.	„ p. 242.	Colorado.
24.	„ <i>bifasciata</i> , ♂.	„ p. 243.	Arizona.
25.	„ <i>brocha</i> , ♀.	„ p. 244.	Colorado.
26.	„ <i>psammophæa</i> , ♂.	„ p. 246.	Hawaii.
27.	„ <i>sculptilis</i> , ♂.	„ p. 246.	New Mexico.
28.	„ <i>murdoci</i> , ♂.	„ p. 247.	California.
29.	„ <i>friabilis</i> , ♀.	„ p. 249.	Canada.
30.	„ <i>nictopis</i> , ♂.	„ p. 250.	Kashmir.
31.	„ <i>intrita</i> , ♂.	„ p. 251.	Vancouver.
32.	„ <i>rubefactalis</i> , ♂.	„ p. 251.	Washington.



PLATE LXIV.

1.	<i>Euxoa procellaris</i> , ♂.	Vol. IV. p. 217.	Hawaii.
2.	„ <i>holoberba</i> , ♀.	„ p. 252.	Canada.
3.	„ <i>intolerabilis</i> , ♂.	„ p. 252.	Tibet.
4.	„ <i>brevirami</i> , ♂.	„ p. 253.	Punjab.
5.	„ <i>septentrionalis</i> , ♀.	„ p. 254.	Vancouver.
6.	„ <i>mitis</i> , ♂.	„ p. 254.	Colorado.
7.	„ <i>perturbata</i> , ♂.	„ p. 255.	Colorado.
8.	„ <i>objurgata</i> , ♀.	„ p. 255.	Oregon.
9.	„ <i>atropulverea</i> , ♀.	„ p. 257.	Colorado.
10.	„ <i>micronyx</i> , ♀.	„ p. 257.	California.
11.	„ <i>terrena</i> , ♂.	„ p. 258.	Washington.
12.	„ <i>laggance</i> , ♂.	„ p. 259.	Br. Columbia.
13.	„ <i>ontario</i> , ♂.	„ p. 259.	Canada.
14.	„ <i>quinquelinea</i> , ♀.	„ p. 260.	California.
15.	„ <i>itodes</i> , ♀.	„ p. 260.	Arizona.
16.	„ <i>pedulis</i> , ♂.	„ p. 261.	Colorado.
17.	„ <i>recticincta</i> , ♀.	„ p. 261.	Canada.
18.	„ <i>falerina</i> , ♂.	„ p. 262.	Colorado.
19.	„ <i>cona</i> , ♂.	„ p. 262.	Colorado.
20.	„ <i>territorialis</i> , ♀.	„ p. 263.	Washington.
21.	„ <i>conjuncta</i> , ♂.	„ p. 263.	Colorado.
22.	„ <i>lineifrons</i> , ♂.	„ p. 264.	Colorado.
23.	„ <i>cerrvillei</i> , ♂.	„ p. 264.	Texas.
24.	„ <i>nili</i> , ♂.	„ p. 264.	Egypt.
25.	„ <i>choris</i> , ♂.	„ p. 265.	Nevada.
26.	„ <i>immixta</i> , ♂.	„ p. 266.	Texas.
27.	„ <i>fuscigera</i> , ♂.	„ p. 267.	Colorado.
28.	„ <i>lutulenta</i> , ♀.	„ p. 268.	Nevada.
29.	„ <i>annulipes</i> , ♀.	„ p. 268.	Oregon.
30.	„ <i>ternaria</i> , ♀.	„ p. 269.	Colorado.
31.	„ <i>insignata</i> , ♂.	„ p. 269.	New York.
32.	„ <i>brunneigera</i> , ♂.	„ p. 269.	Vancouver.





PLATE LXV.

1.	<i>Euxoa polybela</i> , ♀.	Vol. IV. p. 155.	Algeria.
2.	„ <i>chretieni</i> , ♀.	„ p. 163.	Spain.
3.	„ <i>incalida</i> , ♂.	„ p. 271.	Canada.
4.	„ <i>mollis</i> , ♀.	„ p. 272.	Canada.
5.	„ <i>opipara</i> , ♂.	„ p. 272.	Labrador.
6.	„ <i>munis</i> , ♂.	„ p. 273.	Colorado.
7.	„ <i>dissona</i> , ♀.	„ p. 274.	Labrador.
8.	„ <i>vetusta</i> , ♂.	„ p. 274.	Vancouver.
9.	„ <i>malis</i> , ♂.	„ p. 275.	Canada.
10.	„ <i>enteridis</i> , ♂.	„ p. 275.	Washington.
11.	„ <i>alticola</i> , ♂.	„ p. 276.	California.
12.	„ <i>cariosa</i> , ♂.	„ p. 276.	Washington.
13.	„ <i>infausta</i> , ♀.	„ p. 277.	Vancouver.
14.	„ <i>megastigma</i> , ♀.	„ p. 277.	Canada.
15.	„ <i>nigrita</i> , ♂.	„ p. 278.	Amur.
16.	„ <i>colata</i> , ♀.	„ p. 278.	Oregon.
17.	„ <i>levisi</i> , ♂.	„ p. 278.	Colorado.
18.	„ <i>noctuiiformis</i> , ♂.	„ p. 279.	Washington.
19.	„ <i>basiflava</i> , ♂.	„ p. 279.	Colorado.
20.	„ <i>basalis</i> , ♂.	„ p. 280.	Colorado.
21.	„ <i>rena</i> , ♂.	„ p. 281.	California.
22.	„ <i>melanoneura</i> , ♂.	„ p. 281.	Hawaii.
23.	„ <i>austulea</i> , ♂.	„ p. 282.	Hawaii.
24.	„ <i>satis</i> , ♂.	„ p. 282.	California.
25.	„ <i>nostra</i> , ♂.	„ p. 283.	California.
26.	„ <i>reuda</i> , ♂.	„ p. 283.	Washington.
27.	„ <i>decolor</i> , ♂.	„ p. 284.	Canada.
28.	„ <i>tessellata</i> , ♂.	„ p. 285.	New York.
29.	„ <i>intrusa</i> , ♂.	„ p. 286.	California.
30.	„ <i>albipennis</i> , ♂.	„ p. 286.	California.
31.	„ <i>verticalis</i> , ♂.	„ p. 287.	Colorado.
32.	„ <i>neotelis</i> , ♂.	„ p. 288.	Washington.



PLATE LXVI.

1.	<i>Euxoa titubatis</i> , ♂.	Vol. IV. p. 289.	Oregon.
2.	„ <i>pallipennis</i> , ♂.	„ p. 289.	Colorado.
3.	„ <i>hispidula</i> , ♂.	„ p. 289.	Chili.
4.	„ <i>bilitura</i> , ♂.	„ p. 290.	Chili.
5.	„ <i>ochrogaster</i> , ♂.	„ p. 290.	New York.
6.	„ <i>compressipennis</i> , ♂.	„ p. 291.	California.
7.	„ <i>obeliscoides</i> , ♂.	„ p. 292.	New York.
8.	„ <i>excellens</i> , ♂.	„ p. 292.	Vancouver.
9.	„ <i>pindar</i> , ♂.	„ p. 295.	Utah.
10.	„ <i>idahoensis</i> , ♂.	„ p. 295.	Idaho.
11.	„ <i>fœminalis</i> , ♀.	„ p. 296.	Colorado.
12.	„ <i>furtiva</i> , ♂.	„ p. 297.	Colorado.
13.	„ <i>vanidica</i> , ♂.	„ p. 297.	California.
14.	„ <i>basigramma</i> , ♂.	„ p. 298.	Russia.
15.	„ <i>islandica</i> , ♀.	„ p. 299.	Iceland.
16.	„ <i>henrietta</i> , ♀.	„ p. 300.	California.
17.	„ <i>atrifera</i> , ♂.	„ p. 300.	Maine.
18.	„ <i>laminis</i> , ♂.	„ p. 302.	California.
19.	„ <i>tesselloides</i> , ♀.	„ p. 302.	California.
20.	„ <i>silens</i> , ♂.	„ p. 303.	Nevada.
21.	„ <i>selenis</i> , ♀.	„ p. 303.	California.
22.	„ <i>divergens</i> , ♂.	„ p. 304.	Canada.
23.	„ <i>nordica</i> , ♂.	„ p. 304.	Canada.
24.	„ <i>fusimacula</i> , ♂.	„ p. 305.	California.
25.	„ <i>arsia</i> , ♀.	„ p. 305.	California.
26.	„ <i>redimicula</i> , ♂.	„ p. 306.	Colorado.
27.	„ <i>acutifrons</i> , ♀.	„ p. 306.	Oregon.
28.	„ <i>striatilis</i> , ♀.	„ p. 307.	Vancouver.
29.	„ <i>servita</i> , ♂.	„ p. 308.	Canada.
30.	„ <i>pictifascia</i> , ♀.	„ p. 308.	Somaliland.
31.	„ <i>aciliodes</i> , ♂.	„ p. 308.	E. Africa.
32.	„ <i>lineifera</i> , ♂.	„ p. 309.	Chili.



PLATE LXVII.

1. <i>Euxoa oberthuri</i> , ♂.	Vol. IV. p. 310.	China.
2. „ <i>auxiliaris</i> , ♂.	„ p. 311.	Texas.
3. „ <i>sorella</i> , ♀.	„ p. 312.	Mexico.
4. „ <i>balinitis</i> , ♀.	„ p. 312.	Colorado.
5. „ <i>inconcinna</i> , ♂.	„ p. 314.	Texas.
6. „ <i>intracta</i> , ♂.	„ p. 315.	Punjab.
7. „ <i>xanthiodes</i> , ♂.	„ p. 315.	Kashmir.
8. „ <i>flavicollis</i> , ♂.	„ p. 318.	Canada.
9. „ <i>proclivis</i> , ♀.	„ p. 320.	Arizona.
10. „ <i>fumicolor</i> , ♂.	„ p. 321.	Mashonaland.
11. „ <i>apicalis</i> , ♀.	„ p. 321.	Arizona.
12. „ <i>cleiducha</i> , ♂.	„ p. 322.	Ecuador.
13. „ <i>abnormis</i> , ♂.	„ p. 323.	California.
14. „ <i>pronycta</i> , ♂.	„ p. 324.	Mashonaland.
15. „ <i>reclusa</i> , ♂.	„ p. 324.	Australia.
16. „ <i>indigna</i> , ♂.	„ p. 324.	Natal.
17. „ <i>epipyra</i> , ♂.	„ p. 325.	Mashonaland.
18. „ <i>hirtipalpis</i> , ♂.	„ p. 326.	Colombia.
19. „ <i>amæna</i> , ♂.	„ p. 328.	Armenia.
20. „ <i>peperida</i> , ♂.	„ p. 329.	Kashmir.
21. „ <i>opisoleuca</i> , ♂.	„ p. 329.	Persia.
22. „ <i>exacta</i> , ♂.	„ p. 330.	W. Turkestan.
23. „ <i>turbans</i> , ♂.	„ p. 331.	W. Turkestan.
24. „ <i>celsicola</i> , ♂.	„ p. 332.	Syria.
25. „ <i>improba</i> , ♂.	„ p. 333.	W. Turkestan.
26. „ <i>lagna</i> , ♀.	„ p. 334.	Nevada.
27. „ <i>albalis</i> , ♀.	„ p. 335.	Nevada.
28. „ <i>pygmæa</i> , ♂.	„ p. 336.	W. Turkestan.
29. „ <i>nyctina</i> , ♂.	„ p. 336.	Kumaon.
30. <i>Feltia venerabilis</i> , ♂.	„ p. 338.	Canada.
31. „ <i>milleri</i> , ♂.	„ p. 339.	California.
32. „ <i>pectinicornis</i> , ♂.	„ p. 340.	Texas.



PLATE LXVIII.

1. <i>Feltia robustior</i> , ♂.	Vol. IV. p. 341.	Canada.
2. „ <i>subgothica</i> , ♂.	„ p. 345.	Canada.
3. „ <i>herilis</i> , ♂.	„ p. 346.	Canada.
4. „ <i>honesta</i> , ♂.	„ p. 347.	Mongolia.
5. „ <i>gravis</i> , ♂.	„ p. 347.	California.
6. „ <i>vancouverensis</i> , ♂.	„ p. 348.	Vancouver.
7. „ <i>volubilis</i> , ♂.	„ p. 349.	New York.
8. „ <i>pexa</i> , ♂.	„ p. 349.	Patagonia.
9. „ <i>ceneipennis</i> , ♂.	„ p. 350.	California.
10. „ <i>duo-signa</i> , ♂.	„ p. 350.	Kashmir.
11. „ <i>xiphias</i> , ♂.	„ p. 351.	Hawaii.
12. „ <i>dislocata</i> , ♂.	„ p. 351.	Hawaii.
13. „ <i>aulacias</i> , ♂.	„ p. 352.	Hawaii.
14. „ <i>informis</i> , ♂.	„ p. 352.	Japan.
15. „ <i>malefida</i> , ♂.	„ p. 353.	New York.
16. „ <i>annexa</i> , ♂.	„ p. 354.	Georgia.
17. „ <i>cunities</i> , ♂.	„ p. 355.	Argentina.
18. „ <i>experta</i> , ♂.	„ p. 356.	Peru.
19. „ <i>clerica</i> , ♂.	„ p. 356.	Chili.
20. <i>Hermonassa spilota</i> , ♂.	„ p. 359.	Bengal.
21. „ <i>lanceola</i> , ♂.	„ p. 360.	Sikhim.
22. „ <i>incisa</i> , ♀.	„ p. 359.	Sikhim.
23. „ <i>clava</i> , ♂.	„ p. 361.	W. China.
24. „ <i>pallidula</i> , ♂.	„ p. 362.	W. China.
25. <i>Agrotis badinodis</i> , ♂.	„ p. 364.	New York.
26. „ <i>opacifrons</i> , ♂.	„ p. 367.	New York.
27. „ <i>spina</i> , ♂.	„ p. 367.	Victoria.
28. „ <i>tociensis</i> , ♂.	„ p. 370.	Japan.
29. „ <i>geniculata</i> , ♂.	„ p. 370.	Massachusetts.
30. „ <i>plana</i> , ♂.	„ p. 371.	W. China.
31. „ <i>cissigma</i> , ♂.	„ p. 372.	W. Siberia.
32. „ <i>violaris</i> , ♂.	„ p. 372.	Pennsylvania.




PLATE LXIX.

1.	<i>Lygranthœcia concinna</i> , ♂.	Vol. IV. p. 63.	Texas.
2.	„ <i>bicuspidata</i> , ♂.	„ p. 66.	Texas.
3.	<i>Schinia tenuescens</i> , ♂.	„ p. 77.	Arizona.
4.	„ <i>biundulata</i> , ♂.	„ p. 81.	Colorado.
5.	„ <i>scutata</i> , ♂.	„ p. 84.	Mongolia.
6.	„ <i>arefacta</i> , ♂.	„ p. 85.	Florida.
7.	„ <i>petulans</i> , ♂.	„ p. 92.	Florida.
8.	<i>Eupanychis crenilinea</i> , ♂.	„ p. 95.	Texas.
9.	<i>Capablepharon longipennis</i> , ♂.	„ p. 119.	Montana.
10.	<i>Euxoa insertans</i> , ♂.	„ p. 206.	Br. Columbia.
11.	„ <i>atristrigata</i> , ♂.	„ p. 213.	Br. Columbia.
12.	„ <i>teleboa</i> , ♀.	„ p. 261.	New Mexico.
13.	„ <i>tristicula</i> , ♂.	„ p. 273.	Maine.
14.	<i>Feltia circumdata</i> , ♂.	„ p. 339.	New Mexico.
15.	<i>Euxoa terrealis</i> , ♂.	„ p. 314.	New Mexico.
16.	<i>Rhodophora felicitata</i> , ♂.	„ p. 57.	Utah.
17.	<i>Euxoa cognita</i> , ♂.	„ p. 193.	W. Turkestan.
18.	„ <i>ignara</i> , ♂.	„ p. 328.	W. Turkestan.
19.	„ <i>humigena</i> , ♂.	„ p. 190.	Tibet.
20.	„ <i>vestermanni</i> , ♀.	„ p. 301.	Labrador.
21.	„ <i>eremicola</i> , ♂.	„ p. 326.	W. Turkestan.
22.	<i>Actinotia conjuncta</i> , ♂.	„ p. 125.	Tibet.
23.	<i>Thyreion patagonica</i> , ♂.	„ p. 657.	Patagonia.
24.	<i>Schinia eximia</i> , ♂.	„ p. 657.	Patagonia.
25.	<i>Agrotis consentanea</i> , ♂.	„ p. 356.	Madagascar.
26.	„ <i>aurulenta</i> , ♀.	„ p. 373.	Nebraska.
27.	„ <i>clarivena</i> , ♂.	„ p. 373.	Tibet.
28.	„ <i>exoleta</i> , ♂.	„ p. 375.	W. China.
29.	„ <i>hypochalcis</i> , ♂.	„ p. 380.	Queensland.
30.	„ <i>collaris</i> , ♂.	„ p. 388.	Colorado.
31.	„ <i>stentsi</i> , ♂.	„ p. 388.	Japan.
32.	„ <i>musivula</i> , ♂.	„ p. 389.	Tibet.



PLATE LXX.

1.	<i>Agrotis degenerata</i> , ♂.	Vol. IV. p. 391.	W. Turkestan.
2.	„ <i>deraiota</i> , ♂.	„ p. 391.	Ceylon.
3.	„ <i>mysteca</i> , ♀.	„ p. 393.	Mexico.
4.	„ <i>atritegulata</i> , ♂.	„ p. 394.	Transvaal.
5.	„ <i>mandarina</i> , ♀.	„ p. 394.	W. China.
6.	„ <i>renalis</i> , ♂.	„ p. 395.	Punjab.
7.	„ <i>consanguinea</i> , ♂.	„ p. 396.	Punjab.
8.	„ <i>costæstriga</i> , ♂.	„ p. 396.	Tibet.
9.	„ <i>bicarnea</i> , ♂.	„ p. 397.	Canada.
10.	„ <i>treati</i> , ♂.	„ p. 398.	Massachusetts.
11.	„ <i>normaniana</i> , ♂.	„ p. 398.	Canada.
12.	„ <i>collari</i> , ♂.	„ p. 399.	Siberia.
13.	„ <i>conchis</i> , ♀.	„ p. 401.	Colorado.
14.	„ <i>junctura</i> , ♂.	„ p. 402.	Punjab.
15.	„ <i>vibora</i> , ♂.	„ p. 404.	Ecuador.
16.	„ <i>repleta</i> , ♂.	„ p. 408.	Mexico.
17.	„ <i>crinigera</i> , ♂.	„ p. 409.	Hawaii.
18.	„ <i>compta</i> , ♂.	„ p. 409.	N. S. Wales.
19.	„ <i>herculeana</i> , ♀.	„ p. 410.	Mexico.
20.	„ <i>bolteri</i> , ♀.	„ p. 414.	New Mexico.
21.	„ <i>neurogramma</i> , ♂.	„ p. 415.	Hawaii.
22.	„ <i>rosaria</i> , ♂.	„ p. 416.	California.
23.	„ <i>calgary</i> , ♂.	„ p. 417.	Canada.
24.	„ <i>plebeia</i> , ♂.	„ p. 417.	Br. Columbia.
25.	„ <i>mandarinella</i> , ♂.	„ p. 418.	W. China.
26.	„ <i>jucunda</i> , ♀.	„ p. 418.	Canada.
27.	„ <i>rubifera</i> , ♂.	„ p. 420.	New York.
28.	„ <i>phyllophora</i> , ♂.	„ p. 421.	New York.
29.	„ <i>nebula</i> , ♀.	„ p. 422.	W. China.
30.	„ <i>flavibrunnea</i> , ♂.	„ p. 422.	W. China.
31.	„ <i>tarda</i> , ♀.	„ p. 424.	Japan.
32.	„ <i>cinctipennis</i> , ♀.	„ p. 424.	Hawaii.



PLATE LXXI.

1.	<i>Agrotis selenias</i> , ♂.	Vol. IV. p. 425.	Hawaii.
2.	„ <i>chersotoides</i> , ♂.	„ p. 425.	Hawaii.
3.	„ <i>coniotis</i> , ♂.	„ p. 426.	Hawaii.
4.	„ <i>basistriga</i> , ♂.	„ p. 427.	Sikhim.
5.	„ <i>glottuloides</i> , ♂.	„ p. 428.	Chili.
6.	„ <i>cynica</i> , ♂.	„ p. 428.	New York.
7.	„ <i>tincta</i> , ♀.	„ p. 429.	W. China.
8.	„ <i>griseivena</i> , ♀.	„ p. 429.	Punjab.
9.	„ <i>cerastioides</i> , ♂.	„ p. 430.	Sikhim.
10.	„ <i>esuriialis</i> , ♂.	„ p. 430.	Washington.
11.	„ <i>eugramma</i> , ♀.	„ p. 432.	W. China.
12.	„ <i>oblata</i> , ♀.	„ p. 434.	New York.
13.	„ <i>flavotincta</i> , ♀.	„ p. 434.	Vancouver.
14.	„ <i>melancholica</i> , ♀.	„ p. 436.	Siberia.
15.	„ <i>bonsa</i> , ♂.	„ p. 437.	W. Turkestan.
16.	„ <i>poliogramma</i> , ♀.	„ p. 438.	Kashmir.
17.	„ <i>agalma</i> , ♂.	„ p. 439.	Tibet.
18.	„ <i>substriata</i> , ♂.	„ p. 439.	Canada.
19.	„ <i>cœlebs</i> , ♂.	„ p. 440.	Asia Minor.
20.	„ <i>succica</i> , ♂.	„ p. 442.	Sweden.
21.	„ <i>capnistis</i> , ♂.	„ p. 446.	Asia Minor.
22.	„ <i>juncta</i> , ♂.	„ p. 446.	Canada.
23.	„ <i>patefacta</i> , ♂.	„ p. 447.	Canada.
24.	„ <i>atrifrons</i> , ♂.	„ p. 448.	Colorado.
25.	„ <i>piscipellis</i> , ♂.	„ p. 448.	Colorado.
26.	„ <i>cinereicollis</i> , ♀.	„ p. 449.	California.
27.	„ <i>subporphyria</i> , ♀.	„ p. 450.	Georgia.
28.	„ <i>annularis</i> , ♂.	„ p. 450.	Mashonaland.
29.	„ <i>dispalata</i> , ♂.	„ p. 451.	Bombay.
30.	„ <i>sicca</i> , ♂.	„ p. 451.	Punjab.
31.	„ <i>conioria</i> , ♂.	„ p. 453.	Br. E. Africa.
32.	„ <i>effraeta</i> , ♂.	„ p. 453.	Transvaal.



PLATE LXXII.

1.	<i>Agrotis cinctithorax</i> , ♂.	Vol. IV. p. 454.	Cape Colony.
2.	„ <i>catenifera</i> , ♀.	„ p. 455.	Congo.
3.	„ <i>inopinata</i> , ♂.	„ p. 456.	Colorado.
4.	„ <i>sierræ</i> , ♂.	„ p. 456.	Colorado.
5.	„ <i>squalida</i> , ♂.	„ p. 457.	W. Turkestan.
6.	„ <i>unimacula</i> , ♂.	„ p. 458.	New York.
7.	„ <i>jalapa</i> , ♂.	„ p. 459.	Mexico.
8.	„ <i>havlæ</i> , ♂.	„ p. 460.	Nevada.
9.	„ <i>lucens</i> , ♀.	„ p. 460.	Japan.
10.	„ <i>deplorata</i> , ♂.	„ p. 461.	W. Turkestan.
11.	„ <i>clemens</i> , ♀.	„ p. 462.	California.
12.	<i>Eucrotonia tripars</i> , ♂.	„ p. 465.	Indiana.
13.	<i>Episilia perditæ</i> , ♂.	„ p. 469.	Tierra del Fuego.
14.	„ <i>dissociata</i> , ♂.	„ p. 471.	Patagonia.
15.	„ <i>coppingeri</i> , ♂.	„ p. 472.	Patagonia.
16.	„ <i>hilaris</i> , ♂.	„ p. 472.	Texas.
17.	„ <i>fungorum</i> , ♂.	„ p. 473.	New York.
18.	„ <i>madida</i> , ♀.	„ p. 473.	Mexico.
19.	„ <i>molepa</i> , ♂.	„ p. 473.	S. Brazil.
20.	„ <i>straminea</i> , ♂.	„ p. 474.	W. China.
21.	„ <i>vittata</i> , ♂.	„ p. 476.	Tibet.
22.	„ <i>postfusca</i> , ♂.	„ p. 477.	Ceylon.
23.	„ <i>hesitans</i> , ♂.	„ p. 478.	Rocky Mts.
24.	„ <i>manifesta</i> , ♀.	„ p. 480.	New Jersey.
25.	„ <i>olivascens</i> , ♀.	„ p. 481.	Sikhim.
26.	„ <i>coturnicula</i> , ♂.	„ p. 482.	Amurland.
27.	„ <i>littoralis</i> , ♂.	„ p. 483.	Colorado.
28.	„ <i>monochromata</i> , ♀.	„ p. 483.	New Hampshire.
29.	„ <i>xanthostola</i> , ♂.	„ p. 483.	Falkland Is.
30.	„ <i>colima</i> , ♂.	„ p. 484.	Mexico.
31.	„ <i>serraticornis</i> , ♂.	„ p. 485.	Castille.
32.	„ <i>senescens</i> , ♂.	„ p. 485.	W. Turkestan.



PLATE LXXIII.

1.	<i>Euxoa marcida</i> , ♂.	Vol. IV. p. 322.	Persia.
2.	„ <i>t-nigrum</i> , ♂.	„ p. 323.	Brazil.
3.	„ <i>æquicuspis</i> , ♂.	„ p. 334.	Mongolia.
4.	<i>Episilia panda</i> , ♂.	„ p. 486.	W. China.
5.	„ <i>bistrigata</i> , ♀.	„ p. 487.	Ecuador.
6.	„ <i>terrifica</i> , ♂.	„ p. 487.	Colorado.
7.	„ <i>retracta</i> , ♂.	„ p. 489.	Sikhim.
8.	„ <i>flavicosta</i> , ♀.	„ p. 489.	Patagonia.
9.	„ <i>fishi</i> , ♀.	„ p. 490.	Maine.
10.	„ <i>cinerea</i> , ♂.	„ p. 490.	Labrador.
11.	„ <i>ceramophæa</i> , ♂.	„ p. 492.	Hawaii.
12.	„ <i>loresi</i> , ♂.	„ p. 492.	Tirol.
13.	„ <i>destituta</i> , ♂.	„ p. 493.	W. China.
14.	„ <i>homochroma</i> , ♂.	„ p. 493.	Tibet.
15.	„ <i>cinerascens</i> , ♂.	„ p. 494.	Washington.
16.	„ <i>stridula</i> , ♂.	„ p. 498.	W. Turkestan.
17.	„ <i>voccei</i> , ♂.	„ p. 498.	New Hampshire.
18.	„ <i>præcipua</i> , ♂.	„ p. 499.	E. Siberia.
19.	„ <i>modesta</i> , ♂.	„ p. 501.	Tibet.
20.	„ <i>isochroma</i> , ♂.	„ p. 502.	Tibet.
21.	„ <i>argillacea</i> , ♂.	„ p. 502.	Tibet.
22.	„ <i>violetta</i> , ♂.	„ p. 502.	W. Turkestan.
23.	„ <i>alaina</i> , ♂.	„ p. 503.	W. Turkestan.
24.	„ <i>ignobilis</i> , ♂.	„ p. 506.	W. Turkestan.
25.	„ <i>subplumbea</i> , ♂.	„ p. 507.	Tibet.
26.	„ <i>diplogramma</i> , ♂.	„ p. 508.	W. Turkestan.
27.	„ <i>monogramma</i> , ♂.	„ p. 509.	Kashmir.
28.	„ <i>tiniloides</i> , ♀.	„ p. 512.	Ecuador.
29.	„ <i>amina</i> , ♀.	„ p. 513.	Ecuador.
30.	<i>Lycophotia perigrapha</i> , ♂.	„ p. 516.	Tibet.
31.	„ <i>lutescens</i> , ♂.	„ p. 517.	Urals.
32.	„ <i>achromatica</i> , ♂.	„ p. 518.	Brazil.





PLATE LXXIV.

1.	<i>Lycophotia sichima</i> , ♂.	Vol. IV. p. 519.	Sikkim.
2.	„ <i>erschoffi</i> , ♂.	„ p. 521.	W. Turkestan.
3.	„ <i>planifrons</i> , ♂.	„ p. 522.	Br. Columbia.
4.	„ <i>fidelis</i> , ♂.	„ p. 522.	Portugal.
5.	„ <i>radiola</i> , ♀.	„ p. 523.	California.
6.	„ <i>mendosica</i> , ♂.	„ p. 524.	Argentina.
7.	„ <i>ochrina</i> , ♂.	„ p. 526.	Syria.
8.	„ <i>congrua</i> , ♂.	„ p. 529.	Oregon.
9.	„ <i>quebecensis</i> , ♀.	„ p. 530.	Canada.
10.	„ <i>elata</i> , ♂.	„ p. 530.	Colorado.
11.	„ <i>cuprina</i> , ♂.	„ p. 531.	W. Turkestan.
12.	„ <i>astricta</i> , ♂.	„ p. 531.	New York.
13.	„ <i>nigra</i> , ♂.	„ p. 532.	Colorado.
14.	„ <i>denticulata</i> , ♂.	„ p. 533.	Punjab.
15.	„ <i>ochronota</i> , ♂.	„ p. 535.	Uruguay.
16.	„ <i>semifusca</i> , ♂.	„ p. 535.	Chili.
17.	„ <i>demutabilis</i> , ♀.	„ p. 537.	Arizona.
18.	„ <i>vocalis</i> , ♂.	„ p. 538.	Colorado.
19.	„ <i>eminens</i> , ♂.	„ p. 538.	W. Turkestan.
20.	„ <i>grandipennis</i> , ♂.	„ p. 540.	New Mexico.
21.	„ <i>rudens</i> , ♂.	„ p. 541.	Texas.
22.	„ <i>tamerlana</i> , ♂.	„ p. 541.	W. Turkestan.
23.	„ <i>junci</i> , ♂.	„ p. 542.	W. Turkestan.
24.	„ <i>pellucidalis</i> , ♂.	„ p. 542.	Texas.
25.	„ <i>radiata</i> , ♀.	„ p. 544.	Brazil.
26.	„ <i>truculenta</i> , ♂.	„ p. 549.	W. Siberia.
27.	„ <i>toxistigma</i> , ♂.	„ p. 549.	Syria.
28.	„ <i>bitriangula</i> , ♂.	„ p. 553.	Cape Colony.
29.	„ <i>isopleura</i> , ♀.	„ p. 553.	Mashonaland.
30.	„ <i>orthogramma</i> , ♂.	„ p. 554.	Brazil.
31.	„ <i>ignicans</i> , ♂.	„ p. 554.	Mexico.
32.	„ <i>biformis</i> , ♂.	„ p. 556.	Brazil.



PLATE LXXV.

1.	<i>Agrotis obuncula</i> , ♂.	Vol. IV. p. 416.	E. Turkestan.
2.	<i>Lycophotia messia</i> , ♂.	„ p. 556.	Chili.
3.	„ <i>melanobasis</i> , ♂.	„ p. 557.	Uruguay.
4.	„ <i>ferruginescens</i> , ♂.	„ p. 557.	Chili.
5.	„ <i>minna</i> , ♂.	„ p. 558.	Chili.
6.	„ <i>digna</i> , ♂.	„ p. 558.	Texas.
7.	„ <i>atricincta</i> , ♂.	„ p. 558.	Alberta.
8.	„ <i>gaurax</i> , ♂.	„ p. 559.	W. Turkestan.
9.	„ <i>insignata</i> , ♂.	„ p. 560.	W. Siberia.
10.	„ <i>butleri</i> , ♀.	„ p. 561.	Brazil.
11.	„ <i>yaxcaba</i> , ♀.	„ p. 561.	Mexico.
12.	„ <i>simplicia</i> , ♂.	„ p. 561.	Texas.
13.	„ <i>aspersa</i> , ♂.	„ p. 562.	Chili.
14.	„ <i>diana</i> , ♂.	„ p. 562.	Chili.
15.	„ <i>atrisparsa</i> , ♂.	„ p. 562.	Br. E. Africa.
16.	„ <i>perirrorata</i> , ♂.	„ p. 563.	Natal.
17.	„ <i>fuscirufa</i> , ♂.	„ p. 563.	Br. E. Africa.
18.	„ <i>sordescens</i> , ♂.	„ p. 564.	W. Turkestan.
19.	„ <i>tenuescens</i> , ♂.	„ p. 565.	Nebraska.
20.	„ <i>conchidia</i> , ♂.	„ p. 565.	Chili.
21.	„ <i>differeus</i> , ♂.	„ p. 565.	Venezuela.
22.	„ <i>exuberans</i> , ♂.	„ p. 566.	Colorado.
23.	„ <i>postventa</i> , ♀.	„ p. 566.	Cape Colony.
24.	„ <i>costigera</i> , ♂.	„ p. 566.	Chili.
25.	„ <i>lubricans</i> , ♂.	„ p. 567.	New York.
26.	„ <i>pudens</i> , ♀.	„ p. 568.	Madagascar.
27.	„ <i>electra</i> , ♂.	„ p. 571.	W. Turkestan.
28.	„ <i>hadjina</i> , ♂.	„ p. 572.	Asia Minor.
29.	„ <i>brunnescens</i> , ♂.	„ p. 576.	N. China.
30.	„ <i>molibdoida</i> , ♀.	„ p. 576.	Patagonia.
31.	„ <i>nanalis</i> , ♂.	„ p. 577.	Nevada.
32.	„ <i>oliveata</i> , ♂.	„ p. 577.	Cape Colony.



PLATE LXXVI.

1. <i>Aplectoides pressa</i> , ♂.	Vol. IV. p. 582.	Canada.
2. „ <i>condita</i> , ♂.	„ p. 583.	Canada.
3. <i>Ufeus sagittaria</i> , ♂.	„ p. 584.	California.
4. „ <i>unicolor</i> , ♂.	„ p. 585.	Illinois.
5. „ <i>satyrica</i> , ♀.	„ p. 585.	Illinois.
6. <i>Anytus evelina</i> , ♂.	„ p. 585.	California.
7. „ <i>atristrigata</i> , ♂.	„ p. 586.	Texas.
8. „ <i>profunda</i> , ♂.	„ p. 588.	Canada.
9. „ <i>obscura</i> , ♂.	„ p. 588.	Canada.
10. <i>Anomogyna vernilis</i> , ♂.	„ p. 590.	Colorado.
11. „ <i>albuncula</i> , ♂.	„ p. 592.	Siberia.
12. „ <i>gelida</i> , ♂.	„ p. 592.	Norway.
13. <i>Richia curviplena</i> , ♂.	„ p. 596.	Sikhim.
14. „ <i>xestiodes</i> , ♂.	„ p. 596.	Kashmir.
15. „ <i>fuscisignata</i> , ♀.	„ p. 597.	Kashmir.
16. „ <i>brunneago</i> , ♂.	„ p. 597.	Tibet.
17. „ <i>parentalis</i> , ♂.	„ p. 597.	Colorado.
18. <i>Mythimna cælebs</i> , ♂.	„ p. 603.	Tibet.
19. „ <i>blanda</i> , ♂.	„ p. 608.	California.
20. <i>Neurois atrovirens</i> , ♂.	„ p. 611.	Sikhim.
21. „ <i>renalba</i> , ♀.	„ p. 612.	Sikhim.
22. <i>Eurois youngi</i> , ♀.	„ p. 613.	Canada.
23. „ <i>tenebrifera</i> , ♂.	„ p. 614.	Massachusetts.
24. „ <i>indeterminata</i> , ♂.	„ p. 615.	Washington.
25. „ <i>stellaris</i> , ♀.	„ p. 615.	Washington.
26. „ <i>quarta</i> , ♀.	„ p. 616.	California.
27. „ <i>apposita</i> , ♀.	„ p. 616.	Vancouver.
28. <i>Nænia contaminata</i> , ♂.	„ p. 620.	N. China.
29. <i>Triphaena rufipectus</i> , ♂.	„ p. 629.	New York.
30. „ <i>brunneicollis</i> , ♂.	„ p. 629.	New York.
31. „ <i>crenulata</i> , ♂.	„ p. 630.	Washington.
32. „ <i>costata</i> , ♀.	„ p. 631.	Vancouver.



PLATE LXXVII.

1. *Triphaena exsertistigma*, ♂. Vol. IV. p. 631. California.
2. „ *confusa*, ♂. „ p. 632. Oregon.
3. „ *formalis*, ♂. „ p. 632. California.
4. „ *vittifrons*, ♀. „ p. 633. Colorado.
5. „ *carissima*, ♂. „ p. 634. California.
6. „ *bimarginalis*, ♂. „ p. 634. New Mexico.
7. „ *totonaca*, ♂. „ p. 634. Mexico.
8. „ *mirabilis*, ♂. „ p. 635. Colorado.
9. „ *discoidalis*, ♀. „ p. 636. California.
10. „ *placida*, ♂. „ p. 636. New York.
11. „ *variata*, ♂. „ p. 637. California.
12. „ *alternata*, ♂. „ p. 637. New York.
13. „ *anchocelioides*, ♀. „ p. 638. New York.
14. „ *minimalis*, ♀. „ p. 639. Colorado.
15. „ *cupidissima*, ♀. „ p. 639. California.
16. „ *belfragei*, ♀. „ p. 640. Texas.
17. „ *trigona*, ♂. „ p. 640. Kansas.
18. „ *inelegans*, ♀. „ p. 641. California.
19. „ *latula*, ♂. „ p. 641. Washington.
20. „ *pyrophiloides*, ♀. „ p. 642. California.
21. „ *perattenta*, ♂. „ p. 646. Canada.
22. „ *attenta*, ♂. „ p. 647. New York.
23. *Rhynchagrotis gilvipennis*, ♂. „ p. 649. Canada.
24. *Propatria mundoides*, ♂. „ p. 651. N. S. Wales.
25. *Ectopatria paurogramma*, ♂. „ p. 652. W. Australia.
26. „ *spilomata*, ♀. „ p. 653. Victoria.
27. „ *aspera*, ♂. „ p. 654. N. S. Wales.
28. „ *umbrosa*, ♀. „ p. 654. Queensland.
29. *Porosagrotis caffra*, ♂. „ p. 658. Natal.
30. *Episilia castra*, ♂. „ p. 512. Brazil.
31. *Lycophotia rodea*, ♀. „ p. 523. Mexico.
32. „ *funebria*, ♀. „ p. 564. Brazil.



CATALOGUE
OF THE
N O C T U I D Æ
IN THE
COLLECTION
OF THE
BRITISH MUSEUM.

BY
SIR GEORGE F. HAMPSON, BART.

V

L O N D O N :
PRINTED BY ORDER OF THE TRUSTEES.
SOLD BY
LONGMANS & Co., 39 PATERNOSTER ROW, E.C.;
B. QUARITCH, 15 PICCADILLY, W.; DULAU & Co., 37 SOHO SQUARE, W.;
KEGAN PAUL & Co., 43 GERRARD STREET, W ;
AND AT THE
BRITISH MUSEUM (NATURAL HISTORY), CROMWELL ROAD, S.W.
1905.



PRINTED BY TAYLOR AND FRANCIS,
RED LION COURT, FLEET STREET.

PLATE LXXVIII.

1. <i>Episilia tibetana</i> , ♂.	Vol. IV. p. 477.	Tibet.
2. <i>Lycophotia farinosa</i> , ♂.	„ p. 528.	E. Turkestan.
3. „ <i>adorea</i> , ♂.	„ p. 550.	Brazil.
4. „ <i>microstigma</i> , ♂.	„ p. 551.	Brazil.
5. <i>Isochlora xanthiana</i> , ♂.	„ p. 658.	Tibet.
6. <i>Euxoa hemispherica</i> , ♂.	„ p. 660.	Cyprus.
7. <i>Lycophotia pulverea</i> , ♂.	„ p. 567.	Cyprus.
8. „ <i>macrina</i> , ♂.	„ p. 572.	W. Turkestan.
9. <i>Mythimna coryphæa</i> , ♀.	„ p. 603.	Tibet.
10. <i>Micragrotis microstigma</i> , ♂.	„ p. 659.	Mashonaland.
11. „ <i>prosarca</i> , ♂.	„ p. 659.	Mashonaland.
12. <i>Euxoa ruficeps</i> , ♀.	„ p. 661.	Mashonaland.
13. <i>Agrotis ecstrigata</i> , ♂.	„ p. 662.	Mashonaland.
14. <i>Euxoa rufomixta</i> , ♂.	„ p. 661.	Cape Colony.
15. <i>Lycophotia ecvinacea</i> , ♂.	„ p. 663.	Cape Colony.
16. <i>Euxoa cinereopallida</i> , ♂.	„ p. 660.	California.
17. <i>Meliclectria melibaphes</i> , ♂.	„ p. 666 <i>a</i> .	Queensland.
18. <i>Agrotis mœrens</i> , ♂.	„ p. 666 <i>b</i> .	Mongolia.
19. <i>Feltia hudsoni</i> , ♀.	„ p. 666 <i>a</i> .	Canada.
20. „ <i>obliqua</i> , ♂.	„ p. 666 <i>b</i> .	Canada.
21. <i>Apharetra dentata</i> , ♂.	„ p. 666 <i>c</i> .	New York.
22. „ <i>pyralis</i> , ♀.	„ p. 666 <i>c</i> .	Canada.
23. <i>Trichestra arbuticolens</i> , ♀.	Vol. V. p. 9.	Chili.
24. <i>Discestra eremistis</i> , ♂.	„ p. 16.	W. Turkestan.
25. „ <i>arenaria</i> , ♂.	„ p. 16.	Sind.
26. <i>Craterestra niveopicta</i> , ♂.	„ p. 18.	Chili.
27. „ <i>terranea</i> , ♂.	„ p. 19.	Chili.
28. „ <i>media</i> , ♂.	„ p. 19.	Canara.
29. „ <i>hoplites</i> , ♂.	„ p. 20.	W. Turkestan.
30. „ <i>yacima</i> , ♂.	„ p. 21.	Washington.
31. „ <i>subterminata</i> , ♀.	„ p. 22.	Sikhim.
32. „ <i>subvelata</i> , ♂.	„ p. 23.	St. Helena.





PLATE LXXIX.

1.	<i>Craterestra definiens</i> , ♂.	Vol. V. p. 23.	Namaqualand.
2.	<i>Scotogramma armata</i> , ♂.	„ p. 25.	E. Turkestan.
3.	„ <i>isoloma</i> , ♂.	„ p. 27.	Turkestan.
4.	„ <i>submedianata</i> , ♀.	„ p. 27.	Br. E. Africa.
5.	„ <i>ptilodonta</i> , ♂.	„ p. 28.	Arizona.
6.	„ <i>agrotiformis</i> , ♂.	„ p. 31.	Ceylon.
7.	„ <i>defessa</i> , ♀.	„ p. 33.	California.
8.	„ <i>orida</i> , ♂.	„ p. 33.	Utah.
9.	„ <i>peculiaris</i> , ♂.	„ p. 34.	W. Turkestan.
10.	„ <i>submarina</i> , ♀.	„ p. 35.	Arizona.
11.	„ <i>mendosica</i> , ♀.	„ p. 35.	Argentina.
12.	<i>Anarta staudingeri</i> , ♂.	„ p. 38.	Lapland.
13.	„ <i>quadrilunata</i> , ♀.	„ p. 40.	Colorado.
14.	„ <i>impingens</i> , ♂.	„ p. 44.	Br. Columbia.
15.	„ <i>phœa</i> , ♂.	„ p. 45.	Arctic America.
16.	„ <i>mausi</i> , ♀.	„ p. 46.	E. Turkestan.
17.	„ <i>zemblica</i> , ♀.	„ p. 47.	Novaya Zembla.
18.	<i>Lasiestra montana</i> , ♂.	„ p. 48.	W. China.
19.	„ <i>subdita</i> , ♂.	„ p. 48.	Labrador.
20.	„ <i>promulsa</i> , ♀.	„ p. 49.	Colorado.
21.	„ <i>uniformis</i> , ♂.	„ p. 50.	Colorado.
22.	„ <i>elvesi</i> , ♀.	„ p. 51.	Sikhim Tibet.
23.	„ <i>perplexa</i> , ♀.	„ p. 52.	Br. Columbia.
24.	„ <i>persa</i> , ♂.	„ p. 52.	Persia.
25.	<i>Lasionycta rainieri</i> , ♀.	„ p. 54.	Washington.
26.	„ <i>conjugata</i> , ♀.	„ p. 55.	Colorado.
27.	„ <i>bryoptera</i> , ♂.	„ p. 55.	Tibet.
28.	„ <i>subfuscula</i> , ♀.	„ p. 57.	Colorado.
29.	„ <i>sedilis</i> , ♀.	„ p. 57.	Utah.
30.	„ <i>altaica</i> , ♀.	„ p. 58.	W. Siberia.
31.	„ <i>arietis</i> , ♂.	„ p. 58.	California.
32.	„ <i>ochracea</i> , ♀.	„ p. 59.	California.





PLATE LXXX.

1. <i>Lasionyeta inconcinna</i> , ♀.	Vol. V. p. 54.	Alberta.
2. <i>Polia arschanica</i> , ♂.	„ p. 61.	E. Turkestan.
3. „ <i>subarschanica</i> , ♂.	„ p. 62.	Tibet.
4. „ <i>parvula</i> , ♂.	„ p. 63.	Cuba.
5. „ <i>lustralis</i> , ♂.	„ p. 64.	New York.
6. „ <i>detracta</i> , ♂.	„ p. 65.	New York.
7. „ <i>discalis</i> , ♀.	„ p. 67.	Alberta.
8. „ <i>imbrifera</i> , ♂.	„ p. 68.	New York.
9. „ <i>nugatis</i> , ♀.	„ p. 68.	New Mexico.
10. „ <i>juncimacula</i> , ♀.	„ p. 69.	Colorado.
11. „ <i>crotchii</i> , ♂.	„ p. 71.	Oregon.
12. „ <i>orientalis</i> , ♂.	„ p. 75.	W. Turkestan.
13. „ <i>literata</i> , ♀.	„ p. 78.	Russia.
14. „ <i>canities</i> , ♂.	„ p. 80.	California.
15. „ <i>discolor</i> , ♂.	„ p. 80.	Colorado.
16. „ <i>determinata</i> , ♂.	„ p. 81.	Colorado.
17. „ <i>columbia</i> , ♂.	„ p. 81.	Alberta.
18. „ <i>meditata</i> , ♂.	„ p. 82.	New York.
19. „ <i>leucogramma</i> , ♂.	„ p. 82.	California.
20. „ <i>mohosa</i> , ♂.	„ p. 83.	Ecuador.
21. „ <i>orizabena</i> , ♂.	„ p. 83.	Mexico.
22. „ <i>brachiola</i> , ♂.	„ p. 84.	Texas.
23. „ <i>rubrifusa</i> , ♂.	„ p. 85.	New Mexico.
24. „ <i>umbrosa</i> , ♀.	„ p. 85.	Colorado.
25. „ <i>plicata</i> , ♂.	„ p. 86.	Alberta.
26. „ <i>tenebra</i> , ♂.	„ p. 87.	Kashmir.
27. <i>Hyssia cucullina</i> , ♂.	„ p. 279.	New Zealand.
28. <i>Polia pusilla</i> , ♂.	„ p. 88.	Transcaspia.
29. „ <i>insolens</i> , ♂.	„ p. 89.	California.
30. „ <i>grandis</i> , ♂.	„ p. 94.	New York.
31. „ <i>invalida</i> , ♀.	„ p. 96.	Colorado.
32. „ <i>subjuncta</i> , ♂.	„ p. 97.	New York.



PLATE LXXXI.

1. <i>Polia nevadæ</i> , ♂.	Vol. V. p. 98.	Alberta.
2. „ <i>altaica</i> , ♂.	„ p. 99.	W. Siberia.
3. „ <i>ptochica</i> , ♂.	„ p. 101.	E. Turkestan.
4. „ <i>fuscirufa</i> , ♂.	„ p. 103.	Br. E. Africa.
5. „ <i>venata</i> , ♀.	„ p. 104.	Br. E. Africa.
6. „ <i>glaucopis</i> , ♀.	„ p. 106.	Vancouver.
7. „ <i>cristifera</i> , ♂.	„ p. 106.	Hudson's Bay.
8. „ <i>ingravis</i> , ♂.	„ p. 108.	Alberta.
9. „ <i>nagaensis</i> , ♀.	„ p. 108.	Assam.
10. „ <i>ferrisparsa</i> , ♂.	„ p. 109.	Punjab.
11. „ <i>costigera</i> , ♂.	„ p. 109.	Punjab.
12. „ <i>latex</i> , ♂.	„ p. 112.	New York.
13. „ <i>rogenhoferi</i> , ♂.	„ p. 113.	Canada.
14. „ <i>nimbosa</i> , ♂.	„ p. 115.	New York.
15. „ <i>mystica</i> , ♂.	„ p. 115.	Alberta.
16. „ <i>scotochloora</i> , ♂.	„ p. 116.	Punjab.
17. „ <i>adjuncta</i> , ♂.	„ p. 117.	New York.
18. „ <i>prodeniiformis</i> , ♀.	„ p. 127.	New Mexico.
19. „ <i>furcula</i> , ♂.	„ p. 127.	W. Turkestan.
20. „ <i>eversmanni</i> , ♀.	„ p. 128.	E. Turkestan.
21. „ <i>schneideri</i> , ♀.	„ p. 129.	E. Turkestan.
22. „ <i>perdentata</i> , ♂.	„ p. 129.	Punjab.
23. „ <i>farnhami</i> , ♂.	„ p. 130.	Colorado.
24. „ <i>liquida</i> , ♂.	„ p. 132.	Washington.
25. „ <i>radix</i> , ♂.	„ p. 132.	Hudson's Bay.
26. „ <i>atlantica</i> , ♂.	„ p. 133.	New York.
27. „ <i>vidua</i> , ♂.	„ p. 134.	W. Turkestan.
28. „ <i>tacoma</i> , ♂.	„ p. 137.	Alberta.
29. „ <i>quadrata</i> , ♂.	„ p. 138.	California.
30. „ <i>softa</i> , ♂.	„ p. 139.	Syria.
31. „ <i>sutrina</i> , ♂.	„ p. 139.	Colorado.
32. „ <i>gasiva</i> , ♂.	„ p. 142.	Mexico.





PLATE LXXXII.

1. <i>Polia paranica</i> , ♀.	Vol. V. p. 142.	Brazil.
2. „ <i>cuneata</i> , ♂.	„ p. 143.	California.
3. „ <i>anguina</i> , ♂.	„ p. 144.	Illinois.
4. „ <i>vicina</i> , ♂.	„ p. 144.	New York.
5. „ <i>pensilis</i> , ♂.	„ p. 145.	Vancouver.
6. „ <i>segregata</i> , ♀.	„ p. 146.	Alberta.
7. „ <i>cnivetti</i> , ♀.	„ p. 146.	Sikhim.
8. „ <i>mista</i> , ♂.	„ p. 147.	W. Turkestan.
9. „ <i>mutilata</i> , ♀.	„ p. 148.	Br. Columbia.
10. „ <i>beani</i> , ♂.	„ p. 148.	Colorado.
11. „ <i>legitima</i> , ♂.	„ p. 149.	New York.
12. „ <i>dodi</i> , ♂.	„ p. 150.	Alberta.
13. „ <i>lilacina</i> , ♂.	„ p. 150.	New York.
14. „ <i>dictyota</i> , ♀.	„ p. 151.	Victoria.
15. „ <i>calberlai</i> , ♂.	„ p. 152.	Austria.
16. „ <i>gavisa</i> , ♂.	„ p. 153.	Mexico.
17. „ <i>goodelli</i> , ♂.	„ p. 153.	New York.
18. „ <i>chalcia</i> , ♀.	„ p. 154.	Guatemala.
19. „ <i>ectypa</i> , ♂.	„ p. 155.	Delaware.
20. „ <i>noverca</i> , ♂.	„ p. 155.	Nebraska.
21. „ <i>bolteri</i> , ♀.	„ p. 156.	New Mexico.
22. „ <i>mania</i> , ♀.	„ p. 156.	Arizona.
23. „ <i>obscura</i> , ♂.	„ p. 157.	Alberta.
24. „ <i>mcereus</i> , ♀.	„ p. 157.	Chili.
25. „ <i>atirena</i> , ♀.	„ p. 158.	Br. E. Africa.
26. „ <i>assimilis</i> , ♂.	„ p. 158.	Vancouver.
27. „ <i>aya</i> , ♂.	„ p. 159.	Mexico.
28. „ <i>nervina</i> , ♂.	„ p. 160.	Ecuador.
29. „ <i>dipterigidia</i> , ♂.	„ p. 161.	Cape Colony.
30. „ <i>xanthocosma</i> , ♀.	„ p. 161.	? Queensland.
31. „ <i>mesoglaucia</i> , ♀.	„ p. 162.	Cape Colony.
32. „ <i>cuprescens</i> , ♂.	„ p. 163.	Mashonaland.





PLATE LXXXIII.

1.	<i>Polia mesomelana</i> , ♂.	Vol. V. p. 163.	Natal.
2.	„ <i>fulvilinea</i> , ♀.	„ p. 164.	Cape Colony.
3.	„ <i>magellana</i> , ♂.	„ p. 164.	Patagonia.
4.	„ <i>densa</i> , ♀.	„ p. 165.	California.
5.	„ <i>stretchi</i> , ♂.	„ p. 166.	Colorado.
6.	„ <i>palilis</i> , ♂.	„ p. 166.	Texas.
7.	„ <i>longiclava</i> , ♂.	„ p. 167.	Colorado.
8.	„ <i>stenotis</i> , ♂.	„ p. 168.	California.
9.	„ <i>maderæ</i> , ♂.	„ p. 170.	Madeira.
10.	„ <i>olivocincta</i> , ♂.	„ p. 171.	Brazil.
11.	„ <i>mareæ</i> , ♀.	„ p. 172.	Mexico.
12.	„ <i>subjecta</i> , ♂.	„ p. 173.	Brazil.
13.	„ <i>confusa</i> , ♀.	„ p. 173.	W. China.
14.	„ <i>spiculosa</i> , ♂.	„ p. 175.	Arizona.
15.	„ <i>renigera</i> , ♂.	„ p. 176.	Canada.
16.	„ <i>stricta</i> , ♂.	„ p. 176.	Vancouver.
17.	„ <i>lorea</i> , ♂.	„ p. 178.	Canada.
18.	„ <i>olivacea</i> , ♂.	„ p. 178.	Vancouver.
19.	„ <i>subpicta</i> , ♂.	„ p. 180.	Mexico.
20.	„ <i>poliastis</i> , ♂.	„ p. 181.	Br. E. Africa.
21.	„ <i>laudabilis</i> , ♂.	„ p. 181.	Alabama.
22.	„ <i>marmica</i> , ♀.	„ p. 182.	Mexico.
23.	„ <i>quadrilineata</i> , ♂.	„ p. 183.	California.
24.	„ <i>ciniva</i> , ♀.	„ p. 185.	Mexico.
25.	„ <i>alboguttata</i> , ♀.	„ p. 186.	Oregon.
26.	„ <i>erecta</i> , ♂.	„ p. 186.	Florida.
27.	„ <i>rugosa</i> , ♀.	„ p. 188.	Maine.
28.	„ <i>marinitincta</i> , ♂.	„ p. 188.	Texas.
29.	„ <i>mediana</i> , ♂.	„ p. 189.	Punjab.
30.	„ <i>fasciata</i> , ♀.	„ p. 189.	Centr. China.
31.	„ <i>renisigna</i> , ♂.	„ p. 190.	Natal.
32.	„ <i>goniophora</i> , ♂.	„ p. 191.	Brazil.





PLATE LXXXIV.

1. <i>Polia rudis</i> , ♂.	Vol. V. p. 191.	Brazil.
2. „ <i>secedens</i> , ♂.	„ p. 193.	Hudson's Bay.
3. „ <i>lypra</i> , ♀.	„ p. 196.	W. Turkestan.
4. „ <i>pumila</i> , ♂.	„ p. 199.	Asia Minor.
5. „ <i>guenei</i> , ♂.	„ p. 203.	Asia Minor.
6. <i>Odontestra albivitta</i> , ♂.	„ p. 206.	Br. E. Africa.
7. „ <i>simillima</i> , ♂.	„ p. 206.	Punjab.
8. <i>Hadena graminea</i> , ♂.	„ p. 209.	Brazil.
9. „ <i>procineta</i> , ♂.	„ p. 209.	California.
10. „ <i>graminivora</i> , ♂.	„ p. 210.	Venezuela.
11. „ <i>meridionalis</i> , ♀.	„ p. 211.	Brazil.
12. „ <i>uncifera</i> , ♀.	„ p. 214.	Colombia.
13. „ <i>ruptilinea</i> , ♂.	„ p. 215.	Natal.
14. <i>Tholera americana</i> , ♂.	„ p. 217.	Alberta.
15. <i>Epia picturata</i> , ♂.	„ p. 227.	W. Turkestan.
16. „ <i>capsularis</i> , ♂.	„ p. 229.	Florida.
17. „ <i>minorata</i> , ♀.	„ p. 230.	Colorado.
18. „ <i>ectrapela</i> , ♂.	„ p. 230.	Br. Columbia.
19. „ <i>circumvadis</i> , ♂.	„ p. 231.	Alberta.
20. „ <i>mendax</i> , ♂.	„ p. 232.	Asia Minor.
21. „ <i>christophi</i> , ♀.	„ p. 234.	S. Russia.
22. <i>Trichoclea U-scripta</i> , ♂.	„ p. 237.	Colorado.
23. „ <i>artesta</i> , ♂.	„ p. 237.	Illinois.
24. „ <i>atalantica</i> , ♂.	„ p. 239.	Madeira.
25. „ <i>cholica</i> , ♂.	„ p. 239.	Kashmir.
26. „ <i>fuscolutea</i> , ♀.	„ p. 239.	Colorado.
27. „ <i>decepta</i> , ♂.	„ p. 240.	Arizona.
28. „ <i>demotica</i> , ♂.	„ p. 241.	W. Turkestan.
29. „ <i>antica</i> , ♀.	„ p. 241.	California.
30. „ <i>postica</i> , ♀.	„ p. 242.	Colorado.
31. „ <i>edwardsi</i> , ♂.	„ p. 242.	California.
32. <i>Hadula tancrei</i> , ♂.	„ p. 243.	E. Turkestan.





PLATE LXXXV.

1. <i>Hadula longicornis</i> , ♂.	Vol. V. p. 246.	E. Turkestan.
2. „ <i>insolita</i> , ♂.	„ p. 248.	W. Turkestan.
3. <i>Nephelistis furva</i> , ♂.	„ p. 252.	Mexico.
4. <i>Hydræciodes pexa</i> , ♂.	„ p. 254.	Mexico.
5. „ <i>azteca</i> , ♀.	„ p. 256.	Mexico.
6. „ <i>cauta</i> , ♀.	„ p. 256.	Costa Rica.
7. „ <i>leucogramma</i> , ♀.	„ p. 257.	Brazil.
8. <i>Chabuata notata</i> , ♂.	„ p. 259.	Illinois.
9. „ <i>fistula</i> , ♂.	„ p. 261.	California.
10. „ <i>mutina</i> , ♂.	„ p. 261.	Mexico.
11. „ <i>inconspicua</i> , ♂.	„ p. 261.	Arizona.
12. „ <i>angulifera</i> , ♂.	„ p. 266.	Kashmir.
13. „ <i>albicosta</i> , ♂.	„ p. 267.	Punjab.
14. „ <i>ociosa</i> , ♂.	„ p. 269.	Ecuador.
15. „ <i>amœba</i> , ♀.	„ p. 269.	Br. E. Africa.
16. „ <i>dulcinea</i> , ♂.	„ p. 270.	Chili.
17. „ <i>subsocia</i> , ♂.	„ p. 271.	Brazil.
18. „ <i>albirena</i> , ♀.	„ p. 271.	Brazil.
19. „ <i>ampla</i> , ♀.	„ p. 272.	Brazil.
20. „ <i>rectilinea</i> , ♀.	„ p. 273.	Argentina.
21. <i>Lasianobia decreta</i> , ♂.	„ p. 276.	Tibet.
22. <i>Manobia grisea</i> , ♂.	„ p. 277.	Japan.
23. <i>Hyssia inconstans</i> , ♀.	„ p. 279.	New Zealand.
24. „ <i>senatoria</i> , ♂.	„ p. 281.	Arizona.
25. „ <i>gussata</i> , ♂.	„ p. 282.	Alberta.
26. „ <i>niphadopa</i> , ♀.	„ p. 283.	Hawaii.
27. „ <i>anthracias</i> , ♂.	„ p. 284.	Hawaii.
28. „ <i>violascens</i> , ♀.	„ p. 286.	N. China.
29. „ <i>modesta</i> , ♂.	„ p. 286.	New York.
30. „ <i>disticha</i> , ♂.	„ p. 287.	Texas.
31. „ <i>dilecta</i> , ♂.	„ p. 287.	Colorado.
32. „ <i>fasciata</i> , ♂.	„ p. 288.	New Mexico.





PLATE LXXXVI.

1. <i>Discestra florida</i> , ♂.	Vol. V. p. 15.	Florida.
2. <i>Craterestra semifusca</i> , ♀.	„ p. 22.	Uganda.
3. <i>Scotogramma hadeniformis</i> , ♀.	„ p. 30.	Colorado.
4. <i>Anarta etacta</i> , ♀.	„ p. 41.	Alaska.
5. <i>Polia nævia</i> , ♂.	„ p. 65.	Colorado.
6. „ <i>languida</i> , ♂.	„ p. 69.	Colorado.
7. „ <i>griseata</i> , ♀.	„ p. 74.	Colorado.
8. „ <i>gnata</i> , ♂.	„ p. 86.	Arizona.
9. „ <i>dilatata</i> , ♀.	„ p. 118.	New Mexico.
10. „ <i>variolata</i> , ♂.	„ p. 118.	Washington.
11. „ <i>glaciata</i> , ♂.	„ p. 119.	Arizona.
12. „ <i>roseosuffusa</i> , ♂.	„ p. 189.	Arizona.
13. „ <i>vittula</i> , ♀.	„ p. 183.	New Mexico.
14. „ <i>incurva</i> , ♂.	„ p. 184.	New Mexico.
15. „ <i>intentata</i> , ♂.	„ p. 184.	Colorado.
16. <i>Chabuata punctosa</i> , ♂.	„ p. 264.	Australia.
17. <i>Hyssia sminthistis</i> , ♂.	„ p. 280.	New Zealand.
18. „ <i>niveiguttata</i> , ♂.	„ p. 288.	California.
19. „ <i>orbiculata</i> , ♂.	„ p. 289.	Colorado.
20. „ <i>musculina</i> , ♂.	„ p. 289.	Syria.
21. <i>Proteinania achatoides</i> , ♂.	„ p. 290.	Brazil.
22. <i>Eriopyga crocosticta</i> , ♂.	„ p. 292.	Mexico.
23. „ <i>mulina</i> , ♂.	„ p. 293.	Mexico.
24. „ <i>baruna</i> , ♂.	„ p. 294.	Brazil.
25. „ <i>mediorufa</i> , ♀.	„ p. 295.	Brazil.
26. „ <i>contempta</i> , ♂.	„ p. 295.	Costa Rica.
27. „ <i>curtica</i> , ♂.	„ p. 296.	Colorado.
28. „ <i>acalus</i> , ♀.	„ p. 296.	Colorado.
29. „ <i>incincta</i> , ♂.	„ p. 297.	Colorado.
30. „ <i>perfusca</i> , ♂.	„ p. 299.	Mexico.
31. „ <i>melanopis</i> , ♂.	„ p. 299.	Arizona.
32. „ <i>orobia</i> , ♂.	„ p. 299.	Texas.





PLATE LXXXVII.

1.	<i>Eriopypa ochrota</i> , ♂.	Vol. V. p. 300.	Mexico.
2.	„ <i>planalis</i> , ♂.	„ p. 301.	New Mexico.
3.	„ <i>agrotiformis</i> , ♀.	„ p. 302.	Colorado.
4.	„ <i>perforata</i> , ♂.	„ p. 302.	Arizona.
5.	„ <i>culea</i> , ♂.	„ p. 304.	Florida.
6.	„ <i>consopita</i> , ♀.	„ p. 305.	Arizona.
7.	„ <i>diplogramma</i> , ♂.	„ p. 305.	Mexico.
8.	„ <i>curvata</i> , ♂.	„ p. 308.	Corea.
9.	„ <i>secedens</i> , ♀.	„ p. 312.	Brazil.
10.	„ <i>excavata</i> , ♂.	„ p. 312.	Brazil.
11.	„ <i>flavigera</i> , ♂.	„ p. 315.	Costa Rica.
12.	„ <i>carneigera</i> , ♂.	„ p. 317.	Brazil.
13.	„ <i>orbica</i> , ♂.	„ p. 318.	Mexico.
14.	„ <i>lanaris</i> , ♂.	„ p. 319.	Mexico.
15.	„ <i>moderata</i> , ♀.	„ p. 319.	Colombia.
16.	„ <i>jamaicensis</i> , ♂.	„ p. 321.	Jamaica.
17.	„ <i>niveipuncta</i> , ♀.	„ p. 325.	Panama.
18.	„ <i>melanosticta</i> , ♂.	„ p. 326.	Paraguay.
19.	„ <i>nigripars</i> , ♂.	„ p. 327.	Costa Rica.
20.	„ <i>janeira</i> , ♂.	„ p. 329.	Brazil.
21.	„ <i>punctula</i> , ♂.	„ p. 329.	Brazil.
22.	„ <i>glaucistis</i> , ♂.	„ p. 331.	Brazil.
23.	„ <i>azucara</i> , ♀.	„ p. 331.	Brazil.
24.	„ <i>mesostrigata</i> , ♂.	„ p. 333.	Guatemala.
25.	„ <i>intractata</i> , ♂.	„ p. 335.	U.S.A.
26.	„ <i>goniostigma</i> , ♂.	„ p. 335.	Mexico.
27.	„ <i>violascens</i> , ♀.	„ p. 340.	Mexico.
28.	„ <i>ropilla</i> , ♂.	„ p. 341.	Ecuador.
29.	„ <i>irrorata</i> , ♂.	„ p. 341.	Washington.
30.	„ <i>virgula</i> , ♂.	„ p. 342.	New Mexico.
31.	„ <i>pyropis</i> , ♂.	„ p. 342.	Costa Rica.
32.	„ <i>iola</i> , ♂.	„ p. 343.	Guatemala.





PLATE LXXXVIII.

1.	<i>Eriopyga vecors</i> , ♂.	Vol. V. p. 344.	Canada.
2.	„ <i>puerilis</i> , ♂.	„ p. 344.	California.
3.	„ <i>leucopera</i> , ♀.	„ p. 345.	Brazil.
4.	„ <i>marginalis</i> , ♀.	„ p. 346.	Brazil.
5.	„ <i>conar</i> , ♂.	„ p. 348.	Nebraska.
6.	„ <i>perbrunnea</i> , ♂.	„ p. 348.	California.
7.	„ <i>uniformis</i> , ♀.	„ p. 349.	Arizona.
8.	„ <i>affurata</i> , ♂.	„ p. 350.	California.
9.	„ <i>furfurata</i> , ♂.	„ p. 350.	New York.
10.	„ <i>poliotis</i> , ♀.	„ p. 352.	Ecuador.
11.	„ <i>unicolora</i> , ♂.	„ p. 352.	Ecuador.
12.	„ <i>viuda</i> , ♀.	„ p. 352.	Ecuador.
13.	„ <i>tertulia</i> , ♀.	„ p. 353.	Ecuador.
14.	<i>Eriopygodes euclidias</i> , ♂.	„ p. 355.	Hawaii.
15.	<i>Nephelodes tertialis</i> , ♂.	„ p. 357.	Canada.
16.	<i>Trichopolia dentatella</i> , ♂.	„ p. 362.	Arizona.
17.	<i>Stretchia muricina</i> , ♂.	„ p. 363.	Vancouver.
18.	„ <i>variabilis</i> , ♂.	„ p. 365.	Colorado.
19.	„ <i>saxea</i> , ♀.	„ p. 366.	Japan.
20.	<i>Morrisonia insignis</i> , ♂.	„ p. 368.	New Zealand.
21.	„ <i>mutans</i> , ♂.	„ p. 369.	New Zealand.
22.	„ <i>bromias</i> , ♂.	„ p. 370.	New Zealand.
23.	„ <i>agorastis</i> , ♂.	„ p. 371.	New Zealand.
24.	„ <i>sectilis</i> , ♂.	„ p. 372.	Texas.
25.	„ <i>bisulca</i> , ♂.	„ p. 373.	Arizona.
26.	„ <i>infidelis</i> , ♂.	„ p. 375.	Michigan.
27.	„ <i>infensa</i> , ♀.	„ p. 376.	New Zealand.
28.	„ <i>rubescens</i> , ♂.	„ p. 376.	New Zealand.
29.	„ <i>ustistriga</i> , ♂.	„ p. 377.	New Zealand.
30.	„ <i>homoscia</i> , ♀.	„ p. 378.	New Zealand.
31.	„ <i>dotata</i> , ♂.	„ p. 380.	New Zealand.
32.	„ <i>ochthistis</i> , ♂.	„ p. 380.	New Zealand.





PLATE LXXXIX.

1.	<i>Morrisonia tartarcea</i> , ♂.	Vol. V. p. 381.	New Zealand.
2.	„ <i>omoplaca</i> , ♀.	„ p. 382.	New Zealand.
3.	„ <i>lignana</i> , ♂.	„ p. 383.	New Zealand.
4.	„ <i>morosa</i> , ♂.	„ p. 384.	New Zealand.
5.	„ <i>prionistis</i> , ♀.	„ p. 384.	New Zealand.
6.	„ <i>temperata</i> , ♂.	„ p. 385.	New Zealand.
7.	„ <i>phricias</i> , ♂.	„ p. 385.	New Zealand.
8.	<i>Persectania aulacias</i> , ♀.	„ p. 387.	New Zealand.
9.	„ <i>steropastis</i> , ♂.	„ p. 388.	New Zealand.
10.	<i>Xylomania behrensiana</i> , ♀.	„ p. 390.	California.
11.	„ <i>erythrolita</i> , ♂.	„ p. 390.	California.
12.	„ <i>pallidior</i> , ♂.	„ p. 391.	Br. Columbia.
13.	„ <i>peritalis</i> , ♂.	„ p. 392.	Colorado.
14.	„ <i>rubrica</i> , ♀.	„ p. 393.	California.
15.	„ <i>indurata</i> , ♂.	„ p. 395.	Colorado.
16.	„ <i>curialis</i> , ♂.	„ p. 395.	California.
17.	„ <i>candida</i> , ♂.	„ p. 396.	Vancouver.
18.	„ <i>dolosa</i> , ♀.	„ p. 396.	Maine.
19.	„ <i>perlubens</i> , ♂.	„ p. 397.	Washington.
20.	„ <i>pulchella</i> , ♂.	„ p. 399.	Vancouver.
21.	„ <i>bella</i> , ♂.	„ p. 399.	Japan.
22.	„ <i>alternans</i> , ♀.	„ p. 400.	New York.
23.	„ <i>patalis</i> , ♂.	„ p. 400.	California.
24.	„ <i>norma</i> , ♂.	„ p. 401.	Madagascar.
25.	„ <i>natalensis</i> , ♀.	„ p. 401.	Natal.
26.	„ <i>v-album</i> , ♂.	„ p. 402.	Nilgiris.
27.	<i>Eriopyga utahensis</i> , ♂.	„ p. 300.	Utah.
28.	„ <i>trifascia</i> , ♂.	„ p. 304.	Colorado.
29.	„ <i>reliqua</i> , ♀.	„ p. 303.	Colorado.
30.	<i>Perigrapha circumducta</i> , ♂.	„ p. 403.	W. Turkestan.
31.	„ <i>pulchella</i> , ♀.	„ p. 406.	California.
32.	„ <i>pectinata</i> , ♂.	„ p. 407.	California.





PLATE XC.

1. <i>Barathra curialis</i> , ♀.	Vol. V. p. 12.	Canada.
2. <i>Chabuata albimargo</i> , ♂.	„ p. 270.	Brazil.
3. „ <i>noctuiiformis</i> , ♀.	„ p. 274.	Brazil.
4. „ <i>satellitoides</i> , ♀.	„ p. 274.	Brazil.
5. <i>Eriopyga vinobarbata</i> , ♀.	„ p. 311.	Ecuador.
6. „ <i>melanogaster</i> , ♂.	„ p. 312.	Brazil.
7. „ <i>friburgensis</i> , ♂.	„ p. 316.	Brazil.
8. „ <i>rubor</i> , ♀.	„ p. 345.	Brazil.
9. „ <i>hyposcota</i> , ♂.	„ p. 349.	Brazil.
10. <i>Perigrapha transparens</i> , ♀.	„ p. 408.	California.
11. <i>Monima eriza</i> , ♀.	„ p. 410.	Punjab.
12. „ <i>fasciculata</i> , ♀.	„ p. 413.	Sikhim.
13. „ <i>castaneipennis</i> , ♂.	„ p. 415.	Kashmir.
14. „ <i>ferrosticta</i> , ♂.	„ p. 415.	Kashmir.
15. „ <i>ferrigera</i> , ♀.	„ p. 418.	Oregon.
16. „ <i>rubrescens</i> , ♂.	„ p. 420.	Canada.
17. „ <i>flaviannula</i> , ♂.	„ p. 422.	Colorado.
18. „ <i>annulimacula</i> , ♂.	„ p. 422.	Texas.
19. „ <i>addenda</i> , ♂.	„ p. 422.	California.
20. „ <i>carminata</i> , ♂.	„ p. 423.	Colorado.
21. „ <i>mys</i> , ♂.	„ p. 423.	California.
22. „ <i>nigrorenalis</i> , ♀.	„ p. 425.	Sikhim.
23. „ <i>arthrolita</i> , ♂.	„ p. 425.	California.
24. „ <i>revicta</i> , ♂.	„ p. 426.	Canada.
25. „ <i>garmani</i> , ♂.	„ p. 426.	Illinois.
26. „ <i>paromœa</i> , ♂.	„ p. 429.	Japan.
27. „ <i>pacifica</i> , ♂.	„ p. 429.	Vancouver.
28. „ <i>alurina</i> , ♂.	„ p. 430.	Illinois.
29. „ <i>alia</i> , ♂.	„ p. 430.	Canada.
30. <i>Perigonica tertia</i> , ♂.	„ p. 435.	Arizona.
31. <i>Sideridis rosea</i> , ♂.	„ p. 440.	New York.
32. „ <i>congermana</i> , ♀.	„ p. 442.	New York.



PLATE XCI.

1. <i>Sideridis rubefacta</i> , ♂.	Vol. V. p. 442.	New York.
2. <i>Physetica vindemialis</i> , ♀.	„ p. 445.	?
3. „ <i>micrasta</i> , ♀.	„ p. 446.	New Zealand.
4. <i>Aspidifrontia radiata</i> , ♀.	„ p. 450.	Br. E. Africa.
5. „ <i>glaucescens</i> , ♂.	„ p. 451.	Mashonaland.
6. „ <i>axylides</i> , ♀.	„ p. 452.	Madras.
7. „ <i>rufescens</i> , ♂.	„ p. 452.	Mashonaland.
8. <i>Polytela orientalis</i> , ♂.	„ p. 456.	Aden.
9. „ <i>florigera</i> , ♀.	„ p. 458.	Madras.
10. <i>Cerapteryx albiceps</i> , ♀.	„ p. 463.	Sikhim.
11. <i>Scriptania syzygia</i> , ♀.	„ p. 464.	Patagonia.
12. <i>Dasygaster eugrapha</i> , ♂.	„ p. 473.	Victoria.
13. „ <i>acontosema</i> , ♂.	„ p. 475.	Queensland.
14. „ <i>nephelistis</i> , ♂.	„ p. 475.	S. Australia.
15. „ <i>epundoides</i> , ♀.	„ p. 477.	Tasmania.
16. <i>Cirphis eboriosa</i> , ♂.	„ p. 479.	Tasmania.
17. „ <i>obusta</i> , ♂.	„ p. 479.	Tasmania.
18. „ <i>multilinea</i> , ♀.	„ p. 482.	Canada.
19. „ <i>commoides</i> , ♂.	„ p. 482.	New York.
20. „ <i>roseola</i> , ♀.	„ p. 484.	Br. Columbia.
21. „ <i>farcta</i> , ♂.	„ p. 484.	California.
22. „ <i>insularis</i> , ♂.	„ p. 486.	Punjab.
23. „ <i>uda</i> , ♀.	„ p. 488.	S. Australia.
24. „ <i>abdominalis</i> , ♂.	„ p. 489.	Queensland.
25. „ <i>adjuncta</i> , ♂.	„ p. 489.	Queensland.
26. „ <i>leucosta</i> , ♂.	„ p. 490.	Queensland.
27. „ <i>ptyonophora</i> , ♂.	„ p. 491.	St. Helena.
28. „ <i>pyrrhias</i> , ♂.	„ p. 494.	Hawaii.
29. „ <i>typhlodes</i> , ♂.	„ p. 495.	Hawaii.
30. „ <i>amblyeasis</i> , ♂.	„ p. 495.	Hawaii.
31. „ <i>pryeri</i> , ♂.	„ p. 498.	Japan.
32. „ <i>cryptargyrea</i> , ♂.	„ p. 499.	N. Guinea.



PLATE XCII.

1.	<i>Hydroeciodes leucopis</i> , ♂.	Vol. V. p. 257.	Peru.
2.	<i>Hadula impia</i> , ♂.	„ p. 248.	E. Turkestan.
3.	<i>Cirphis lasiomera</i> , ♂.	„ p. 491.	Java.
4.	„ <i>nebulosa</i> , ♂.	„ p. 500.	Mauritius.
5.	„ <i>usta</i> , ♂.	„ p. 501.	Natal.
6.	„ <i>subsignata</i> , ♂.	„ p. 502.	Punjab.
7.	„ <i>simplex</i> , ♂.	„ p. 503.	C. China.
8.	„ <i>proxima</i> , ♀.	„ p. 504.	W. China.
9.	„ <i>albivenata</i> , ♂.	„ p. 505.	Sikhim.
10.	„ <i>rufipennis</i> , ♂.	„ p. 506.	Manipur.
11.	„ <i>duplicata</i> , ♂.	„ p. 506.	Punjab.
12.	„ <i>albicosta</i> , ♂.	„ p. 507.	Punjab.
13.	„ <i>polyrabda</i> , ♂.	„ p. 507.	Natal.
14.	„ <i>goniosigma</i> , ♂.	„ p. 515.	Ceylon.
15.	„ <i>dharmia</i> , ♂.	„ p. 516.	Sikhim.
16.	„ <i>rufistrigosa</i> , ♀.	„ p. 516.	Punjab.
17.	„ <i>salebrosa</i> , ♂.	„ p. 517.	Japan.
18.	„ <i>ignita</i> , ♂.	„ p. 517.	Assam.
19.	„ <i>pyrastis</i> , ♂.	„ p. 518.	Paraguay.
20.	„ <i>formosana</i> , ♂.	„ p. 518.	Ceylon.
21.	„ <i>clarescens</i> , ♂.	„ p. 519.	Bahamas.
22.	„ <i>imperfecta</i> , ♂.	„ p. 519.	Arizona.
23.	„ <i>insueta</i> , ♂.	„ p. 521.	New York.
24.	„ <i>dia</i> , ♂.	„ p. 522.	California.
25.	„ <i>atrinota</i> , ♂.	„ p. 523.	Mashonaland.
26.	„ <i>roseilinea</i> , ♂.	„ p. 523.	Borneo.
27.	„ <i>secta</i> , ♂.	„ p. 524.	Cuba.
28.	„ <i>albifasciata</i> , ♂.	„ p. 525.	Paraguay.
29.	„ <i>abdominalis</i> , ♂.	„ p. 525.	Punjab.
30.	„ <i>lineatipes</i> , ♂.	„ p. 525.	Punjab.
31.	„ <i>anteroclara</i> , ♂.	„ p. 526.	Canada.
32.	„ <i>polysticha</i> , ♂.	„ p. 527.	Queensland.




PLATE XCIII.

1.	<i>Cirphis rivorum</i> , ♀.	Vol. V. p. 527.	Brazil.
2.	„ <i>sarcistis</i> , ♂.	„ p. 527.	Costa Rica.
3.	„ <i>calgariana</i> , ♂.	„ p. 528.	Canada.
4.	„ <i>sarcophæa</i> , ♂.	„ p. 528.	Peru.
5.	„ <i>jalciscana</i> , ♂.	„ p. 528.	Mexico.
6.	„ <i>polystrota</i> , ♂.	„ p. 529.	Brazil.
7.	„ <i>microsticha</i> , ♂.	„ p. 529.	Costa Rica.
8.	„ <i>palliseca</i> , ♀.	„ p. 529.	Colorado.
9.	„ <i>humidicola</i> , ♂.	„ p. 530.	Panama.
10.	„ <i>megaproctis</i> , ♂.	„ p. 532.	Ceylon.
11.	„ <i>microgonia</i> , ♀.	„ p. 533.	Panama.
12.	„ <i>deserticola</i> , ♂.	„ p. 534.	Russia.
13.	„ <i>insecula</i> , ♂.	„ p. 534.	Japan.
14.	„ <i>sinuosa</i> , ♂.	„ p. 535.	Punjab.
15.	„ <i>alboradiata</i> , ♂.	„ p. 536.	Patagonia.
16.	„ <i>phlebitis</i> , ♂.	„ p. 537.	Mongolia.
17.	„ <i>jordana</i> , ♂.	„ p. 537.	Syria.
18.	„ <i>cinereicollis</i> , ♂.	„ p. 539.	Paraguay.
19.	„ <i>phæa</i> , ♂.	„ p. 541.	C. Colony.
20.	„ <i>latiuscula</i> , ♂.	„ p. 542.	Mexico.
21.	„ <i>tritonia</i> , ♀.	„ p. 542.	Brazil.
22.	„ <i>atrimacula</i> , ♀.	„ p. 543.	Natal.
23.	„ <i>albistigma</i> , ♂.	„ p. 543.	Nilgiris.
24.	„ <i>putrida</i> , ♂.	„ p. 544.	Mongolia.
25.	„ <i>ciliata</i> , ♂.	„ p. 545.	N. S. Wales.
26.	„ <i>fragilis</i> , ♂.	„ p. 546.	Punjab.
27.	„ <i>opaca</i> , ♀.	„ p. 546.	E. Turkestan.
28.	„ <i>crenulata</i> , ♂.	„ p. 546.	Persia.
29.	„ <i>mesotrosta</i> , ♂.	„ p. 547.	Tibet.
30.	„ <i>corrugata</i> , ♀.	„ p. 549.	Punjab.
31.	„ <i>modesta</i> , ♂.	„ p. 551.	Assam.
32.	„ <i>metaphæa</i> , ♂.	„ p. 552.	S. India.



PLATE XCIV.

1. <i>Polia canosticta</i> , ♀.	Vol. V. p. 605.	Bolivia.
2. „ <i>albifluviata</i> , ♂.	„ p. 603.	Colombia.
3. <i>Hadena elæistis</i> , ♀.	„ p. 606.	Peru.
4. „ <i>œnistis</i> , ♀.	„ p. 607.	Peru.
5. <i>Nephelistis conservulodes</i> , ♀.	„ p. 608.	Colombia.
6. <i>Eriopyga fulvida</i> , ♂.	„ p. 316.	Brazil.
7. „ <i>ignescens</i> , ♂.	„ p. 343.	Mexico.
8. „ <i>thermistis</i> , ♂.	„ p. 351.	Colombia.
9. <i>Poliodestra viola</i> .	„ p. 361.	Peru.
10. <i>Tmetolophota polygona</i> .	„ p. 471.	Peru.
11. <i>Eriopyga serrata</i> , ♀.	„ p. 610.	Arizona.
12. <i>Chabuata chipeta</i> , ♂.	„ p. 608.	Colorado.
13. <i>Eriopyga hueca</i> , ♂.	„ p. 609.	Arizona.
14. <i>Cirphis hypophæa</i> , ♂.	„ p. 553.	Ceylon.
15. „ <i>rubrisecta</i> , ♂.	„ p. 553.	Bhutan.
16. „ <i>inconspicua</i> , ♂.	„ p. 554.	Cuba.
17. „ <i>mocoïdes</i> , ♂.	„ p. 554.	Ecuador.
18. „ <i>falclandica</i> , ♂.	„ p. 554.	Falkland Is.
19. „ <i>quadrannulata</i> , ♂.	„ p. 555.	Colorado.
20. <i>Borolia interciliata</i> , ♀.	„ p. 557.	Natal.
21. „ <i>amens</i> , ♂.	„ p. 558.	Basutoland.
22. „ <i>rhabdophora</i> , ♂.	„ p. 558.	Cape Colony.
23. „ <i>leucogramma</i> , ♂.	„ p. 559.	Br. E. Africa.
24. „ <i>melianoides</i> , ♂.	„ p. 562.	Cape Colony.
25. „ <i>rubrescens</i> , ♂.	„ p. 563.	Natal.
26. „ <i>operosa</i> , ♂.	„ p. 563.	Madagascar.
27. „ <i>citrinotata</i> , ♂.	„ p. 563.	Br. E. Africa.
28. „ <i>melanostrota</i> , ♂.	„ p. 564.	Zululand.
29. „ <i>cruegeri</i> , ♂.	„ p. 565.	W. Australia.
30. „ <i>stellata</i> , ♂.	„ p. 565.	Japan.
31. „ <i>livita</i> , ♂.	„ p. 566.	Florida.
32. „ <i>venalba</i> , ♂.	„ p. 567.	Sikhim.



PLATE XCV.

1.	<i>Borolia torrentium</i> , ♂.	Vol. V. p. 567.	Natal.
2.	„ <i>tincta</i> , ♀.	„ p. 568.	Br. E. Africa.
3.	„ <i>acrapez</i> , ♀.	„ p. 569.	Br. E. Africa.
4.	„ <i>steniptera</i> , ♂.	„ p. 569.	Paraguay.
5.	„ <i>sarcostriga</i> , ♂.	„ p. 570.	Panama.
6.	„ <i>nigrisparsa</i> , ♀.	„ p. 570.	Cape Colony.
7.	„ <i>rhodoptera</i> , ♂.	„ p. 571.	Colombia.
8.	„ <i>flabilis</i> , ♂.	„ p. 571.	New York.
9.	„ <i>phæochroa</i> , ♀.	„ p. 572.	Natal.
10.	„ <i>ferrilinea</i> , ♂.	„ p. 573.	W. China.
11.	„ <i>diopis</i> , ♀.	„ p. 573.	Socotra.
12.	„ <i>persecta</i> , ♂.	„ p. 574.	Natal.
13.	„ <i>melanopasta</i> , ♂.	„ p. 574.	Queensland.
14.	„ <i>micropis</i> , ♂.	„ p. 574.	Mashonaland.
15.	„ <i>cupreata</i> , ♀.	„ p. 575.	Gazaland.
16.	„ <i>bilineata</i> , ♀.	„ p. 575.	Br. E. Africa.
17.	„ <i>sesamiodes</i> , ♂.	„ p. 575.	Algeria.
18.	<i>Meliana longipennis</i> , ♀.	„ p. 578.	Br. C. Africa.
19.	„ <i>atrifera</i> , ♀.	„ p. 580.	Chili.
20.	„ <i>exsul</i> , ♂.	„ p. 580.	Tristan d'Acunha.
21.	„ <i>sarca</i> , ♂.	„ p. 581.	Br. E. Africa.
22.	„ <i>scotti</i> , ♀.	„ p. 582.	Queensland.
23.	„ <i>uniformis</i> , ♂.	„ p. 583.	Punjab.
24.	„ <i>suffusa</i> , ♂.	„ p. 584.	Brazil.
25.	„ <i>stolata</i> , ♀.	„ p. 585.	Colorado.
26.	„ <i>patricia</i> , ♀.	„ p. 585.	Colorado.
27.	„ <i>bicolorata</i> , ♀.	„ p. 586.	Colorado.
28.	„ <i>rosea</i> , ♀.	„ p. 586.	Haiti.
29.	„ <i>niveicosta</i> , ♂.	„ p. 587.	Colorado.
30.	„ <i>tenebra</i> , ♂.	„ p. 587.	Br. E. Africa.
31.	„ <i>citronella</i> , ♀.	„ p. 588.	Colorado.
32.	„ <i>rubra</i> , ♂.	„ p. 588.	Brazil.





CATALOGUE
OF THE
NOCTUIDÆ
IN THE
COLLECTION
OF THE
BRITISH MUSEUM.

BY
SIR GEORGE F. HAMPSON, BART.

VI

LONDON:
PRINTED BY ORDER OF THE TRUSTEES.

SOLD BY

LONGMANS & Co., 39 PATERNOSTER ROW, E.C.;
B. QUARITCH, 15 PICCADILLY, W.; DULAU & Co., 37 SOHO SQUARE, W.;
KEGAN PAUL & Co., 43 GERRARD STREET, W.;

AND AT THE

BRITISH MUSEUM (NATURAL HISTORY), CROMWELL ROAD, S.W.

1906.

PRINTED BY TAYLOR AND FRANCIS,
RED LION COURT, FLEET STREET.

PLATE XCVI.

1.	<i>Leucania toroneura</i> , ♂.	Vol. V. p. 591.	New Zealand.
2.	„ <i>dunedinensis</i> , ♂.	„ p. 591.	New Zealand.
3.	„ <i>blenheimensis</i> , ♂.	„ p. 592.	New Zealand.
4.	„ <i>rubripallens</i> , ♂.	„ p. 595.	Colorado.
5.	„ <i>oxygala</i> , ♂.	„ p. 597.	Colorado.
6.	„ <i>albiradiosa</i> , ♂.	„ p. 597.	E. Turkestan.
7.	„ <i>minorata</i> , ♂.	„ p. 597.	Canada.
8.	„ <i>impuncta</i> , ♂.	„ p. 599.	Chili.
9.	„ <i>languida</i> , ♂.	„ p. 601.	Syria.
10.	„ <i>niveilinea</i> , ♂.	„ p. 601.	Mexico.
11.	<i>Polia bilinea</i> , ♂.	„ p. 603.	Japan.
12.	<i>Cirphis postica</i> , ♂.	„ p. 535.	Japan.
13.	„ <i>pastea</i> , ♀.	„ p. 550.	Assam.
14.	<i>Eriopyga fuliginosa</i> , ♂.	„ p. 609.	Japan.
15.	<i>Cirphis diagramma</i> , ♂.	„ p. 522.	New Guinea.
16.	<i>Copicucullia antipoda</i> , ♂.	Vol. VI. p. 9.	Colorado.
17.	„ <i>astigma</i> , ♀.	„ p. 11.	Colorado.
18.	„ <i>syrtana</i> , ♂.	„ p. 12.	Algeria.
19.	„ <i>naruenensis</i> , ♂.	„ p. 12.	E. Turkestan.
20.	„ <i>sublutea</i> , ♂.	„ p. 13.	Mongolia.
21.	<i>Cucullia strigata</i> , ♂.	„ p. 15.	Washington.
22.	„ <i>brucei</i> , ♀.	„ p. 16.	Colorado.
23.	„ <i>solidaginis</i> , ♂.	„ p. 17.	Br. Columbia.
24.	„ <i>albida</i> , ♂.	„ p. 18.	Colorado.
25.	„ <i>albipennis</i> , ♂.	„ p. 26.	Punjab.
26.	„ <i>leucopis</i> , ♀.	„ p. 28.	Cape Colony.
27.	„ <i>brunnea</i> , ♂.	„ p. 30.	Cape Colony.
28.	„ <i>græseri</i> , ♂.	„ p. 31.	Mongolia.
29.	„ <i>generosa</i> , ♂.	„ p. 34.	E. Turkestan.
30.	„ <i>embolima</i> , ♂.	„ p. 35.	Tibet.
31.	„ <i>duplicata</i> , ♂.	„ p. 36.	W. Turkestan.
32.	„ <i>hemidiaphana</i> , ♂.	„ p. 39.	W. Turkestan.





PLATE XCVII.

1.	<i>Cuculla nigrifascia</i> , ♂.	Vol. VI. p. 39.	Punjab.
2.	„ <i>retecta</i> , ♂.	„ p. 40.	Tibet.
3.	„ <i>clausa</i> , ♂.	„ p. 42.	? hab.
4.	„ <i>rufescens</i> , ♂.	„ p. 42.	East Africa.
5.	„ <i>perstriata</i> , ♂.	„ p. 42.	Cape Colony.
6.	„ <i>extricata</i> , ♂.	„ p. 46.	Cape Colony.
7.	„ <i>distinguenda</i> , ♂.	„ p. 47.	East Siberia.
8.	„ <i>dentilinea</i> , ♀.	„ p. 49.	Colorado.
9.	„ <i>dorsalis</i> , ♂.	„ p. 51.	Colorado.
10.	„ <i>speyeri</i> , ♂.	„ p. 51.	Illinois.
11.	„ <i>pullata</i> , ♀.	„ p. 56.	Punjab.
12.	„ <i>griseus</i> , ♀.	„ p. 61.	West China.
13.	„ <i>latifica</i> , ♂.	„ p. 52.	Arizona.
14.	„ <i>buddhæ</i> , ♂.	„ p. 53.	Costa Rica.
15.	„ <i>minuta</i> , ♀.	„ p. 55.	Cape Colony.
16.	„ <i>tecca</i> , ♂.	„ p. 57.	W. Turkestan.
17.	„ <i>intermedia</i> , ♂.	„ p. 60.	New York.
18.	„ <i>cinderella</i> , ♂.	„ p. 61.	Alberta.
19.	„ <i>montana</i> , ♂.	„ p. 63.	Colorado.
20.	„ <i>floreæ</i> , ♂.	„ p. 63.	Alberta.
21.	„ <i>brevipennis</i> , ♂.	„ p. 66.	Punjab.





PLATE XCVIII.

1.	<i>Cucullia lilucina</i> , ♂.	Vol. VI. p. 67.	Mexico.
2.	„ <i>asteroides</i> , ♂.	„ p. 68.	New York.
3.	„ <i>postera</i> , ♀.	„ p. 69.	New York.
4.	„ <i>obscurior</i> , ♀.	„ p. 70.	Colorado.
5.	„ <i>similaris</i> , ♂.	„ p. 71.	Colorado.
6.	„ <i>arizona</i> , ♀.	„ p. 71.	Arizona.
7.	„ <i>perstrigata</i> , ♀.	„ p. 72.	Mexico.
8.	„ <i>convexipennis</i> , ♂.	„ p. 72.	New York.
9.	„ <i>stigmatophora</i> , ♀.	„ p. 73.	Punjab.
10.	„ <i>scrophulariphila</i> , ♂.	„ p. 75.	Spain.
11.	„ <i>anceps</i> , ♂.	„ p. 77.	Armenia.
12.	<i>Empusada argyrina</i> , ♂.	„ p. 86.	Chili.
13.	„ <i>hutchinsoni</i> , ♂.	„ p. 87.	Natal.
14.	„ <i>argentivitta</i> , ♂.	„ p. 87.	Cape Colony.
15.	„ <i>pyrostroma</i> , ♀.	„ p. 88.	Transvaal.
16.	„ <i>ruficeps</i> , ♀.	„ p. 88.	Madagascar.
17.	„ <i>chrysota</i> , ♂.	„ p. 88.	Natal.
18.	„ <i>pallidistria</i> , ♂.	„ p. 88.	Basutoland.
19.	„ <i>sabulosa</i> , ♂.	„ p. 90.	S. Russia.
20.	<i>Cucullia bistriga</i> , ♂.	„ p. 68.	Colorado.
21.	„ <i>terrensis</i> , ♂.	„ p. 48.	Cape Colony.



Horace Knight del. et lith.

West, Newman chromo



PLATE XCIX.

1. <i>Copiphana oliva</i> , ♂.	Vol. VI. p. 96.	Armenia.
2. <i>Cleophana pectinicornis</i> , ♂.	„ p. 99.	Tunis.
3. „ <i>opposita</i> , ♂.	„ p. 101.	Asia Minor.
4. „ <i>diffluens</i> , ♂.	„ p. 102.	Spain.
5. „ <i>marocana</i> , ♂.	„ p. 104.	Morocco.
6. <i>Metalopha gloriosa</i> , ♂.	„ p. 105.	Mesopotamia.
7. <i>Omphalophana serratula</i> , ♂.	„ p. 111.	W. Turkestan.
8. <i>Metopoceras gaucleri</i> , ♀.	„ p. 119.	Palestine.
9. <i>Criophasia cauquenensis</i> , ♀.	„ p. 123.	Chili.
10. <i>Calophasia craussi</i> , ♀.	„ p. 127.	Algeria.
11. „ <i>hamifera</i> , ♂.	„ p. 128.	Spain.
12. <i>Leucochlæna leucocera</i> , ♀.	„ p. 136.	Kashmir.
13. <i>Oncocnemis dayi</i> , ♀.	„ p. 149.	Colorado.
14. „ <i>hayesi</i> , ♂.	„ p. 150.	Colorado.
15. „ <i>regina</i> , ♂.	„ p. 150.	Canada.
16. „ <i>euta</i> , ♂.	„ p. 151.	Utah.
17. „ <i>exemplaris</i> , ♂.	„ p. 151.	California.
18. „ <i>albifasciata</i> , ♂.	„ p. 152.	Br. Columbia.
19. „ <i>pudorata</i> , ♂.	„ p. 153.	Br. Columbia.
20. „ <i>tenuifascia</i> , ♂.	„ p. 154.	Colorado.
21. „ <i>balteata</i> , ♂.	„ p. 155.	Colorado.
22. „ <i>terminalis</i> , ♂.	„ p. 155.	Colorado.
23. „ <i>iricolor</i> , ♂.	„ p. 156.	Colorado.
24. „ <i>levis</i> , ♂.	„ p. 157.	Colorado.
25. „ <i>simplex</i> , ♀.	„ p. 157.	Colorado.
26. „ <i>saundersiana</i> , ♂.	„ p. 158.	Canada.
27. „ <i>pernotata</i> , ♂.	„ p. 159.	Arizona.
28. „ <i>campicola</i> , ♂.	„ p. 159.	W. Siberia.
29. „ <i>fasciata</i> , ♀.	„ p. 160.	Colorado.
30. „ <i>occata</i> , ♂.	„ p. 162.	Texas.
31. „ <i>viriditincta</i> , ♀.	„ p. 164.	Br. Columbia.
32. „ <i>laticosta</i> , ♂.	„ p. 164.	Arizona.





PLATE C.

1.	<i>Oncocnemis augusta</i> , ♂.	Vol. VI. p. 165.	Texas.
2.	„ <i>flagrantis</i> , ♂.	„ p. 165.	Arizona.
3.	„ <i>glennyi</i> , ♂.	„ p. 166.	Colorado.
4.	„ <i>riparia</i> , ♂.	„ p. 166.	New York.
5.	„ <i>cibalis</i> , ♂.	„ p. 167.	Colorado.
6.	„ <i>melalutea</i> , ♀.	„ p. 168.	Colorado.
7.	„ <i>chorda</i> , ♂.	„ p. 169.	Colorado.
8.	„ <i>rosea</i> , ♂.	„ p. 169.	Colorado.
9.	„ <i>simplicia</i> , ♂.	„ p. 170.	Colorado.
10.	„ <i>punctilinea</i> , ♀.	„ p. 170.	Arizona.
11.	„ <i>baceri</i> , ♂.	„ p. 171.	Nevada.
12.	„ <i>homogena</i> , ♂.	„ p. 171.	Colorado.
13.	„ <i>pohono</i> , ♂.	„ p. 172.	California.
14.	„ <i>umbrifascia</i> , ♂.	„ p. 172.	Colorado.
15.	„ <i>atrifasciata</i> , ♂.	„ p. 172.	New York.
16.	„ <i>barnesi</i> , ♀.	„ p. 173.	Wyoming.
17.	„ <i>figurata</i> , ♀.	„ p. 173.	Nevada.
18.	„ <i>major</i> , ♀.	„ p. 174.	Colorado.
19.	„ <i>ciliata</i> , ♀.	„ p. 174.	Colorado.
20.	„ <i>poliochroa</i> , ♂.	„ p. 175.	Alberta.
21.	„ <i>colorado</i> , ♂.	„ p. 175.	Colorado.
22.	„ <i>extranea</i> , ♂.	„ p. 176.	Colorado.
23.	„ <i>chandleri</i> , ♂.	„ p. 176.	Colorado.
24.	„ <i>tetrops</i> , ♂.	„ p. 177.	Arizona.
25.	„ <i>nigrocaput</i> , ♂.	„ p. 178.	Colorado.
26.	„ <i>atricolaris</i> , ♂.	„ p. 178.	Arizona.
27.	<i>Copitarsia humilis</i> , ♂.	„ p. 183.	Chili.
28.	„ <i>consueta</i> , ♂.	„ p. 183.	Peru.
29.	„ <i>næniodes</i> , ♂.	„ p. 185.	Chili.
30.	„ <i>patagonica</i> , ♂.	„ p. 185.	Patagonia.
31.	„ <i>purilinea</i> , ♀.	„ p. 186.	Patagonia.
32.	<i>Oncocnemis griseicollis</i> , ♂.	„ p. 178.	Arizona.



Horace Knight del et lith

West, Newman chromo



PLATE CI.

1.	<i>Homohadena fifta</i> , ♂.	Vol. VI. p. 188.	Br. Columbia.
2.	„ <i>retroversa</i> , ♂.	„ p. 188.	Missouri.
3.	„ <i>infixa</i> , ♂.	„ p. 189.	Kansas.
4.	„ <i>induta</i> , ♂.	„ p. 189.	Texas.
5.	„ <i>loculosa</i> , ♂.	„ p. 190.	Arizona.
6.	„ <i>coclei</i> , ♂.	„ p. 191.	Br. Columbia.
7.	„ <i>incomitata</i> , ♂.	„ p. 192.	Texas.
8.	„ <i>stabilis</i> , ♂.	„ p. 192.	Alberta.
9.	<i>Pseudanarta crocea</i> , ♂.	„ p. 194.	Colorado.
10.	„ <i>singula</i> , ♂.	„ p. 195.	Texas.
11.	„ <i>flavidens</i> , ♂.	„ p. 195.	Colorado.
12.	„ <i>falcata</i> , ♂.	„ p. 196.	Texas.
13.	<i>Feralia columbiana</i> , ♂.	„ p. 197.	Br. Columbia.
14.	„ <i>major</i> , ♂.	„ p. 199.	New York.
15.	<i>Momaphana februalis</i> , ♂.	„ p. 200.	California.
16.	„ <i>brillians</i> , ♀.	„ p. 201.	Arizona.
17.	<i>Brachionycha borealis</i> , ♂.	„ p. 204.	Pennsylvania.
18.	<i>Psaphida grotei</i> , ♂.	„ p. 208.	Canada.
19.	„ <i>thaxteriana</i> , ♂.	„ p. 209.	Pennsylvania.
20.	<i>Eutotype bombyciformis</i> , ♀.	„ p. 210.	Pennsylvania.
21.	„ <i>depilis</i> , ♀.	„ p. 211.	Texas.
22.	„ <i>grandis</i> , ♀.	„ p. 211.	Missouri.
23.	„ <i>damalis</i> , ♀.	„ p. 212.	California.
24.	<i>Copipanolis borealis</i> , ♂.	„ p. 214.	Minnesota.
25.	„ <i>fasciata</i> , ♂.	„ p. 214.	Texas.
26.	<i>Epidemus melanographa</i> , ♀.	„ p. 215.	Vancouver I.
27.	„ <i>obscura</i> , ♂.	„ p. 216.	Washington.
28.	<i>Bombycia curvifascia</i> , ♀.	„ p. 217.	California.
29.	<i>Brachylomia rectifascia</i> , ♂.	„ p. 221.	California.
30.	„ <i>discolor</i> , ♀.	„ p. 222.	New Mexico.
31.	<i>Litholomia dunbari</i> , ♂.	„ p. 223.	Vancouver I.
32.	<i>Hillia discinigra</i> , ♀.	„ p. 224.	Hudson's Bay.





PLATE CII.

1.	<i>Derthisa sareptana</i> , ♂.	Vol. VI. p. 229.	S. Russia.
2.	„ <i>amasina</i> , ♂.	„ p. 232.	Asia Minor.
3.	<i>Lithophane ledereri</i> , ♂.	„ p. 246.	Asia Minor.
4.	<i>Graptolitha semiusta</i> , ♂.	„ p. 249.	Canada.
5.	„ <i>bethunei</i> , ♂.	„ p. 250.	New York.
6.	„ <i>patefacta</i> , ♂.	„ p. 250.	Canada.
7.	„ <i>innominata</i> , ♀.	„ p. 251.	New York.
8.	„ <i>rosinae</i> , ♀.	„ p. 252.	E. Siberia.
9.	„ <i>hemina</i> , ♂.	„ p. 252.	New York.
10.	„ <i>disposita</i> , ♂.	„ p. 253.	Massachusetts.
11.	„ <i>oriunda</i> , ♂.	„ p. 254.	Canada.
12.	„ <i>ferrealis</i> , ♀.	„ p. 254.	New York.
13.	„ <i>petulca</i> , ♀.	„ p. 255.	Maine.
14.	„ <i>signosa</i> , ♂.	„ p. 256.	New York.
15.	„ <i>amanda</i> , ♀.	„ p. 256.	Alberta.
16.	„ <i>lepida</i> , ♂.	„ p. 260.	Canada.
17.	„ <i>pexata</i> , ♂.	„ p. 263.	New York.
18.	„ <i>dilatocula</i> , ♂.	„ p. 264.	California.
19.	„ <i>cinerosa</i> , ♂.	„ p. 264.	New York.
20.	„ <i>laticinerea</i> , ♂.	„ p. 265.	Massachusetts.
21.	„ <i>antennata</i> , ♂.	„ p. 266.	U.S.A.
22.	„ <i>torrida</i> , ♀.	„ p. 266.	Washington.
23.	„ <i>atincta</i> , ♀.	„ p. 267.	Manitoba.
24.	„ <i>tepida</i> , ♂.	„ p. 268.	New York.
25.	„ <i>baileyi</i> , ♂.	„ p. 268.	New York.
26.	„ <i>querquera</i> , ♂.	„ p. 269.	New York.
27.	„ <i>viridipallens</i> , ♀.	„ p. 270.	Massachusetts.
28.	„ <i>longior</i> , ♀.	„ p. 271.	Colorado.
29.	„ <i>contenta</i> , ♂.	„ p. 272.	California.
30.	„ <i>puella</i> , ♀.	„ p. 272.	California.
31.	„ <i>merceda</i> , ♀.	„ p. 273.	Manitoba.
32.	„ <i>unimoda</i> , ♂.	„ p. 273.	New York.





PLATE CIII.

1.	<i>Graptolitha vertina</i> , ♂.	Vol. VI. p. 274.	Br. Columbia.
2.	„ <i>ancilla</i> , ♂.	„ p. 274.	Manitoba.
3.	„ <i>holocinerea</i> , ♂.	„ p. 275.	Br. Columbia.
4.	„ <i>fletcheri</i> , ♀.	„ p. 276.	Canada.
5.	„ <i>georgi</i> , ♂.	„ p. 276.	Canada.
6.	„ <i>emarginata</i> , ♀.	„ p. 277.	Colorado.
7.	„ <i>oregonensis</i> , ♂.	„ p. 277.	California.
8.	„ <i>itata</i> , ♀.	„ p. 278.	Colorado.
9.	„ <i>fagina</i> , ♂.	„ p. 279.	Massachusetts.
10.	<i>Xylina nupera</i> , ♂.	„ p. 280.	Canada.
11.	„ <i>curvimacula</i> , ♂.	„ p. 282.	Massachusetts.
12.	„ <i>brillians</i> , ♂.	„ p. 283.	New Hampshire.
13.	„ <i>cineritia</i> , ♂.	„ p. 284.	New York.
14.	„ <i>brucei</i> , ♀.	„ p. 284.	Colorado.
15.	<i>Eurotype medialis</i> , ♂.	„ p. 290.	Canada.
16.	„ <i>confragosa</i> , ♂.	„ p. 291.	Wisconsin.
17.	<i>Dichonia obliquisigna</i> , ♀.	„ p. 294.	Punjab.
18.	<i>Pleroma conserta</i> , ♀.	„ p. 296.	Vancouver I.
19.	„ <i>bonuscula</i> , ♂.	„ p. 296.	Colorado.
20.	„ <i>cinerea</i> , ♂.	„ p. 297.	Oregon.
21.	<i>Meganephria extensa</i> , ♀.	„ p. 308.	Japan.
22.	„ <i>funesta</i> , ♀.	„ p. 310.	Japan.
23.	<i>Lamprosticta niphopasta</i> , ♂.	„ p. 313.	Syria.
24.	„ <i>munda</i> , ♀.	„ p. 316.	W. China.





PLATE CIV.

1.	<i>Oncocnemis mirificalis</i> , ♂.	Vol. VI. p. 148.	Nevada.
2.	„ <i>corusca</i> , ♂.	„ p. 151.	California.
3.	„ <i>melantho</i> , ♂.	„ p. 153.	California.
4.	<i>Agriopsis pryeri</i> , ♂.	„ p. 321.	Japan.
5.	<i>Eumichtis muscosa</i> , ♂.	„ p. 322.	Armenia.
6.	„ <i>melanodonta</i> , ♂.	„ p. 327.	Japan.
7.	„ <i>adjuncta</i> , ♂.	„ p. 328.	Kashmir.
8.	„ <i>sepultrix</i> , ♂.	„ p. 333.	Tasmania.
9.	„ <i>venusta</i> , ♂.	„ p. 334.	Japan.
10.	„ <i>ducta</i> , ♀.	„ p. 335.	Maine.
11.	„ <i>versuta</i> , ♂.	„ p. 336.	Alberta.
12.	„ <i>contermina</i> , ♂.	„ p. 340.	W. Turkestan.
13.	„ <i>intermissa</i> , ♂.	„ p. 341.	Japan.
14.	„ <i>saliaris</i> , ♂.	„ p. 342.	Tasmania.
15.	„ <i>mesophæa</i> , ♂.	„ p. 343.	Victoria.
16.	„ <i>extima</i> , ♀.	„ p. 343.	Queensland.
17.	„ <i>maida</i> , ♀.	„ p. 344.	Br. Columbia.
18.	„ <i>rubrimixta</i> , ♀.	„ p. 347.	Transvaal.
19.	<i>Valeria icamba</i> , ♂.	„ p. 352.	Sikhim.
20.	„ <i>sauberi</i> , ♀.	„ p. 353.	E. Siberia.
21.	„ <i>pardaria</i> , ♀.	„ p. 354.	Sikhim.
22.	<i>Xylinissa lignitis</i> , ♂.	„ p. 355.	Colombia.
23.	„ <i>oniroe</i> , ♂.	„ p. 356.	Ecuador.
24.	<i>Antitype rebecca</i> , ♂.	„ p. 358.	Palestine.
25.	„ <i>manisadjiani</i> , ♂.	„ p. 361.	Armenia.
26.	„ <i>subvenusta</i> , ♂.	„ p. 364.	Palestine.
27.	„ <i>miltina</i> , ♂.	„ p. 364.	W. Turkestan.
28.	„ <i>calamistis</i> , ♂.	„ p. 365.	Kashmir.
29.	„ <i>apora</i> , ♂.	„ p. 366.	Palestine.
30.	„ <i>illecebrosa</i> , ♀.	„ p. 368.	Tibet.
31.	„ <i>hostilis</i> , ♀.	„ p. 370.	W. Turkestan.
32.	„ <i>jónis</i> , ♂.	„ p. 371.	Asia Minor.







PLATE CV.

1.	<i>Rhizotype remota</i> , ♂.	Vol. VI. p. 376.	Tibet.
2.	„ <i>poliorhiza</i> , ♀.	„ p. 376.	Sikhim.
3.	„ <i>mongolica</i> , ♂.	„ p. 377.	W. Siberia.
4.	„ <i>subdetersa</i> , ♀.	„ p. 377.	Tibet.
5.	„ <i>curva</i> , ♀.	„ p. 378.	E. Turkestan.
6.	<i>Hypotype nigridentata</i> , ♂.	„ p. 385.	Cape Colony.
7.	<i>Bryomima johanna</i> , ♂.	„ p. 387.	Palestine.
8.	„ <i>fallax</i> , ♂.	„ p. 388.	California.
9.	„ <i>extrita</i> , ♂.	„ p. 389.	Mongolia.
10.	„ <i>tenuicornis</i> , ♂.	„ p. 390.	E. Turkestan.
11.	„ <i>chamæleon</i> , ♂.	„ p. 390.	W. Turkestan.
12.	„ <i>virescens</i> , ♂.	„ p. 391.	Kashmir.
13.	„ <i>muscosa</i> , ♀.	„ p. 392.	Washington.
14.	„ <i>pulverulenta</i> , ♂.	„ p. 392.	Colorado.
15.	<i>Blepharidia costalis</i> , ♀.	„ p. 396.	Japan.
16.	„ <i>paspæ</i> , ♂.	„ p. 397.	Tibet.
17.	„ <i>dianthæcina</i> , ♂.	„ p. 398.	Tibet.
18.	„ <i>conspicua</i> , ♂.	„ p. 399.	W. China.
19.	<i>Trichoridia fulminea</i> , ♀.	„ p. 401.	W. China.
20.	„ <i>endroma</i> , ♀.	„ p. 402.	Sikhim.
21.	„ <i>hampsoni</i> , ♂.	„ p. 403.	W. China.
22.	„ <i>dentata</i> , ♂.	„ p. 403.	Sikhim.
23.	„ <i>canosparsa</i> , ♂.	„ p. 404.	Sikhim.
24.	„ <i>albiluna</i> , ♀.	„ p. 404.	Sikhim.
25.	„ <i>cuprescens</i> , ♀.	„ p. 405.	Sikhim.
26.	„ <i>sichimensis</i> , ♂.	„ p. 405.	Sikhim.
27.	„ <i>herchatra</i> , ♂.	„ p. 406.	Sikhim.
28.	<i>Dasy sternum juditha</i> , ♀.	„ p. 408.	Palestine.
29.	„ <i>bacheri</i> , ♂.	„ p. 408.	Palestine.
30.	„ <i>hæretica</i> , ♂.	„ p. 409.	W. Turkestan.
31.	„ <i>eristica</i> , ♂.	„ p. 410.	Mongolia.
32.	<i>Sympistis celloggi</i> , ♀.	„ p. 415.	California.





PLATE CVI.

1.	<i>Hypsophila tamerlana</i> , ♂.	Vol. VI. p. 418.	W. Turkestan.
2.	„ <i>grumi</i> , ♂.	„ p. 420.	Tibet.
3.	<i>Dasypolia ferdinandi</i> , ♂.	„ p. 424.	Switzerland.
4.	<i>Dasythorax poliana</i> , ♂.	„ p. 426.	W. Turkestan.
5.	„ <i>anartina</i> , ♂.	„ p. 427.	W. Turkestan.
6.	„ <i>hirsutula</i> , ♂.	„ p. 427.	E. Turkestan.
7.	„ <i>hirsuta</i> , ♂.	„ p. 428.	Switzerland.
8.	„ <i>rasilis</i> , ♂.	„ p. 428.	W. Turkestan.
9.	<i>Harpaglaea sericea</i> , ♂.	„ p. 430.	New York.
10.	„ <i>tremula</i> , ♀.	„ p. 430.	Texas.
11.	<i>Epiglaea apiata</i> , ♂.	„ p. 433.	Massachusetts.
12.	„ <i>contracta</i> , ♂.	„ p. 433.	Japan.
13.	<i>Eupsilia strigifera</i> , ♂.	„ p. 438.	Japan.
14.	<i>Psectraglaea olivata</i> , ♀.	„ p. 439.	California.
15.	<i>Conistra acutula</i> , ♂.	„ p. 451.	Palestine.
16.	„ <i>politina</i> , ♂.	„ p. 452.	W. Turkestan.
17.	„ <i>ardescens</i> , ♂.	„ p. 455.	Japan.
18.	„ <i>inulta</i> , ♂.	„ p. 460.	U.S.A.
19.	„ <i>viatica</i> , ♂.	„ p. 461.	U.S.A.
20.	„ <i>signata</i> , ♂.	„ p. 462.	U.S.A.
21.	„ <i>tristigmata</i> , ♂.	„ p. 462.	Massachusetts.
22.	„ <i>valceri</i> , ♂.	„ p. 463.	Illinois.
23.	„ <i>sidus</i> , ♀.	„ p. 464.	U.S.A.
24.	„ <i>colorado</i> , ♂.	„ p. 464.	Colorado.
25.	„ <i>morrisoni</i> , ♂.	„ p. 465.	Massachusetts.
26.	„ <i>devia</i> , ♀.	„ p. 465.	U.S.A.
27.	„ <i>indirecta</i> , ♂.	„ p. 466.	U.S.A.
28.	„ <i>moffatiana</i> , ♂.	„ p. 466.	Canada.
29.	„ <i>pettiti</i> , ♂.	„ p. 467.	Canada.
30.	„ <i>ceromatica</i> , ♂.	„ p. 468.	New Jersey.
31.	<i>Amathes rupicapra</i> , ♂.	„ p. 473.	Asia Minor.
32.	„ <i>scabra</i> , ♂.	„ p. 476.	Palestine.



PLATE CVII.

1. <i>Amathes verberata</i> , ♂.	Vol. VI. p. 480.	Alberta.
2. " <i>bicolorago</i> , ♂.	" p. 481.	New York.
3. " <i>gratiosa</i> , ♂.	" p. 484.	Asia Minor.
4. " <i>deleta</i> , ♂.	" p. 486.	Armenia.
5. " <i>phæosoma</i> , ♀.	" p. 488.	Punjab.
6. " <i>purpurea</i> , ♂.	" p. 489.	California.
7. " <i>puta</i> , ♂.	" p. 490.	New York.
8. " <i>ralla</i> , ♂.	" p. 490.	New York.
9. " <i>inops</i> , ♀.	" p. 491.	Maine.
10. " <i>decipiens</i> , ♀.	" p. 491.	Indiana.
11. <i>Atethmia pampina</i> , ♂.	" p. 493.	Canada.
12. <i>Cosmia siphuncula</i> , ♀.	" p. 499.	E. Siberia.
13. " <i>tunicata</i> , ♂.	" p. 503.	Japan.
14. " <i>cypreago</i> , ♀.	" p. 506.	Cyprus.
15. " <i>vulpecula</i> , ♂.	" p. 507.	W. Siberia.
16. " <i>rectilineata</i> , ♂.	" p. 507.	Punjab.
17. " <i>ledereri</i> , ♂.	" p. 508.	W. Turkestan.
18. " <i>melonina</i> , ♂.	" p. 509.	Punjab.
19. " <i>distigmata</i> , ♀.	" p. 509.	Punjab.
20. " <i>albosignata</i> , ♂.	" p. 510.	Punjab.
21. " <i>pulchella</i> , ♂.	" p. 511.	Br. Columbia.
22. " <i>approximata</i> , ♂.	" p. 511.	Kashmir.
23. " <i>edentata</i> , ♀.	" p. 512.	Japan.
24. " <i>divergens</i> , ♂.	" p. 512.	Japan.
25. <i>Homoglæa carbonaria</i> , ♂.	" p. 514.	Colorado.
26. " <i>californica</i> , ♂.	" p. 515.	Washington.
27. <i>Eupsilia tripunctata</i> , ♂.	" p. 436.	Japan.
28. " <i>quadrilinea</i> , ♀.	" p. 438.	Japan.
29. <i>Xantholeuca sericea</i> , ♂.	" p. 442.	Japan.
30. <i>Conistra albipuncta</i> , ♂.	" p. 456.	Japan.
31. " <i>eriphora</i> , ♂.	" p. 445.	Mongolia.
32. <i>Amathes vitzenmanni</i> , ♂.	" p. 471.	France.





CATALOGUE
OF THE
N O C T U I D Æ

IN THE
COLLECTION
OF THE
BRITISH MUSEUM.

VII

BY
SIR GEORGE F. HAMPSON, BART.



PRINTED BY ORDER OF THE TRUSTEES.

SOLD BY

LONGMANS & Co., 39 PATERNOSTER ROW, E.C.;
B. QUARITCH, 11 GRAFTON STREET, NEW BOND STREET, W.;
DULAU & Co., 37 SOHO SQUARE, W.

AND AT THE

BRITISH MUSEUM (NATURAL HISTORY), CROMWELL ROAD, S.W.

1908.

PRINTED BY TAYLOR AND FRANCIS,
RED LION COURT, FLEET STREET.



PLATE CVIII.

1.	<i>Cucullia oribac</i> , ♂.	Vol. VI.	pp. 81, 516.	Arizona.
2.	„ <i>agua</i> , ♂.	„	pp. 67, 516.	Arizona.
3.	<i>Oncocnemis polingi</i> , ♂.	„	pp. 160, 516.	Arizona.
4.	<i>Bryomima chryselectra</i> , ♀.	„	p. 394.	Arizona.
5.	<i>Eumichtis tenerifica</i> , ♂.	„	p. 326.	Canary Is.
6.	„ <i>lama</i> , ♂.	„	p. 516.	W. Turkestan.
7.	„ <i>concinna</i> , ♀.	„	p. 516.	W. China.
8.	<i>Cosmia andesica</i> , ♂.	„	p. 517.	Argentina.
9.	<i>Phaeopyra chloeropsis</i> , ♂.	Vol. VII.	p. 20.	Queensland.
10.	<i>Syntomopus albicilia</i> , ♀.	„	p. 22.	Punjab.
11.	<i>Amphipyra pyramidoides</i> , ♂.	„	p. 29.	New York.
12.	„ <i>cupreipennis</i> , ♀.	„	p. 30.	Sikkim.
13.	„ <i>atronitens</i> , ♀.	„	p. 31.	Australia.
14.	„ <i>schrencki</i> , ♂.	„	p. 36.	Japan.
15.	„ <i>subrigua</i> , ♂.	„	p. 37.	W. China.
16.	<i>Orthogonica plana</i> , ♂.	„	p. 46.	W. China.
17.	„ <i>plumbinotata</i> , ♂.	„	p. 46.	W. China.
18.	„ <i>grisea</i> , ♂.	„	p. 49.	C. China.
19.	<i>Mania venata</i> , ♂.	„	p. 52.	W. China.
20.	„ <i>nyctichroa</i> , ♀.	„	p. 53.	C. China.
21.	„ <i>phaeochroa</i> , ♂.	„	p. 53.	W. China.
22.	„ <i>olivescaria</i> , ♂.	„	p. 54.	Assam.





PLATE CIX.

1.	<i>Amphipyra micans</i> , ♂.	Vol. VII. p. 37.	Syria.
2.	„ <i>molybdea</i> , ♀.	„ p. 38.	Asia Minor.
3.	„ <i>alpheraci</i> , ♂.	„ p. 39.	W. Turkestan.
4.	„ <i>glabella</i> , ♂.	„ p. 39.	Colorado.
5.	„ <i>sergei</i> , ♂.	„ p. 40.	W. Turkestan.
6.	<i>Bityla pallida</i> , ♀.	„ p. 42.	N. Zealand.
7.	<i>Magusa olivaria</i> , ♀.	„ p. 55.	Perak.
8.	„ <i>œnistis</i> , ♀.	„ p. 56.	N. Guinea.
9.	„ <i>leucorina</i> , ♂.	„ p. 57.	N. Guinea.
10.	„ <i>tenebrosa</i> , ♂.	„ p. 58.	Punjab.
11.	<i>Stenopterygia tenebrosa</i> , ♂.	„ p. 61.	Madras.
12.	<i>Dipterygia babooni</i> , ♂.	„ p. 65.	N. Guinea.
13.	„ <i>caliginosa</i> , ♂.	„ p. 67.	Japan.
14.	„ <i>japonica</i> , ♀.	„ p. 68.	Japan.
15.	„ <i>indica</i> , ♀.	„ p. 69.	Sikhim.
16.	„ <i>vagivitta</i> , ♂.	„ p. 69.	Borneo.
17.	„ <i>patina</i> , ♂.	„ p. 71.	Texas.
18.	„ <i>pallida</i> , ♂.	„ p. 72.	Paraguay.
19.	„ <i>lignaris</i> , ♀.	„ p. 74.	Brazil.
20.	„ <i>assueta</i> , ♀.	„ p. 74.	Brazil.
21.	„ <i>nicea</i> , ♂.	„ p. 75.	Andamans.
22.	<i>Parastichtis nigricostata</i> , ♂.	„ p. 79.	Mauritius.
23.	„ <i>cuculliformis</i> , ♂.	„ p. 79.	California.
24.	„ <i>verbascoides</i> , ♂.	„ p. 80.	New York.
25.	„ <i>nigrior</i> , ♀.	„ p. 81.	New York.
26.	„ <i>cariosa</i> , ♂.	„ p. 82.	New York.
27.	„ <i>relicina</i> , ♀.	„ p. 82.	Texas.
28.	„ <i>cristata</i> , ♀.	„ p. 85.	New York.
29.	„ <i>vulgaris</i> , ♂.	„ p. 86.	New York.
30.	„ <i>auranticolora</i> , ♂.	„ p. 87.	Colorado.
31.	„ <i>lignicolora</i> , ♂.	„ p. 88.	New York.
32.	„ <i>anteunata</i> , ♂.	„ p. 88.	California.






PLATE CX.

1.	<i>Parastichtis perstriata</i> , ♂.	Vol. VII. p. 89.	W. China.
2.	„ <i>dionea</i> , ♂.	„ p. 91.	Dakota.
3.	„ <i>strigidisca</i> , ♀.	„ p. 92.	Sikhim.
4.	„ <i>submarginata</i> , ♂.	„ p. 92.	W. China.
5.	„ <i>flavistigma</i> , ♂.	„ p. 93.	Sikhim.
6.	„ <i>genialis</i> , ♂.	„ p. 94.	California.
7.	„ <i>chinensis</i> , ♂.	„ p. 94.	W. China.
8.	„ <i>vultuosa</i> , ♂.	„ p. 98.	New York.
9.	„ <i>apamiformis</i> , ♂.	„ p. 99.	New York.
10.	„ <i>multicolora</i> , ♀.	„ p. 100.	Br. Columbia.
11.	„ <i>plutonia</i> , ♂.	„ p. 100.	New Mexico.
12.	„ <i>boopis</i> , ♂.	„ p. 102.	Punjab.
13.	„ <i>occidens</i> , ♂.	„ p. 103.	Nevada.
14.	„ <i>albina</i> , ♂.	„ p. 103.	California.
15.	„ <i>castanea</i> , ♂.	„ p. 104.	Vancouver.
16.	„ <i>leucostigma</i> , ♂.	„ p. 106.	Sikhim.
17.	„ <i>purpurina</i> , ♀.	„ p. 106.	Sikhim Tibet.
18.	„ <i>veterina</i> , ♀.	„ p. 107.	E. Siberia.
19.	„ <i>rorulenta</i> , ♂.	„ p. 108.	Manitoba.
20.	„ <i>suffusca</i> , ♂.	„ p. 108.	Alberta.
21.	<i>Checupa nigrostrigata</i> , ♀.	„ p. 113.	New Guinea.
22.	<i>Trachea illocata</i> , ♂.	„ p. 115.	Canada.
23.	„ <i>cyanelinea</i> , ♂.	„ p. 115.	Sikhim.
24.	„ <i>bella</i> , ♂.	„ p. 117.	Japan.
25.	„ <i>hastata</i> , ♂.	„ p. 119.	Assam.
26.	„ <i>repetita</i> , ♂.	„ p. 119.	Japan.
27.	„ <i>fasciculata</i> , ♂.	„ p. 118.	W. China.
28.	„ <i>distorta</i> , ♀.	„ p. 121.	Sikhim.
29.	„ <i>melanoleuca</i> , ♀.	„ p. 122.	Natal.
30.	„ <i>melanodonta</i> , ♀.	„ p. 122.	Natal.
31.	„ <i>melanobasis</i> , ♀.	„ p. 123.	Natal.
32.	„ <i>atritornea</i> , ♀.	„ p. 124.	Colombia.






PLATE CXI.

1.	<i>Trachea briviuscula</i> , ♀.	Vol. VII. p. 129.	Natal.
2.	„ <i>smaragdists</i> , ♂.	„ p. 137.	Queensland.
3.	„ <i>mniochlora</i> , ♂.	„ p. 138.	New Guinea.
4.	„ <i>leucopera</i> , ♂.	„ p. 138.	Borneo.
5.	„ <i>trichroma</i> , ♀.	„ p. 139.	N. S. Wales.
6.	„ <i>bryochlora</i> , ♂.	„ p. 139.	Tasmania.
7.	„ <i>albifusa</i> , ♀.	„ p. 140.	Java.
8.	„ <i>aurantiaca</i> , ♂.	„ p. 142.	Sikhim.
9.	„ <i>auroviridis</i> , ♂.	„ p. 142.	Sikhim.
10.	„ <i>chrysochlora</i> , ♂.	„ p. 143.	Punjab.
11.	„ <i>albinota</i> , ♂.	„ p. 144.	Sikhim.
12.	„ <i>olivacea</i> , ♂.	„ p. 144.	Sikhim.
13.	„ <i>venosa</i> , ♂.	„ p. 145.	Sikhim.
14.	„ <i>literata</i> , ♂.	„ p. 145.	Sikhim.
15.	„ <i>chalcoclora</i> , ♀.	„ p. 146.	Sikhim.
16.	„ <i>atrovirens</i> , ♂.	„ p. 147.	Sikhim.
17.	„ <i>dinava</i> , ♀.	„ p. 147.	New Guinea
18.	„ <i>aurigera</i> , ♂.	„ p. 148.	Sikhim.
19.	„ <i>microspila</i> , ♀.	„ p. 149.	Punjab.
20.	„ <i>melanospila</i> , ♂.	„ p. 149.	Punjab.
21.	„ <i>leucodonta</i> , ♂.	„ p. 152.	Peru.
22.	„ <i>delicata</i> , ♂.	„ p. 153.	New York.
23.	„ <i>anguliplaga</i> , ♂.	„ p. 154.	Brazil.
24.	„ <i>malezieuxi</i> , ♀.	„ p. 154.	Ecuador.
25.	„ <i>tociensis</i> , ♀.	„ p. 156.	Japan.
26.	„ <i>chlorogrammata</i> , ♂.	„ p. 156.	Sikhim.
27.	„ <i>pratti</i> , ♂.	„ p. 157.	New Guinea.
28.	„ <i>smaragdina</i> , ♂.	„ p. 159.	Arizona.
29.	„ <i>viridimusca</i> , ♂.	„ p. 159.	Ohio.
30.	„ <i>eugrapha</i> , ♂.	„ p. 160.	Brazil.
31.	„ <i>marina</i> , ♂.	„ p. 162.	California.
32.	„ <i>miselioides</i> , ♂.	„ p. 163.	Florida.






PLATE CXII.

1.	<i>Trachea macerata</i> , ♀.	Vol. VII. p. 164.	Manitoba.
2.	„ <i>semilunata</i> , ♂.	„ p. 164.	Washington.
3.	„ <i>inordinata</i> , ♂.	„ p. 165.	Massachusetts.
4.	„ <i>cinefacta</i> , ♀.	„ p. 166.	Washington.
5.	„ <i>centralis</i> , ♂.	„ p. 167.	Oregon.
6.	„ <i>unita</i> , ♀.	„ p. 168.	Oregon.
7.	„ <i>sora</i> , ♂.	„ p. 169.	Alberta.
8.	„ <i>barnesi</i> , ♂.	„ p. 169.	Wyoming.
9.	„ <i>lona</i> , ♀.	„ p. 170.	Washington.
10.	„ <i>turbulenta</i> , ♀.	„ p. 171.	New York.
11.	„ <i>allecto</i> , ♂.	„ p. 173.	Alberta.
12.	„ <i>mactata</i> , ♂.	„ p. 174.	New York.
13.	„ <i>ferens</i> , ♂.	„ p. 175.	Alberta.
14.	„ <i>separans</i> , ♂.	„ p. 175.	New York.
15.	„ <i>perpenoa</i> , ♂.	„ p. 176.	Arizona.
16.	„ <i>commixta</i> , ♂.	„ p. 178.	Japan.
17.	„ <i>indocilis</i> , ♂.	„ p. 179.	New York.
18.	„ <i>tusa</i> , ♂.	„ p. 181.	California.
19.	„ <i>divesta</i> , ♂.	„ p. 181.	Vancouver.
20.	„ <i>cerivana</i> , ♂.	„ p. 182.	Alberta.
21.	„ <i>finitima</i> , ♂.	„ p. 183.	New York.
22.	„ <i>fumosa</i> , ♀.	„ p. 185.	Colorado.
23.	„ <i>fumeola</i> , ♀.	„ p. 186.	California.
24.	„ <i>binotata</i> , ♂.	„ p. 186.	Br. Columbia.
25.	„ <i>adnixa</i> , ♂.	„ p. 187.	Nevada.
26.	„ <i>pavix</i> , ♀.	„ p. 188.	California.
27.	„ <i>indirecta</i> , ♂.	„ p. 188.	Washington.
28.	„ <i>catalina</i> , ♂.	„ p. 189.	California.
29.	„ <i>characta</i> , ♀.	„ p. 190.	Nevada.
30.	„ <i>jocasta</i> , ♀.	„ p. 190.	Dakota.
31.	„ <i>erica</i> , ♂.	„ p. 191.	Utah.
32.	„ <i>pausis</i> , ♂.	„ p. 192.	California.





PLATE CXIII.

1.	<i>Trachea luteocinerea</i> , ♂.	Vol. VII.	p. 192.	Montana.
2.	„ <i>dilara</i> , ♀.	„	p. 193.	Colorado.
3.	„ <i>genetrix</i> , ♂.	„	p. 193.	Colorado.
4.	„ <i>modica</i> , ♂.	„	p. 194.	New York.
5.	„ <i>modiola</i> , ♀.	„	p. 195.	Wisconsin.
6.	„ <i>mustelina</i> , ♂.	„	p. 195.	California.
7.	„ <i>intermedia</i> , ♂.	„	p. 196.	Japan.
8.	„ <i>cuneata</i> , ♂.	„	p. 196.	Japan.
9.	„ <i>intermixta</i> , ♂.	„	p. 197.	W. China.
10.	„ <i>ethnica</i> , ♂.	„	p. 198.	California.
11.	„ <i>parcata</i> , ♂.	„	p. 198.	Wyoming.
12.	„ <i>commoda</i> , ♂.	„	p. 199.	Alberta.
13.	„ <i>enigma</i> , ♂.	„	p. 199.	Alberta.
14.	„ <i>espumosa</i> , ♂.	„	p. 200.	Ecuador.
15.	„ <i>siderifera</i> , ♂.	„	p. 202.	Punjab.
16.	„ <i>dinavana</i> , ♂.	„	p. 203.	New Guinea.
17.	„ <i>fasciata</i> , ♂.	„	p. 204.	W. China.
18.	„ <i>geminimacula</i> , ♂.	„	p. 209.	Colorado.
19.	„ <i>impulsa</i> , ♂.	„	p. 210.	New York.
20.	„ <i>brunnea</i> , ♀.	„	p. 210.	W. China.
21.	„ <i>chalcirena</i> , ♂.	„	p. 212.	W. Turkestan.
22.	„ <i>polychroa</i> , ♂.	„	p. 214.	Chili.
23.	„ <i>lacruma</i> , ♂.	„	p. 215.	Brazil.
24.	<i>Trichoplexia exornata</i> , ♀.	„	p. 483.	Labrador.
25.	<i>Paratrachea chalybeata</i> , ♂	„	p. 217.	Sikhim.
26.	<i>Rhynchoplexia grisei-</i> <i>marginata</i> , ♀.	„	p. 434.	Punjab.
27.	<i>Stenopterygia cebeæ</i> , ♂.	„	p. 63.	New Guinea.
28.	<i>Euplexia plumbeo-</i> <i>marginata</i> , ♂.	„	p. 224.	Burma.
29.	<i>Euplexia illustrata</i> , ♂.	„	p. 225.	Japan.
30.	„ <i>decorata</i> , ♂.	„	p. 228.	Sikhim.
31.	„ <i>novæguineæ</i> , ♂.	„	p. 229.	New Guinea.
32.	„ <i>picturata</i> , ♂.	„	p. 231.	W. China.





PLATE CXIV.

1.	<i>Euplexia striatovirens</i> , ♂.	Vol. VII. p. 233.	Sikhim.
2.	„ <i>rhoda</i> , ♂.	„ p. 233.	Br. E. Africa.
3.	„ <i>chalybsa</i> , ♀.	„ p. 235.	Br. E. Africa.
4.	„ <i>plumbeola</i> , ♂.	„ p. 235.	Sikhim.
5.	„ <i>poliochroa</i> , ♀.	„ p. 237.	Madras.
6.	„ <i>debilis</i> , ♂.	„ p. 238.	Madagascar.
7.	„ <i>melanocycla</i> , ♀.	„ p. 239.	Br. E. Africa.
8.	„ <i>azyga</i> , ♀.	„ p. 242.	Br. E. Africa.
9.	„ <i>melanistis</i> , ♀.	„ p. 243.	Madras.
10.	„ <i>aureopuncta</i> , ♀.	„ p. 243.	Japan.
11.	„ <i>magniclavus</i> , ♂.	„ p. 244.	Assam.
12.	„ <i>prolifera</i> , ♀.	„ p. 244.	N. S. Wales.
13.	„ <i>metallica</i> , ♂.	„ p. 245.	Sikhim.
14.	„ <i>hurfordi</i> , ♂.	„ p. 245.	Punjab.
15.	„ <i>erythriris</i> , ♂.	„ p. 246.	Assam.
16.	„ <i>adamantina</i> , ♀.	„ p. 247.	Victoria.
17.	„ <i>signata</i> , ♂.	„ p. 247.	Tasmania.
18.	„ <i>polycmeta</i> , ♂.	„ p. 248.	Queensland.
19.	„ <i>callisina</i> , ♀.	„ p. 248.	Victoria.
20.	„ <i>leucostigma</i> , ♂.	„ p. 249.	Victoria.
21.	<i>Ancara cebea</i> , ♂.	„ p. 250.	N. Guinea.
22.	„ <i>griseola</i> , ♂.	„ p. 250.	N. Guinea.
23.	„ <i>ancemica</i> , ♂.	„ p. 253.	Ceylon.
24.	<i>Speocropia trichroma</i> , ♂.	„ p. 256.	Cuba.
25.	„ <i>leucosticta</i> , ♂.	„ p. 258.	Venezuela.
26.	„ <i>randa</i> , ♀.	„ p. 258.	Trinidad.
27.	„ <i>chromatica</i> , ♂.	„ p. 259.	Paraguay.
28.	„ <i>eugrapha</i> , ♂.	„ p. 260.	Paraguay.
29.	<i>Cropia plumbicineta</i> , ♀.	„ p. 264.	Paraguay.
30.	„ <i>viridimicans</i> , ♀.	„ p. 265.	Ecuador.
31.	„ <i>carnitincta</i> , ♀.	„ p. 266.	Panama.
32.	„ <i>aleuca</i> , ♀.	„ p. 267.	Costa Rica.






PLATE CXV.

1.	<i>Cropia poliomera</i> , ♀.	Vol. VII.	p. 268.	Brazil.
2.	<i>Heterochroma phytolacca</i> , ♂.	„	p. 273.	Brazil.
3.	„ <i>thermida</i> , ♂.	„	p. 275.	Peru.
4.	„ <i>albipuncta</i> , ♂.	„	p. 276.	Brazil.
5.	„ <i>insignis</i> , ♂.	„	p. 276.	Jamaica.
6.	„ <i>sarepta</i> , ♀.	„	p. 278.	Mexico.
7.	„ <i>hadenoides</i> , ♂.	„	p. 280.	Brazil.
8.	„ <i>chlorographa</i> , ♂.	„	p. 281.	Ecuador.
9.	„ <i>beryllus</i> , ♂.	„	p. 282.	Peru.
10.	„ <i>berylloides</i> , ♂.	„	p. 283.	Jamaica.
11.	<i>Perigeodes poliomera</i> , ♀.	„	p. 287.	Assam.
12.	„ <i>tricycla</i> , ♂.	„	p. 289.	Borneo.
13.	„ <i>magna</i> , ♀.	„	p. 289.	Bhutan.
14.	„ <i>malayica</i> , ♂.	„	p. 290.	Assam.
15.	<i>Perigea leucoptya</i> , ♂.	„	p. 292.	Peru.
16.	„ <i>subaurea</i> , ♀.	„	p. 294.	Brazil.
17.	„ <i>griseirena</i> , ♂.	„	p. 306.	Peru.
18.	„ <i>leprosa</i> , ♂.	„	p. 307.	Assam.
19.	„ <i>poliopasta</i> , ♀.	„	p. 308.	Br. Guiana.
20.	„ <i>quadrinacula</i> , ♂.	„	p. 308.	E. Africa.
21.	„ <i>glaucoptera</i> , ♂.	„	p. 309.	Brazil.
22.	„ <i>leucostrota</i> , ♂.	„	p. 310.	Peru.
23.	„ <i>grandirena</i> , ♀.	„	p. 310.	Natal.
24.	„ <i>calma</i> , ♂.	„	p. 312.	Panama.
25.	„ <i>discincta</i> , ♀.	„	p. 312.	Brazil.
26.	„ <i>siderea</i> , ♂.	„	p. 313.	Japan.
27.	„ <i>stellata</i> , ♂.	„	p. 314.	Sikhim.
28.	„ <i>contigua</i> , ♂.	„	p. 314.	W. China.
29.	„ <i>cyclica</i> , ♂.	„	p. 315.	Japan.
30.	„ <i>leucospila</i> , ♀.	„	p. 315.	Sikhim.
31.	„ <i>albomaculata</i> , ♂.	„	p. 316.	Sikhim.
32.	„ <i>atricuprea</i> , ♀.	„	p. 316.	Sikhim Tibet.





PLATE CXVI.

1.	<i>Perigea confluens</i> , ♂.	Vol. VII. p. 317.	Bahamas.
2.	„ <i>subornata</i> , ♂.	„ p. 317.	Paraguay.
3.	„ <i>stelligera</i> , ♂.	„ p. 318.	Paraguay.
4.	„ <i>africana</i> , ♀.	„ p. 319.	Natal.
5.	„ <i>purpurea</i> , ♀.	„ p. 319.	Peru.
6.	„ <i>parva</i> , ♂.	„ p. 320.	W. China.
7.	„ <i>albolabes</i> , ♀.	„ p. 321.	Arizona.
8.	„ <i>albigeroides</i> , ♂.	„ p. 322.	Peru.
9.	„ <i>galaxia</i> , ♂.	„ p. 324.	Punjab.
10.	„ <i>dinava</i> , ♂.	„ p. 325.	N. Guinea.
11.	„ <i>punctirena</i> , ♀.	„ p. 326.	Haiti.
12.	„ <i>dentistrigata</i> , ♂.	„ p. 326.	Brazil.
13.	„ <i>circuita</i> , ♂.	„ p. 327.	Panama.
14.	„ <i>albigera</i> , ♂.	„ p. 328.	Paraguay.
15.	„ <i>carcoma</i> , ♂.	„ p. 329.	Ecuador.
16.	„ <i>sufficiens</i> , ♀.	„ p. 329.	Haiti.
17.	„ <i>conclisa</i> , ♂.	„ p. 330.	Brazil.
18.	„ <i>confundens</i> , ♂.	„ p. 331.	Queensland.
19.	„ <i>sutor</i> , ♂.	„ p. 331.	Mexico.
20.	„ <i>capensis</i> , ♂.	„ p. 332.	Sokotra.
21.	„ <i>cenola</i> , ♂.	„ p. 335.	Brazil.
22.	„ <i>tetera</i> , ♂.	„ p. 335.	Brazil.
23.	„ <i>griseata</i> , ♂.	„ p. 336.	W. China.
24.	„ <i>fuliginosa</i> , ♀.	„ p. 336.	Japan.
25.	„ <i>selenosa</i> , ♂.	„ p. 337.	Brazil.
26.	„ <i>mustia</i> , ♂.	„ p. 339.	Ecuador.
27.	„ <i>agalla</i> , ♀.	„ p. 340.	Ecuador.
28.	„ <i>bahamica</i> , ♂.	„ p. 340.	Bahamas.
29.	„ <i>punctifera</i> , ♂.	„ p. 341.	Jamaica.
30.	„ <i>secorva</i> , ♂.	„ p. 342.	Paraguay.
31.	„ <i>rubrifusa</i> , ♀.	„ p. 343.	Peru.
32.	„ <i>parastichtoides</i> , ♂.	„ p. 344.	Brazil.





PLATE CXVII.

1.	<i>Perigea leucanioides</i> , ♂.	Vol. VII. p. 344.	Venezuela.
2.	„ <i>xylophasioides</i> , ♂.	„ p. 345.	Brazil.
3.	„ <i>xanthioides</i> , ♂.	„ p. 346.	Kansas.
4.	„ <i>abstemia</i> , ♂.	„ p. 346.	Mexico.
5.	„ <i>perparvula</i> , ♂.	„ p. 347.	Brazil.
6.	„ <i>ethiopica</i> , ♀.	„ p. 347.	Uganda.
7.	„ <i>metarhoda</i> , ♂.	„ p. 349.	N. Guinea.
8.	„ <i>pyrostigma</i> , ♂.	„ p. 350.	Argentina.
9.	„ <i>octophora</i> , ♂.	„ p. 350.	Peru.
10.	„ <i>leucopis</i> , ♂.	„ p. 351.	Brazil.
11.	„ <i>pyrosticta</i> , ♂.	„ p. 351.	Peru.
12.	„ <i>naolina</i> , ♀.	„ p. 352.	Brazil.
13.	„ <i>ignitincta</i> , ♂.	„ p. 352.	Peru.
14.	„ <i>multipunctata</i> , ♀.	„ p. 353.	Gold Coast.
15.	<i>Microplexia ferrea</i> , ♀.	„ p. 357.	Madagascar.
16.	„ <i>nephelea</i> , ♂.	„ p. 357.	? Madagascar.
17.	<i>Oligia paupera</i> , ♂.	„ p. 368.	W. China.
18.	„ <i>glaucostigma</i> , ♂.	„ p. 371.	Burma.
19.	„ <i>vulgaris</i> , ♂.	„ p. 372.	Japan.
20.	„ <i>chasiana</i> , ♂.	„ p. 373.	Assam.
21.	„ <i>albirivula</i> , ♀.	„ p. 375.	Assam.
22.	„ <i>violacea</i> , ♀.	„ p. 375.	California.
23.	„ <i>bridghami</i> , ♀.	„ p. 376.	Massachusetts.
24.	„ <i>egens</i> , ♂.	„ p. 377.	Canada.
25.	„ <i>tapeta</i> , ♂.	„ p. 378.	Florida.
26.	„ <i>dinava</i> , ♀.	„ p. 380.	N. Guinea.
27.	„ <i>fractilinea</i> , ♀.	„ p. 380.	Canada.
28.	„ <i>instructa</i> , ♂.	„ p. 382.	C. Colony.
29.	„ <i>ambigua</i> , ♂.	„ p. 383.	Basutoland.
30.	„ <i>exhausta</i> , ♀.	„ p. 384.	New York.
31.	„ <i>minuscula</i> , ♀.	„ p. 385.	Canada.
32.	„ <i>misera</i> , ♂.	„ p. 385.	Minnesota.





- | | | | |
|-----|----------------------------------|-------------------|----------------|
| 1. | <i>Oligia diversicolora</i> , ♀. | Vol. VII. p. 388. | Massachusetts. |
| 2. | „ <i>leuconephra</i> , ♀. | „ p. 389. | E. Siberia. |
| 3. | „ <i>semicana</i> , ♂. | „ p. 390. | New York. |
| 4. | „ <i>subjuncta</i> , ♂. | „ p. 391. | Canada. |
| 5. | „ <i>tonsa</i> , ♀. | „ p. 392. | Nevada. |
| 6. | „ <i>laevigata</i> , ♀. | „ p. 392. | Colorado. |
| 7. | „ <i>obtusa</i> , ♂. | „ p. 396. | New Hampshire. |
| 8. | „ <i>inclusens</i> , ♂. | „ p. 396. | New York. |
| 9. | „ <i>nyctichroa</i> , ♂. | „ p. 397. | Brazil. |
| 10. | <i>Agroperina dubitans</i> , ♂. | „ p. 398. | Canada. |
| 11. | „ <i>cogitata</i> , ♂. | „ p. 399. | Canada. |
| 12. | „ <i>fervida</i> , ♂. | „ p. 402. | Tibet. |
| 13. | „ <i>conradi</i> , ♂. | „ p. 402. | Colorado. |
| 14. | „ <i>lutosa</i> , ♂. | „ p. 403. | Dakota. |
| 15. | „ <i>helva</i> , ♂. | „ p. 403. | New York. |
| 16. | „ <i>inficita</i> , ♀. | „ p. 404. | Canada. |
| 17. | „ <i>morna</i> , ♂. | „ p. 405. | Wyoming. |
| 18. | <i>Æderemia diadela</i> , ♂. | „ p. 406. | W. Turkestan. |
| 19. | <i>Eremobia hilli</i> , ♂. | „ p. 413. | New York. |
| 20. | „ <i>albertina</i> , ♂. | „ p. 413. | Canada. |
| 21. | „ <i>claudens</i> , ♂. | „ p. 414. | Newfoundland. |
| 22. | „ <i>unicincta</i> , ♀. | „ p. 415. | Oregon. |
| 23. | „ <i>tenera</i> , ♂. | „ p. 415. | Alaska. |
| 24. | „ <i>pungeleri</i> , ♂. | „ p. 416. | Palestine. |
| 25. | „ <i>zelleri</i> , ♂. | „ p. 417. | W. Turkestan. |
| 26. | „ <i>ferrea</i> , ♂. | „ p. 419. | Italy. |
| 27. | „ <i>mutica</i> , ♂. | „ p. 420. | Armenia. |
| 28. | „ <i>alticola</i> , ♂. | „ p. 421. | Colorado. |
| 29. | <i>Sidemia depravata</i> , ♂. | „ p. 437. | Japan. |
| 30. | „ <i>effusoides</i> , ♂. | „ p. 439. | Peru. |
| 31. | „ <i>subornata</i> , ♂. | „ p. 443. | Mongolia. |
| 32. | „ <i>longula</i> , ♀. | „ p. 443. | Nevada. |





PLATE CXIX.

1.	<i>Sidemia judaica</i> , ♂.	Vol. VII.	p. 444.	Palestine.
2.	„ <i>devastatrix</i> , ♂.	„	p. 446.	New York.
3.	„ <i>standfussi</i> , ♀.	„	p. 447.	Switzerland.
4.	<i>Margelana discrepans</i> , ♂.	„	p. 451.	Palestine.
5.	<i>Pseudohadena sergia</i> , ♂.	„	p. 456.	E. Turkestan.
6.	„ <i>idumæa</i> , ♂.	„	p. 457.	Palestine.
7.	„ <i>schlumbergeri</i> , ♀.	„	p. 457.	W. Turkestan.
8.	„ <i>commoda</i> , ♂.	„	p. 459.	W. Turkestan.
9.	„ <i>minuta</i> , ♂.	„	p. 460.	W. Turkestan.
10.	„ <i>crassipuncta</i> , ♀.	„	p. 461.	Mongolia.
11.	„ <i>immunis</i> , ♂.	„	p. 462.	W. Turkestan.
12.	„ <i>peæa</i> , ♂.	„	p. 463.	E. Turkestan.
13.	„ <i>coluteæ</i> , ♀.	„	p. 464.	Persia.
14.	„ <i>contumax</i> , ♂.	„	p. 465.	Mongolia.
15.	„ <i>jordana</i> , ♂.	„	p. 466.	Palestine.
16.	<i>Luperina stipata</i> , ♂.	„	p. 468.	Maine.
17.	„ <i>burgessi</i> , ♂.	„	p. 469.	Massachusetts.
18.	„ <i>posticata</i> , ♂.	„	p. 470.	Colorado.
19.	„ <i>imbellis</i> , ♀.	„	p. 472.	W. Turkestan.
20.	„ <i>popofensis</i> , ♀.	„	p. 475.	Alaska.
21.	„ <i>venosa</i> , ♀.	„	p. 475.	Oregon.
22.	„ <i>radicosa</i> , ♂.	„	p. 475.	E. Siberia.
23.	„ <i>hedeni</i> , ♂.	„	p. 476.	E. Siberia.
24.	„ <i>subaquila</i> , ♂.	„	p. 477.	E. Siberia.
25.	„ <i>innota</i> , ♂.	„	p. 478.	Wyoming.
26.	„ <i>trigona</i> , ♂.	„	p. 478.	Tennessee.
27.	„ <i>vicaria</i> , ♂.	„	p. 479.	W. Turkestan.
28.	„ <i>virguncula</i> , ♀.	„	p. 479.	Colorado.
29.	„ <i>extensa</i> , ♂.	„	p. 480.	Canada.
30.	„ <i>passer</i> , ♂.	„	p. 480.	New York.
31.	„ <i>birnata</i> , ♂.	„	p. 481.	Newfoundland.
32.	<i>Lasiplexia cyanea</i> , ♀.	„	p. 486.	Assam.





PLATE CXX.

1. <i>Trigonophora iris</i> , ♂.	Vol. VII.	p. 488.	New York.
2. „ <i>fuscomarginata</i> , ♂.	„	p. 489.	W. China.
3. <i>Chutapha interrupta</i> , ♂.	„	p. 492.	Azores.
4. „ <i>conservuloides</i> , ♂.	„	p. 493.	Sikhim.
5. „ <i>costalis</i> , ♂.	„	p. 495.	Sikhim.
6. „ <i>olivacea</i> , ♂.	„	p. 496.	W. China.
7. <i>Conservula sinensis</i> , ♂.	„	p. 501.	W. China.
8. „ <i>indica</i> , ♂.	„	p. 502.	Punjab.
9. <i>Cobaliodes accurata</i> , ♂.	„	p. 506.	Arizona.
10. „ <i>dubiosa</i> , ♂.	„	p. 506.	Madeira.
11. „ <i>franciscana</i> , ♂.	„	p. 508.	California.
12. <i>Oroplexia retrahens</i> , ♂.	„	p. 512.	Assam.
13. „ <i>luteifrons</i> , ♂.	„	p. 513.	Kashmir.
14. „ <i>separata</i> , ♂.	„	p. 513.	Sikhim.
15. „ <i>tripartita</i> , ♀.	„	p. 514.	W. China.
16. „ <i>albiflexura</i> , ♂.	„	p. 514.	India.
17. <i>Argyrostrotis ditissima</i> , ♂.	„	p. 518.	Paraguay.
18. „ <i>bellinita</i> , ♂.	„	p. 520.	Panama.
19. „ <i>meres</i> , ♂.	„	p. 521.	Br. Guiana.
20. „ <i>vau-aurea</i> , ♀.	„	p. 522.	Br. Guiana.
21. „ <i>phraortes</i> , ♂.	„	p. 522.	Peru.
22. „ <i>scione</i> , ♂.	„	p. 523.	Colombia.
23. „ <i>aurifundens</i> , ♂.	„	p. 524.	Mexico.
24. „ <i>eubotes</i> , ♀.	„	p. 525.	Colombia.
25. „ <i>decumana</i> , ♂.	„	p. 525.	Brazil.
26. <i>Data pratti</i> , ♂.	„	p. 527.	New Guinea.
27. „ <i>aroa</i> , ♀.	„	p. 528.	New Guinea.
28. „ <i>callopietrioides</i> , ♀.	„	p. 528.	Assam.
29. <i>Eriopus albistriga</i> , ♂.	„	p. 538.	Ceylon.
30. „ <i>trilineata</i> , ♂.	„	p. 539.	Singapore.
31. „ <i>ferruginea</i> , ♀.	„	p. 540.	Queensland.
32. „ <i>quadrinotata</i> , ♂.	„	p. 541.	Borneo.





PLATE CXXI.

1.	<i>Eriopus xanthopera</i> , ♂.	Vol. VII. p. 545.	Travancore.
2.	„ <i>albolineola</i> , ♀.	„ p. 547.	Japan.
3.	„ <i>cyclopis</i> , ♂.	„ p. 548.	Trobriand Is.
4.	„ <i>trinitensis</i> , ♀.	„ p. 550.	Trinidad.
5.	„ <i>duplicans</i> , ♂.	„ p. 556.	Bombay.
6.	„ <i>cœlissima</i> , ♂.	„ p. 557.	Ceylon.
7.	„ <i>chloriza</i> , ♂.	„ p. 559.	Java.
8.	„ <i>guttulalis</i> , ♂.	„ p. 571.	Ceylon.
9.	„ <i>nephrosticta</i> , ♂.	„ p. 572.	Nigeria.
10.	„ <i>strigilineata</i> , ♂.	„ p. 572.	Sikhim.
11.	„ <i>venata</i> , ♂.	„ p. 573.	W. China.
12.	„ <i>complicata</i> , ♀.	„ p. 576.	Nigeria.
13.	„ <i>cordata</i> , ♀.	„ p. 578.	W. Indies.
14.	„ <i>argentilinea</i> , ♂.	„ p. 579.	U.S.A.
15.	„ <i>manta</i> , ♂.	„ p. 581.	Perak.
16.	„ <i>clava</i> , ♀.	„ p. 582.	W. China.
17.	„ <i>niveigutta</i> , ♀.	„ p. 583.	Borneo.
18.	„ <i>chlorocroa</i> , ♀.	„ p. 583.	Sumatra.
19.	<i>Borbotana cebeæ</i> , ♂.	„ p. 585.	New Guinea.
20.	<i>Fagitana datanidia</i> , ♂.	„ p. 593.	Japan.
21.	<i>Phuphena diagona</i> , ♂.	„ p. 595.	Br. Guiana.
22.	„ <i>transversa</i> , ♂.	„ p. 596.	Brazil.
23.	„ <i>petrovna</i> , ♂.	„ p. 597.	Brazil.
24.	„ <i>u-alba</i> , ♂.	„ p. 597.	Florida.
25.	„ <i>parallela</i> , ♂.	„ p. 598.	Bahamas.
26.	„ <i>obliqua</i> , ♀.	„ p. 599.	Florida.
27.	<i>Chytonix muscosa</i> , ♂.	„ p. 601.	Mexico.
28.	„ <i>ethela</i> , ♀.	„ p. 602.	Brazil.
29.	„ <i>chucha</i> , ♂.	„ p. 603.	Brazil.
30.	„ <i>chlorophila</i> , ♀.	„ p. 605.	Peru.
31.	„ <i>griseorufa</i> , ♂.	„ p. 606.	Brazil.
32.	„ <i>mniochroa</i> , ♂.	„ p. 607.	Trinidad.





PLATE CXXII.

1.	<i>Chytonix melanochlora</i> , ♂.	Vol. VII. p. 607.	Natal.
2.	„ <i>chlorostigma</i> , ♂.	„ p. 608.	Texas.
3.	„ <i>parvimacula</i> , ♂.	„ p. 609.	California.
4.	„ <i>sensilis</i> , ♀.	„ p. 610.	Massachusetts.
5.	„ <i>nigribasalis</i> , ♂.	„ p. 611.	W. China.
6.	„ <i>laticlava</i> , ♂.	„ p. 611.	Washington.
7.	„ <i>albipuncta</i> , ♂.	„ p. 613.	W. China.
8.	„ <i>excurvata</i> , ♀.	„ p. 613.	Sikhim.
9.	„ <i>bogotica</i> , ♂.	„ p. 614.	Colombia.
10.	<i>Bryophila nilgiria</i> , ♂.	„ p. 621.	Madras.
11.	„ <i>albiclava</i> , ♀.	„ p. 622.	Kashmir.
12.	„ <i>poliophæa</i> , ♂.	„ p. 622.	Kashmir.
13.	„ <i>sarepta</i> , ♂.	„ p. 626.	Arizona.
14.	„ <i>leucomelæna</i> , ♂.	„ p. 627.	Br. E. Africa.
15.	„ <i>fascia</i> , ♂.	„ p. 627.	California.
16.	„ <i>literata</i> , ♀.	„ p. 628.	Kashmir.
17.	„ <i>mitrophæa</i> , ♂.	„ p. 629.	W. Turkestan.
18.	„ <i>modesta</i> , ♂.	„ p. 630.	Punjab.
19.	„ <i>plumbeola</i> , ♂.	„ p. 630.	W. Turkestan.
20.	„ <i>eucta</i> , ♂.	„ p. 631.	Persia.
21.	„ <i>ochrophæa</i> , ♂.	„ p. 631.	Kashmir.
22.	„ <i>vilis</i> , ♂.	„ p. 632.	W. Turkestan.
23.	„ <i>virescens</i> , ♂.	„ p. 633.	Punjab.
24.	„ <i>stictica</i> , ♂.	„ p. 634.	Japan.
25.	„ <i>labecula</i> , ♂.	„ p. 637.	Syria.
26.	„ <i>paulina</i> , ♀.	„ p. 641.	Syria.
27.	„ <i>ochrota</i> , ♂.	„ p. 641.	Beloochistan.
28.	„ <i>thamanæa</i> , ♂.	„ p. 642.	Persia.
29.	„ <i>semifascia</i> , ♂.	„ p. 643.	Colorado.
30.	„ <i>dolopis</i> , ♂.	„ p. 645.	W. Turkestan.
31.	„ <i>contristans</i> , ♂.	„ p. 645.	Asia Minor.
32.	„ <i>granitalis</i> , ♂.	„ p. 647.	Japan.





CATALOGUE
OF THE
NOCTUIDÆ
IN THE
COLLECTION
OF THE
BRITISH MUSEUM.

BY
SIR GEORGE F. HAMPSON, BART.

VIII

NOV 10 1909

LONDON:
PRINTED BY ORDER OF THE TRUSTEES.

SOLD BY

LONGMANS & Co., 39 PATERNOSTER ROW, E.C.;
B. QUARITCH, 11 GRAFTON STREET, NEW BOND STREET, W.;
DULAU & Co., 37 SOHO SQUARE, W.;

AND AT THE

BRITISH MUSEUM (NATURAL HISTORY), CROMWELL ROAD, S.W.

1909.

PRINTED BY TAYLOR AND FRANCIS,
RED LION COURT, FLEET STREET.

PLATE CXXIII.

1. <i>Cerma cuerva</i> , ♂.	Vol. VII. p. 653.	Br. Columbia.
2. „ <i>olivacea</i> , ♂.	„ p. 653.	Colorado.
3. <i>Iambia nocturna</i> , ♀.	„ p. 654.	Madras.
4. „ <i>harmonica</i> , ♂.	„ p. 655.	Sikhim.
5. „ <i>inferalis</i> , ♀.	„ p. 657.	Natal.
6. „ <i>rufescens</i> , ♂.	„ p. 658.	Ganjam.
7. <i>Aucha triphænoïdes</i> , ♀.	„ p. 663.	Queensland.
8. „ <i>vesta</i> , ♂.	„ p. 664.	Queensland.
9. „ <i>nectens</i> , ♀.	„ p. 664.	India.
10. „ <i>villiana</i> , ♂.	„ p. 666.	Singapore.
11. „ <i>minor</i> , ♀.	„ p. 666.	Bombay.
12. <i>Polyphænis cinerescens</i> , ♂.	„ p. 675.	Japan.
13. „ <i>postflava</i> , ♂.	„ p. 677.	Japan.
14. „ <i>indica</i> , ♂.	„ p. 678.	Punjab.
15. „ <i>ditata</i> , ♀.	„ p. 678.	Queensland.
16. <i>Neophænis meterythra</i> , ♂.	„ p. 683.	St. Lucia.
17. „ <i>psittacea</i> , ♀.	„ p. 684.	Panama.
18. <i>Canna prasinaria</i> , ♂.	Vol. VIII. p. 19.	Sikhim.
19. <i>Daseochæta metaphæa</i> , ♂.	„ p. 23.	W. China.
20. „ <i>vivida</i> , ♂.	„ p. 25.	W. China.
21. „ <i>brevipennis</i> , ♂.	„ p. 27.	Sikhim Tibet.
22. „ <i>discibrunnea</i> , ♂.	„ p. 32.	Sikhim.
23. „ <i>marmorea</i> , ♀.	„ p. 33.	W. China.
24. „ <i>verbenata</i> , ♂.	„ p. 34.	Transvaal.
25. „ <i>beryllodes</i> , ♂.	„ p. 35.	Queensland.
26. <i>Leuconycta vesta</i> , ♂.	„ p. 37.	Mexico.
27. <i>Agriopodes geminata</i> , ♂.	„ p. 39.	Canada.
28. „ <i>tybo</i> , ♀.	„ p. 40.	Arizona.
29. „ <i>viridata</i> , ♂.	„ p. 40.	California.
30. <i>Thalatha ecceici</i> , ♂.	„ p. 44.	New Guinea.
31. „ <i>psorallina</i> , ♂.	„ p. 45.	Queensland.
32. „ <i>cebeæ</i> , ♂.	„ p. 46.	New Guinea.





PLATE CXXIV.

1.	<i>Agroperina illustra</i> , ♂.	Vol. VII. p. 401.	Alberta.
2.	<i>Thalatha melaleuca</i> , ♀.	Vol. VIII. p. 48.	N. Guinea.
3.	<i>Craniophora albonigra</i> , ♂.	„ p. 53.	W. China.
4.	„ <i>præclara</i> , ♂.	„ p. 54.	E. Siberia.
5.	„ <i>nubilata</i> , ♂.	„ p. 55.	Sikhim.
6.	„ <i>pontica</i> , ♂.	„ p. 55.	Crimea.
7.	„ <i>obscura</i> , ♂.	„ p. 58.	W. China.
8.	<i>Æderemia medialis</i> , ♂.	Vol. VII. p. 407.	Beloochistan.
9.	<i>Acronycta theodora</i> , ♀.	Vol. VIII. p. 62.	Mexico.
10.	„ <i>mansueta</i> , ♀.	„ p. 63.	Colorado.
11.	„ <i>hemileuca</i> , ♂.	„ p. 64.	Tibet.
12.	„ <i>vinnulla</i> , ♀.	„ p. 65.	New York.
13.	„ <i>paupercula</i> , ♀.	„ p. 66.	Texas.
14.	„ <i>lepetita</i> , ♀.	„ p. 67.	Texas.
15.	„ <i>parallela</i> , ♂.	„ p. 68.	Colorado.
16.	„ <i>albarufa</i> , ♂.	„ p. 68.	New York.
17.	„ <i>connecta</i> , ♂.	„ p. 69.	New York.
18.	„ <i>exilis</i> , ♀.	„ p. 70.	New York.
19.	„ <i>modica</i> , ♂.	„ p. 71.	New York.
20.	„ <i>ovata</i> , ♂.	„ p. 71.	Pennsylvania.
21.	„ <i>hæsitata</i> , ♀.	„ p. 72.	Pennsylvania.
22.	„ <i>hasta</i> , ♂.	„ p. 73.	New York.
23.	„ <i>marmorata</i> , ♀.	„ p. 74.	California.
24.	„ <i>crenulata</i> , ♂.	„ p. 76.	N. Guinea.
25.	„ <i>fragilis</i> , ♂.	„ p. 77.	New York.
26.	„ <i>liturata</i> , ♀.	„ p. 77.	Colorado.
27.	„ <i>brumosa</i> , ♀.	„ p. 78.	Florida.
28.	„ <i>inclara</i> , ♂.	„ p. 80.	New York.
29.	„ <i>clarescens</i> , ♀.	„ p. 80.	New York.
30.	„ <i>minella</i> , ♀.	„ p. 81.	Colorado.
31.	„ <i>superans</i> , ♂.	„ p. 82.	New York.
32.	„ <i>subochrea</i> , ♀.	„ p. 83.	New York.





PLATE CXXV.

1.	<i>Acronycta noctivaga</i> , ♂.	Vol. VIII.	p. 84.	Canada.
2.	„ <i>carbonaria</i> , ♂.	„	p. 85.	Japan.
3.	„ <i>afflicta</i> , ♀.	„	p. 86.	Texas.
4.	„ <i>hamamelis</i> , ♂.	„	p. 87.	U.S.A.
5.	„ <i>increta</i> , ♂.	„	p. 88.	New York.
6.	„ <i>retardata</i> , ♂.	„	p. 88.	New York.
7.	„ <i>cæsarea</i> , ♀.	„	p. 89.	New Jersey.
8.	„ <i>impleta</i> , ♂.	„	p. 90.	Kansas.
9.	„ <i>illita</i> , ♀.	„	p. 90.	Br. Colombia.
10.	„ <i>pruinosa</i> , ♂.	„	p. 91.	Java.
11.	„ <i>consanguis</i> , ♂.	„	p. 92.	Japan.
12.	„ <i>albistigma</i> , ♂.	„	p. 93.	Japan.
13.	„ <i>catocaloida</i> , ♀.	„	p. 95.	Japan.
14.	„ <i>quadrata</i> , ♂.	„	p. 101.	Alberta.
15.	„ <i>strigulata</i> , ♂.	„	p. 101.	Colorado.
16.	„ <i>thoracica</i> , ♀.	„	p. 102.	Colorado.
17.	„ <i>lætifica</i> , ♂.	„	p. 103.	New York.
18.	„ <i>lobeliæ</i> , ♂.	„	p. 104.	New York.
19.	„ <i>manitoba</i> , ♂.	„	p. 105.	Manitoba.
20.	„ <i>furcifera</i> , ♀.	„	p. 105.	New York.
21.	„ <i>maxima</i> , ♂.	„	p. 112.	Punjab.
22.	„ <i>iria</i> , ♂.	„	p. 113.	Punjab.
23.	„ <i>taurica</i> , ♀.	„	p. 115.	Syria.
24.	„ <i>eldora</i> , ♀.	„	p. 118.	Colorado.
25.	„ <i>tritona</i> , ♂.	„	p. 119.	New York.
26.	„ <i>falcula</i> , ♂.	„	p. 120.	Manitoba.
27.	„ <i>elizabetha</i> , ♂.	„	p. 120.	Rhode I.
28.	„ <i>revellata</i> , ♀.	„	p. 121.	Colorado.
29.	„ <i>grisea</i> , ♂.	„	p. 122.	Alberta.
30.	„ <i>funeralis</i> , ♂.	„	p. 124.	Kentucky.
31.	„ <i>morula</i> , ♂.	„	p. 125.	Canada.
32.	„ <i>transversata</i> , ♀.	„	p. 126.	Colorado.





PLATE CXXVI.

1.	<i>Acronycta tota</i> , ♂.	Vol. VIII. p. 127.	Texas.
2.	„ <i>radcliffei</i> , ♀.	„ p. 127.	New York.
3.	„ <i>felina</i> , ♂.	„ p. 128.	California.
4.	„ <i>frigida</i> , ♂.	„ p. 129.	California.
5.	„ <i>cyanescens</i> , ♂.	„ p. 129.	Vancouver I.
6.	„ <i>pacifica</i> , ♂.	„ p. 130.	California.
7.	„ <i>interrupta</i> , ♂.	„ p. 130.	New York.
8.	„ <i>spinigera</i> , ♂.	„ p. 131.	New York.
9.	„ <i>pulverosa</i> , ♂.	„ p. 133.	Japan.
10.	„ <i>canadensis</i> , ♀.	„ p. 135.	Hudson's Bay.
11.	„ <i>cinderella</i> , ♂.	„ p. 135.	Illinois.
12.	„ <i>lepusculina</i> , ♀.	„ p. 136.	New York.
13.	„ <i>chionochroa</i> , ♂.	„ p. 136.	Iowa.
14.	„ <i>populi</i> , ♂.	„ p. 137.	Illinois.
15.	„ <i>similana</i> , ♂.	„ p. 138.	Illinois.
16.	„ <i>gastridia</i> , ♂.	„ p. 138.	Kashmir.
17.	„ <i>metaxantha</i> , ♂.	„ p. 139.	W. China.
18.	„ <i>nigricans</i> , ♂.	„ p. 140.	W. China.
19.	„ <i>emaculata</i> , ♂.	„ p. 140.	Alberta.
20.	„ <i>impressa</i> , ♂.	„ p. 141.	Manitoba.
21.	„ <i>distans</i> , ♂.	„ p. 142.	Canada.
22.	„ <i>edolata</i> , ♂.	„ p. 143.	Arizona.
23.	„ <i>lithospila</i> , ♀.	„ p. 143.	New York.
24.	„ <i>barnesi</i> , ♂.	„ p. 144.	Colorado.
25.	„ <i>perdita</i> , ♂.	„ p. 145.	California.
26.	„ <i>extricata</i> , ♂.	„ p. 145.	Texas.
27.	„ <i>rubricoma</i> , ♂.	„ p. 148.	Pennsylvania.
28.	„ <i>centralis</i> , ♂.	„ p. 148.	W. Turkestan.
29.	„ <i>tiena</i> , ♂.	„ p. 150.	W. China.
30.	„ <i>bicolor</i> , ♂.	„ p. 150.	Punjab.
31.	„ <i>betulæ</i> , ♂.	„ p. 151.	Distr. of Columbia.
32.	„ <i>americana</i> , ♂.	„ p. 151.	New York.





PLATE CXXVII.

1.	<i>Acronycta hesperida</i> , ♀.	Vol. VIII.	p. 152.	Manitoba.
2.	„ <i>dactylina</i> , ♂.	„	p. 154.	New York.
3.	„ <i>insita</i> , ♀.	„	p. 155.	Ontario.
4.	„ <i>innotata</i> , ♂.	„	p. 155.	New York.
5.	„ <i>othello</i> , ♂.	„	p. 156.	California.
6.	„ <i>longa</i> , ♂.	„	p. 157.	New York.
7.	„ <i>sperata</i> , ♂.	„	p. 157.	Massachusetts.
8.	„ <i>cretata</i> , ♀.	„	p. 160.	Colorado.
9.	<i>Eulonche lanceolaria</i> , ♂.	„	p. 164.	Massachusetts.
10.	„ <i>insolita</i> , ♂.	„	p. 164.	Pennsylvania.
11.	<i>Merolonche lupini</i> , ♂.	„	p. 165.	California.
12.	„ <i>ursina</i> , ♀.	„	p. 166.	Colorado.
13.	<i>Simyra henrici</i> , ♂.	„	p. 176.	Canada.
14.	„ <i>coloruda</i> , ♂.	„	p. 177.	Colorado.
15.	„ <i>albicosta</i> , ♀.	„	p. 178.	Madras.
16.	„ <i>conspersa</i> , ♂.	„	p. 179.	Bengal.
17.	<i>Calophasidia dentifera</i> , ♀.	„	p. 182.	W. Australia.
18.	<i>Matopo nigrivittata</i> , ♂.	„	p. 185.	Mashonaland.
19.	„ <i>inangulata</i> , ♂.	„	p. 186.	Rhodesia.
20.	„ <i>actinophora</i> , ♂.	„	p. 187.	Br. E. Africa.
21.	„ <i>hemileuca</i> , ♀.	„	p. 189.	S. Leone.
22.	<i>Delta goniosema</i> , ♀.	„	p. 191.	Mexico.
23.	„ <i>ramosula</i> , ♂.	„	p. 193.	New York.
24.	„ <i>steuarti</i> , ♀.	„	p. 193.	California.
25.	„ <i>campyla</i> , ♂.	„	p. 194.	S. Leone.
26.	„ <i>gnorima</i> , ♂.	„	p. 195.	W. Turkestan.
27.	„ <i>detersina</i> , ♂.	„	p. 196.	W. Turkestan.
28.	„ <i>indica</i> , ♂.	„	p. 196.	Punjab.
29.	„ <i>albiclava</i> , ♂.	„	p. 198.	Peru.
30.	<i>Andropolia illepidata</i> , ♂.	„	p. 200.	Colorado.
31.	„ <i>pulverulenta</i> , ♂.	„	p. 201.	Alberta.
32.	„ <i>pallifera</i> , ♀.	„	p. 202.	Illinois.





PLATE CXXVIII.

1. *Andropolia dispar*, ♂. Vol. VIII. p. 203. Colorado.
2. *Oxyenemis fusimacula*, ♀. „ p. 216. Arizona.
3. „ *baboquavaria*, ♂. „ p. 217. Arizona.
4. *Andropolia acera*, ♂. „ p. 208. Washington.
5. „ *aedon*, ♂. „ p. 205. Washington.
6. *Lithomæa xylinoides*, ♂. „ p. 210. New York.
7. *Oxyenemis subsimplex*, ♂. „ p. 218. Arizona.
8. *Andropolia extincta*, ♀. „ p. 206. New Hampshire.
9. *Oxyenemis acuna*, ♂. „ p. 219. Texas.
10. „ *gracillinea*, ♂. „ p. 219. California.
11. *Leucocnemis sectilis*, ♂. „ p. 222. Texas.
12. „ *nivalis*, ♀. „ p. 223. Texas.
13. *Fotella notalis*, ♀. „ p. 233. Arizona.
14. *Catabena lineolata*, ♂. „ p. 235. New York.
15. „ *vitrina*, ♂. „ p. 236. Haiti.
16. „ *terens*, ♂. „ p. 236. Brazil.
17. *Prodenia pulchella*, ♂. „ p. 243. Cuba.
18. „ *latifascia*, ♂. „ p. 247. Haiti.
19. „ *ornithogalli*, ♂. „ p. 248. New York.
20. „ *præfica*, ♂. „ p. 250. California.
21. „ *marima*, ♂. „ p. 251. Brazil.
22. *Spodoptera umbraculata*, ♂. „ p. 252. Queensland.
23. *Laphygma leucophlebia*, ♂. „ p. 259. Natal.
24. „ *exempta*, ♂. „ p. 261. Transvaal.
25. *Andropolia ochracea*, ♂. „ p. 204. Iowa.
26. *Laphygma frugiperda*, ♂. „ p. 262. New York.
27. „ *flavimaculata*, ♂. „ p. 264. California.
28. *Lithomæa brunneicrista*, ♂. „ p. 211. Alberta.
29. *Andropolia olorina*, ♂. „ p. 204. California.
30. *Lithomæa indistincta*, ♀. „ p. 212. Br. Columbia.
31. *Xylomyges peruviana*, ♂. „ p. 273. Peru.
32. *Andropolia maxima*, ♂. „ p. 207. California.





PLATE CXXIX.

1. <i>Xylomyges ochrea</i> , ♂.	Vol. VIII. p. 273.	Peru.
2. „ <i>sunia</i> , ♂.	„ p. 274.	Grenada.
3. <i>Acroria denterna</i> , ♂.	„ p. 277.	Paraguay.
4. „ <i>mexicana</i> , ♂.	„ p. 278.	Mexico.
5. „ <i>diminuta</i> , ♂.	„ p. 279.	Brazil.
6. <i>Hypostilbia correpta</i> , ♂.	„ p. 294.	E. Turkestan.
7. <i>Amphidrina glaucistis</i> , ♂.	„ p. 296.	Basutoland.
8. „ <i>spælotidia</i> , ♀.	„ p. 297.	Madagascar.
9. <i>Athetis albipuncta</i> , ♂.	„ p. 300.	C. Colony.
10. „ <i>melanopis</i> , ♂.	„ p. 301.	Transvaal.
11. „ <i>nephrosticta</i> , ♀.	„ p. 303.	Transvaal.
12. „ <i>rufipuncta</i> , ♂.	„ p. 303.	C. Colony.
13. „ <i>poliostrota</i> , ♂.	„ p. 304.	Mashonaland.
14. „ <i>microtera</i> , ♂.	„ p. 304.	Mashonaland.
15. „ <i>tenebrata</i> , ♂.	„ p. 305.	C. Colony.
16. „ <i>expolita</i> , ♀.	„ p. 305.	Rodriguez.
17. „ <i>externa</i> , ♂.	„ p. 306.	Sikhim.
18. „ <i>cervina</i> , ♂.	„ p. 306.	Sikhim.
19. „ <i>castaneipars</i> , ♀.	„ p. 307.	Sikhim.
20. „ <i>conspicua</i> , ♂.	„ p. 313.	W. China.
21. „ <i>triquetra</i> , ♂.	„ p. 314.	Arizona.
22. „ <i>gonionephra</i> , ♂.	„ p. 315.	Natal.
23. „ <i>prætexta</i> , ♂.	„ p. 316.	Assam.
24. „ <i>placata</i> , ♂.	„ p. 317.	W. China.
25. „ <i>divisa</i> , ♂.	„ p. 318.	Punjab.
26. „ <i>leucosticta</i> , ♀.	„ p. 323.	Br. E. Africa.
27. „ <i>interstincta</i> , ♂.	„ p. 324.	Sikhim.
28. „ <i>longiciliata</i> , ♂.	„ p. 324.	Assam.
29. „ <i>fusciata</i> , ♂.	„ p. 325.	Sikhim.
30. „ <i>satellitica</i> , ♂.	„ p. 325.	Natal.
31. „ <i>conformis</i> , ♀.	„ p. 326.	hab. ign.
32. „ <i>fusca</i> , ♀.	„ p. 328.	W. China.





Horace Knight del et lith.

West, Newman chromo.



PLATE CXXX.

1.	<i>Athetis morosa</i> , ♂.	Vol. VIII. p. 328.	W. Siberia.
2.	„ <i>rebeli</i> , ♂.	„ p. 329.	Canaries.
3.	„ <i>vullschlegeli</i> , ♂.	„ p. 332.	Switzerland.
4.	„ <i>bremusa</i> , ♂.	„ p. 334.	Bombay.
5.	„ <i>multifera</i> , ♂.	„ p. 334.	Canada.
6.	„ <i>himalayica</i> , ♂.	„ p. 335.	Punjab.
7.	„ <i>chinensis</i> , ♂.	„ p. 336.	W. China.
8.	„ <i>extima</i> , ♂.	„ p. 337.	Vancouver.
9.	„ <i>grisea</i> , ♂.	„ p. 338.	Russia.
10.	„ <i>melanosticta</i> , ♂.	„ p. 342.	Br. E. Africa.
11.	„ <i>flavipuncta</i> , ♂.	„ p. 343.	Mashonaland.
12.	„ <i>croceipuncta</i> , ♂.	„ p. 343.	C. Colony.
13.	„ <i>ignava</i> , ♂.	„ p. 345.	Mauritius.
14.	„ <i>pigra</i> , ♂.	„ p. 346.	Mauritius.
15.	„ <i>sincera</i> , ♂.	„ p. 346.	Punjab.
16.	„ <i>cognata</i> , ♂.	„ p. 347.	Sikhim.
17.	„ <i>singula</i> , ♂.	„ p. 348.	Natal.
18.	„ <i>heliastis</i> , ♂.	„ p. 348.	Transvaal.
19.	„ <i>anomæosis</i> , ♀.	„ p. 349.	Br. E. Africa.
20.	„ <i>albirena</i> , ♂.	„ p. 349.	Bechuanaland.
21.	„ <i>leuconephra</i> , ♂.	„ p. 350.	Mashonaland.
22.	„ <i>meralis</i> , ♀.	„ p. 351.	Massachusetts.
23.	„ <i>melanopis</i> , ♂.	„ p. 351.	Mashonaland.
24.	„ <i>glauca</i> , ♂.	„ p. 352.	Natal.
25.	„ <i>melanephra</i> , ♂.	„ p. 352.	Basutoland.
26.	„ <i>atirena</i> , ♂.	„ p. 353.	C. Colony.
27.	„ <i>absorbens</i> , ♀.	„ p. 354.	C. Colony.
28.	„ <i>vicina</i> , ♂.	„ p. 355.	Russia.
29.	„ <i>flavitincta</i> , ♂.	„ p. 356.	Punjab.
30.	„ <i>stygia</i> , ♂.	„ p. 357.	Punjab.
31.	„ <i>œschria</i> , ♂.	„ p. 358.	C. Colony.
32.	„ <i>tarda</i> , ♂.	„ p. 360.	Distr. of Columbia.






PLATE CXXXI.

1.	<i>Athetis smintha</i> , ♂.	Vol. VIII. p. 361.	C. Colony.
2.	„ <i>maculatra</i> , ♀.	„ p. 362.	Queensland.
3.	„ <i>hyperæschra</i> , ♀.	„ p. 364.	Br. E. Africa.
4.	„ <i>drasteroides</i> , ♂.	„ p. 365.	Arizona.
5.	„ <i>melanurina</i> , ♂.	„ p. 367.	Palestine.
6.	<i>Prometopus albistigma</i> , ♂.	„ p. 368.	Borneo.
7.	„ <i>horologa</i> , ♀.	„ p. 369.	Queensland.
8.	„ <i>nodyna</i> , ♂.	„ p. 370.	Queensland.
9.	<i>Eremochroa psammias</i> , ♂.	„ p. 371.	W. Australia.
10.	„ <i>thermidora</i> , ♂.	„ p. 371.	W. Australia.
11.	„ <i>macropa</i> , ♂.	„ p. 372.	N. S. Wales.
12.	„ <i>paradesma</i> , ♂.	„ p. 372.	S. Australia.
13.	<i>Omphaletis passalota</i> , ♀.	„ p. 376.	S. Australia.
14.	„ <i>exundans</i> , ♂.	„ p. 377.	Victoria.
15.	„ <i>heliosema</i> , ♂.	„ p. 377.	N. S. Wales.
16.	„ <i>nuna</i> , ♂.	„ p. 378.	N. S. Wales.
17.	„ <i>metaneura</i> , ♂.	„ p. 380.	N. S. Wales.
18.	„ <i>sarcomorpha</i> , ♀.	„ p. 380.	Victoria.
19.	„ <i>petrodora</i> , ♀.	„ p. 381.	S. Australia.
20.	„ <i>xerampelina</i> , ♀.	„ p. 381.	W. Australia.
21.	„ <i>plinthina</i> , ♀.	„ p. 382.	W. Australia.
22.	<i>Ariathisa pelosticta</i> , ♀.	„ p. 383.	N. S. Wales.
23.	„ <i>endesma</i> , ♂.	„ p. 384.	S. Australia.
24.	„ <i>cornuta</i> , ♀.	„ p. 385.	S. Australia.
25.	„ <i>euchroa</i> , ♂.	„ p. 385.	S. Australia.
26.	„ <i>amathodes</i> , ♂.	„ p. 386.	Victoria.
27.	„ <i>tortisigna</i> , ♂.	„ p. 390.	Victoria.
28.	„ <i>chrysospila</i> , ♀.	„ p. 391.	S. Australia.
29.	„ <i>paragypsa</i> , ♂.	„ p. 392.	S. Australia.
30.	„ <i>gypsina</i> , ♂.	„ p. 392.	S. Australia.
31.	„ <i>paratorna</i> , ♂.	„ p. 393.	S. Australia.
32.	„ <i>chionopasta</i> , ♂.	„ p. 393.	W. Australia.





PLATE CXXXII.

1.	<i>Ariathisa cyanoloma</i> , ♂.	Vol. VIII. p. 394.	Victoria.
2.	„ <i>callimera</i> , ♂.	„ p. 394.	S. Australia.
3.	„ <i>etoniana</i> , ♂.	„ p. 395.	S. Australia.
4.	„ <i>hydræcioides</i> , ♂.	„ p. 395.	S. Australia.
5.	„ <i>marginalis</i> , ♂.	„ p. 396.	Tasmania.
6.	„ <i>microspila</i> , ♂.	„ p. 397.	S. Australia.
7.	„ <i>atmoscopa</i> , ♂.	„ p. 397.	N. S. Wales.
8.	„ <i>confinis</i> , ♂.	„ p. 398.	Queensland.
9.	„ <i>poliocrossa</i> , ♂.	„ p. 398.	W. Australia.
10.	„ <i>porphyrescens</i> , ♀.	„ p. 399.	Victoria.
11.	„ <i>bistrigula</i> , ♀.	„ p. 399.	Australia.
12.	„ <i>capularis</i> , ♂.	„ p. 400.	Tasmania.
13.	„ <i>atra</i> , ♂.	„ p. 401.	Tasmania.
14.	„ <i>microdes</i> , ♂.	„ p. 402.	N. S. Wales.
15.	„ <i>atrisquamata</i> , ♀.	„ p. 403.	Tasmania.
16.	„ <i>cryphæa</i> , ♂.	„ p. 403.	Victoria.
17.	„ <i>heterogama</i> , ♂.	„ p. 404.	N. S. Wales.
18.	„ <i>monochroa</i> , ♂.	„ p. 404.	S. Australia.
19.	„ <i>adelphodes</i> , ♂.	„ p. 405.	N. S. Wales.
20.	„ <i>leucosticta</i> , ♀.	„ p. 405.	Victoria.
21.	„ <i>interferens</i> , ♂.	„ p. 406.	Tasmania.
22.	„ <i>flexirena</i> , ♂.	„ p. 406.	Queensland.
23.	„ <i>adelopa</i> , ♂.	„ p. 407.	Victoria.
24.	„ <i>nycteris</i> , ♀.	„ p. 407.	N. S. Wales.
25.	„ <i>basisticha</i> , ♂.	„ p. 408.	Queensland.
26.	„ <i>striolata</i> , ♀.	„ p. 408.	Fiji.
27.	„ <i>acallis</i> , ♂.	„ p. 409.	Queensland.
28.	„ <i>melanographa</i> , ♂.	„ p. 409.	Victoria.
29.	<i>Acopa incana</i> , ♂.	„ p. 411.	Arizona.
30.	„ <i>perpallida</i> , ♂.	„ p. 412.	Kansas.
31.	<i>Hadenella rectiradiata</i> , ♀.	„ p. 231.	Bechuanaland.
32.	<i>Cetola rubricosta</i> , ♂.	„ p. 183.	Ceylon.



Horace Knight del et lith.

West, Newman chromo



PLATE CXXXIII.

1.	<i>Acosmetia tenuipennis</i> , ♂.	Vol. VIII.	p. 412.	Formosa.
2.	„ <i>arida</i> , ♀.	„	p. 414.	Egypt.
3.	<i>Petilampa anotha</i> , ♂.	„	p. 416.	Br. Columbia.
4.	„ <i>camina</i> , ♂.	„	p. 417.	Colorado.
5.	<i>Ethiopica cupricolora</i> , ♂.	„	p. 419.	Mozambique.
6.	„ <i>polyastra</i> , ♂.	„	p. 419.	Nigeria.
7.	„ <i>hesperonota</i> , ♀.	„	p. 420.	Br. E. Africa.
8.	„ <i>micra</i> , ♂.	„	p. 420.	Natal.
9.	<i>Hypoperigea leprosticta</i> , ♀.	„	p. 423.	Ceylon.
10.	„ <i>turpis</i> , ♂.	„	p. 424.	Madras.
11.	„ <i>hæmorrhanta</i> , ♂.	„	p. 425.	Queensland.
12.	<i>Dysmilichia calamistrata</i> , ♀.	„	p. 428.	Sikhim.
13.	„ <i>perigeta</i> , ♂.	„	p. 428.	Brazil.
14.	<i>Proxenus xantholopha</i> , ♂.	„	p. 431.	C. Colony.
15.	„ <i>dissimilis</i> , ♂.	„	p. 431.	Philippines.
16.	„ <i>xanthopis</i> , ♀.	„	p. 432.	Basutoland.
17.	„ <i>fragosa</i> , ♂.	„	p. 433.	Arizona.
18.	„ <i>distracta</i> , ♂.	„	p. 433.	Mongolia.
19.	„ <i>tenuis</i> , ♂.	„	p. 434.	Queensland.
20.	„ <i>nitens</i> , ♂.	„	p. 435.	Alberta.
21.	„ <i>miranda</i> , ♂.	„	p. 435.	New York.
22.	„ <i>hennia</i> , ♀.	„	p. 436.	Borneo.
23.	„ <i>tristis</i> , ♀.	„	p. 437.	E. Siberia.
24.	<i>Galyula subapicalis</i> , ♂.	„	p. 440.	Jamaica.
25.	„ <i>castra</i> , ♂.	„	p. 441.	Brazil.
26.	<i>Micrathetis canifimbria</i> , ♂.	„	p. 442.	Brazil.
27.	<i>Platysenta temecula</i> , ♂.	„	p. 447.	Arizona.
28.	„ <i>discistriga</i> , ♂.	„	p. 448.	Colorado.
29.	„ <i>albipuncta</i> , ♂.	„	p. 449.	Texas.
30.	<i>Gonodes dianiphea</i> , ♂.	„	p. 450.	Brazil.
31.	„ <i>albifissa</i> , ♀.	„	p. 451.	Peru.
32.	„ <i>obliqua</i> , ♂.	„	p. 452.	Colombia.



Horace Knight'del.et lith.

West, Newman chromo. \



PLATE CXXXIV.

1.	<i>Gonodes aroensis</i> , ♂.	Vol. VIII. p. 453.	Venezuela.
2.	<i>Balsa labecula</i> , ♀.	„ p. 456.	Wisconsin.
3.	<i>Monodes barbarossa</i> , ♂.	„ p. 461.	Paraguay.
4.	„ <i>vittifera</i> , ♀.	„ p. 462.	Panama.
5.	„ <i>fuscimacula</i> , ♂.	„ p. 464.	Texas.
6.	„ <i>hyposcota</i> , ♂.	„ p. 464.	Grenada.
7.	„ <i>insipida</i> , ♂.	„ p. 465.	Ecuador.
8.	„ <i>subrubens</i> , ♂.	„ p. 467.	Paraguay.
9.	„ <i>conjugata</i> , ♂.	„ p. 473.	Punjab.
10.	„ <i>fissistigma</i> , ♂.	„ p. 473.	Assam.
11.	„ <i>albiviata</i> , ♂.	„ p. 474.	W. China.
12.	„ <i>trifissa</i> , ♀.	„ p. 475.	Punjab.
13.	„ <i>plectilis</i> , ♂.	„ p. 475.	S. Leone.
14.	„ <i>atrisepta</i> , ♀.	„ p. 476.	Brazil.
15.	„ <i>interstriata</i> , ♀.	„ p. 476.	Paraguay.
16.	„ <i>rubrisepta</i> , ♂.	„ p. 477.	Brazil.
17.	„ <i>costagna</i> , ♂.	„ p. 477.	Brazil.
18.	„ <i>agrotina</i> , ♂.	„ p. 478.	Br. Guiana.
19.	„ <i>proleuca</i> , ♂.	„ p. 479.	Bahamas.
20.	„ <i>subobliqua</i> , ♂.	„ p. 479.	Brazil.
21.	„ <i>versicolora</i> , ♂.	„ p. 481.	Canada.
22.	„ <i>chalcedonia</i> , ♂.	„ p. 482.	Texas.
23.	„ <i>festivoides</i> , ♂.	„ p. 483.	New York.
24.	„ <i>exesa</i> , ♂.	„ p. 483.	Florida.
25.	„ <i>obliquirena</i> , ♂.	„ p. 484.	St. Vincent.
26.	„ <i>ensina</i> , ♂.	„ p. 485.	Arizona.
27.	„ <i>polysticta</i> , ♂.	„ p. 485.	Brazil.
28.	„ <i>apicalis</i> , ♂.	„ p. 486.	Venezuela.
29.	„ <i>pallescens</i> , ♀.	„ p. 486.	Brazil.
30.	„ <i>hemipolia</i> , ♀.	„ p. 487.	Peru.
31.	„ <i>phaeopera</i> , ♂.	„ p. 488.	Venezuela.
32.	„ <i>niveiplaya</i> , ♀.	„ p. 489.	Venezuela.



Horace Knight del et lith.

West, Newman chromo.



PLATE CXXXV.

1.	<i>Monodes leucomela</i> , ♀.	Vol. VIII. p. 489.	Argentina.
2.	„ <i>mastera</i> , ♂.	„ p. 490.	Brazil.
3.	„ <i>marmorata</i> , ♀.	„ p. 490.	Costa Rica.
4.	„ <i>semirufa</i> , ♂.	„ p. 491.	Peru.
5.	„ <i>repanda</i> , ♀.	„ p. 491.	Mexico.
6.	„ <i>basistigma</i> , ♂.	„ p. 492.	Jamaica.
7.	„ <i>hemileuca</i> , ♀.	„ p. 493.	Brazil.
8.	„ <i>phæoplaga</i> , ♂.	„ p. 495.	Brazil.
9.	„ <i>chlorozona</i> , ♀.	„ p. 495.	Brazil.
10.	„ <i>bertha</i> , ♀.	„ p. 496.	Brazil.
11.	„ <i>sanctanna</i> , ♀.	„ p. 496.	Brazil.
12.	„ <i>rubripicta</i> , ♂.	„ p. 497.	Venezuela.
13.	„ <i>leucostigna</i> , ♀.	„ p. 498.	Peru.
14.	„ <i>algama</i> , ♂.	„ p. 498.	Brazil.
15.	„ <i>orbiculata</i> , ♂.	„ p. 499.	Brazil.
16.	„ <i>chionopis</i> , ♂.	„ p. 500.	Peru.
17.	„ <i>thoracica</i> , ♂.	„ p. 501.	Brazil.
18.	„ <i>castrensis</i> , ♀.	„ p. 501.	Brazil.
19.	„ <i>cenicienta</i> , ♀.	„ p. 502.	Ecuador.
20.	„ <i>stelligera</i> , ♀.	„ p. 503.	Brazil.
21.	„ <i>mesomela</i> , ♂.	„ p. 503.	Peru.
22.	„ <i>cadema</i> , ♀.	„ p. 504.	Brazil.
23.	„ <i>flaviorbis</i> , ♂.	„ p. 504.	Peru.
24.	„ <i>callopistrica</i> , ♀.	„ p. 505.	Venezuela.
25.	„ <i>acaste</i> , ♀.	„ p. 505.	Peru.
26.	„ <i>bastula</i> , ♂.	„ p. 507.	Brazil.
27.	„ <i>tenebrosa</i> , ♂.	„ p. 507.	Peru.
28.	„ <i>stygiata</i> , ♀.	„ p. 508.	Paraguay.
29.	„ <i>hæmassa</i> , ♂.	„ p. 508.	Cuba.
30.	„ <i>miochroa</i> , ♂.	„ p. 509.	Brazil.
31.	„ <i>stenonephra</i> , ♂.	„ p. 510.	Mexico.
32.	„ <i>lentilinea</i> , ♂.	„ p. 511.	Brazil.





PLATE CXXXVI.

1.	<i>Monodes targa</i> , ♂.	Vol. VIII. p. 512.	Brazil.
2.	„ <i>atrisigna</i> , ♀.	„ p. 512.	Argentina.
3.	„ <i>jonea</i> , ♂.	„ p. 513.	Brazil.
4.	„ <i>editha</i> , ♂.	„ p. 513.	Brazil.
5.	„ <i>lithodia</i> , ♂.	„ p. 514.	Brazil.
6.	„ <i>thionaris</i> , ♂.	„ p. 514.	Brazil.
7.	„ <i>virescens</i> , ♂.	„ p. 515.	Brazil.
8.	„ <i>stenelea</i> , ♂.	„ p. 516.	Brazil.
9.	„ <i>costipuncta</i> , ♂.	„ p. 516.	Brazil.
10.	„ <i>ditrigona</i> , ♂.	„ p. 517.	Brazil.
11.	<i>Hadjina biguttula</i> , ♂.	„ p. 523.	Japan.
12.	„ <i>carcaroda</i> , ♀.	„ p. 524.	Transvaal.
13.	„ <i>cupreipennis</i> , ♂.	„ p. 525.	Sikhim.
14.	„ <i>vichti</i> , ♂.	„ p. 526.	Spain.
15.	„ <i>cinerea</i> , ♂.	„ p. 526.	Sikhim.
16.	„ <i>beata</i> , ♂.	„ p. 527.	E. Turkestan.
17.	„ <i>atrinota</i> , ♂.	„ p. 528.	Br. E. Africa.
18.	„ <i>palæstinensis</i> , ♂.	„ p. 530.	Palestine.
19.	„ <i>poliastis</i> , ♂.	„ p. 530.	Punjab.
20.	„ <i>ferrugineu</i> , ♀.	„ p. 531.	Japan.
21.	„ <i>pyroxantha</i> , ♂.	„ p. 531.	Sikhim Tibet.
22.	„ <i>pallida</i> , ♂.	„ p. 532.	W. China.
23.	<i>Procrateria pterota</i> , ♂.	„ p. 532.	Natal.
24.	<i>Xylomæa didonea</i> , ♀.	„ p. 536.	Colorado.
25.	<i>Amiana continens</i> , ♂.	„ p. 539.	Arizona.
26.	„ <i>niana</i> , ♂.	„ p. 540.	Arizona.
27.	<i>Catamecia connectens</i> , ♀.	„ p. 542.	Bechuanaland.
28.	„ <i>deceptrix</i> , ♂.	„ p. 542.	Syria.
29.	„ <i>minima</i> , ♂.	„ p. 543.	Sind.
30.	<i>Namangana pectinicornis</i> , ♀.	„ p. 545.	Ceylon.
31.	„ <i>minor</i> , ♂.	„ p. 547.	Queensland.
32.	„ <i>cashmirensis</i> , ♂.	„ p. 550.	Punjab.




Horace Knight del. et lith.

West, Newman chromo.




210

595.78 B86C PLATES VOL >



a39001



007199055b

B86C
Plates
v. 1-8



